

SURAT MUNICIPAL CORPORATION
Post:Laboratory Technician

Exam Date : 05/04/2026

FINAL ANSWER KEY (SDLT-2026)

QUESTION PAPER SERIES - A

| Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 1 | B | 26 | B | 51 | B | 76 | D |
| 2 | B | 27 | C | 52 | A | 77 | C |
| 3 | D | 28 | B | 53 | D | 78 | A |
| 4 | B | 29 | B | 54 | B | 79 | B |
| 5 | B | 30 | B | 55 | B | 80 | C |
| 6 | C | 31 | C | 56 | D | 81 | B |
| 7 | C | 32 | B | 57 | B | 82 | C |
| 8 | B | 33 | B | 58 | D | 83 | B |
| 9 | D | 34 | B | 59 | D | 84 | C |
| 10 | C | 35 | C | 60 | B | 85 | A |
| 11 | C | 36 | B | 61 | C | 86 | X |
| 12 | C | 37 | C | 62 | B | 87 | X |
| 13 | B | 38 | B | 63 | B | 88 | C |
| 14 | C | 39 | B | 64 | C | 89 | C |
| 15 | B | 40 | C | 65 | D | 90 | B |
| 16 | B | 41 | C | 66 | C | 91 | C |
| 17 | B | 42 | C | 67 | A | 92 | C |
| 18 | B | 43 | C | 68 | D | 93 | B |
| 19 | C | 44 | X | 69 | B | 94 | X |
| 20 | B | 45 | B | 70 | D | 95 | B |
| 21 | B | 46 | D | 71 | A | 96 | D |
| 22 | B | 47 | B | 72 | C | 97 | A |
| 23 | C | 48 | C | 73 | B | 98 | C |
| 24 | D | 49 | C | 74 | B | 99 | A |
| 25 | B | 50 | A | 75 | A | 100 | X |

Note : " X " in above table denotes that, 1 mark will be given to all the candidates who were present in the exam.

SURAT MUNICIPAL CORPORATION
Post:Laboratory Technician

Exam Date : 05/04/2026

FINAL ANSWER KEY (SDLT-2026)

QUESTION PAPER SERIES - B

| Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | B | 26 | C | 51 | X | 76 | B |
| 2 | C | 27 | X | 52 | C | 77 | B |
| 3 | B | 28 | B | 53 | C | 78 | C |
| 4 | B | 29 | D | 54 | B | 79 | D |
| 5 | B | 30 | B | 55 | C | 80 | C |
| 6 | C | 31 | C | 56 | C | 81 | A |
| 7 | D | 32 | C | 57 | B | 82 | D |
| 8 | B | 33 | A | 58 | X | 83 | B |
| 9 | B | 34 | B | 59 | B | 84 | D |
| 10 | C | 35 | B | 60 | D | 85 | A |
| 11 | B | 36 | D | 61 | A | 86 | C |
| 12 | B | 37 | B | 62 | C | 87 | B |
| 13 | B | 38 | B | 63 | A | 88 | B |
| 14 | C | 39 | C | 64 | X | 89 | A |
| 15 | B | 40 | C | 65 | B | 90 | D |
| 16 | B | 41 | B | 66 | A | 91 | C |
| 17 | B | 42 | D | 67 | D | 92 | A |
| 18 | C | 43 | C | 68 | B | 93 | B |
| 19 | B | 44 | C | 69 | B | 94 | C |
| 20 | C | 45 | C | 70 | D | 95 | B |
| 21 | B | 46 | B | 71 | B | 96 | C |
| 22 | B | 47 | C | 72 | D | 97 | B |
| 23 | C | 48 | B | 73 | D | 98 | C |
| 24 | C | 49 | B | 74 | B | 99 | A |
| 25 | C | 50 | B | 75 | C | 100 | X |

Note : " X " in above table denotes that, 1 mark will be given to all the candidates who were present in the exam.

SURAT MUNICIPAL CORPORATION
Post:Laboratory Technician

Exam Date : 05/04/2026

FINAL ANSWER KEY (SDLT-2026)

QUESTION PAPER SERIES - C

| Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | C | 26 | B | 51 | C | 76 | A |
| 2 | C | 27 | B | 52 | B | 77 | C |
| 3 | X | 28 | C | 53 | B | 78 | A |
| 4 | B | 29 | B | 54 | A | 79 | X |
| 5 | D | 30 | B | 55 | D | 80 | B |
| 6 | B | 31 | B | 56 | C | 81 | A |
| 7 | C | 32 | C | 57 | A | 82 | D |
| 8 | C | 33 | D | 58 | B | 83 | B |
| 9 | A | 34 | B | 59 | C | 84 | B |
| 10 | B | 35 | B | 60 | B | 85 | D |
| 11 | B | 36 | C | 61 | C | 86 | B |
| 12 | D | 37 | B | 62 | B | 87 | D |
| 13 | B | 38 | B | 63 | C | 88 | D |
| 14 | B | 39 | B | 64 | A | 89 | B |
| 15 | C | 40 | C | 65 | X | 90 | C |
| 16 | C | 41 | B | 66 | X | 91 | B |
| 17 | B | 42 | B | 67 | C | 92 | B |
| 18 | D | 43 | B | 68 | C | 93 | C |
| 19 | C | 44 | C | 69 | B | 94 | D |
| 20 | C | 45 | B | 70 | C | 95 | C |
| 21 | C | 46 | C | 71 | C | 96 | A |
| 22 | B | 47 | B | 72 | B | 97 | D |
| 23 | C | 48 | B | 73 | X | 98 | B |
| 24 | B | 49 | C | 74 | B | 99 | D |
| 25 | B | 50 | C | 75 | D | 100 | A |

Note : " X " in above table denotes that, 1 mark will be given to all the candidates who were present in the exam.

SURAT MUNICIPAL CORPORATION
Post:Laboratory Technician

Exam Date : 05/04/2026

FINAL ANSWER KEY (SDLT-2026)

QUESTION PAPER SERIES - D

| Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER | Q. NO. | ANSWER |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | B | 26 | B | 51 | X | 76 | B |
| 2 | C | 27 | B | 52 | B | 77 | D |
| 3 | B | 28 | D | 53 | D | 78 | A |
| 4 | B | 29 | B | 54 | A | 79 | C |
| 5 | B | 30 | B | 55 | C | 80 | B |
| 6 | C | 31 | C | 56 | A | 81 | B |
| 7 | B | 32 | C | 57 | X | 82 | A |
| 8 | B | 33 | B | 58 | B | 83 | D |
| 9 | B | 34 | D | 59 | A | 84 | C |
| 10 | C | 35 | C | 60 | D | 85 | A |
| 11 | B | 36 | C | 61 | B | 86 | B |
| 12 | C | 37 | C | 62 | B | 87 | C |
| 13 | B | 38 | B | 63 | D | 88 | B |
| 14 | B | 39 | C | 64 | B | 89 | C |
| 15 | C | 40 | B | 65 | D | 90 | B |
| 16 | C | 41 | B | 66 | D | 91 | C |
| 17 | C | 42 | B | 67 | B | 92 | A |
| 18 | C | 43 | B | 68 | C | 93 | X |
| 19 | X | 44 | C | 69 | B | 94 | X |
| 20 | B | 45 | B | 70 | B | 95 | C |
| 21 | D | 46 | B | 71 | C | 96 | C |
| 22 | B | 47 | B | 72 | D | 97 | B |
| 23 | C | 48 | C | 73 | C | 98 | C |
| 24 | C | 49 | D | 74 | A | 99 | C |
| 25 | A | 50 | B | 75 | D | 100 | B |

Note : " X " in above table denotes that, 1 mark will be given to all the candidates who were present in the exam.