

Executive Engineer
South Zone-A(Udhana)



Surat Municipal Corporation
South Zone(Udhana)
Opp. Satyanagar, Udhana,
Surat.
☎ 2277043, 2278429.

QUOTATION INQUIRY

To,

.....
.....
.....
.....

SZ-A/Tech./No.1780

Dtd.: - 26 / 05 /2023

Sub: - Offer for Supply of different type of Electrical item for maintenance purpose at various muni. building at South Zone-A(Udhna), SMC Surat.

Dear Sir,

South Zone of Surat municipal corporation is inviting quotation for the work of Offer for Supply of different type of Electrical item for maintenance purpose at various muni. building at South Zone-A(Udhna), SMC Surat.

Send your offer in a sealed cover So as to reach in the office of Executive Engineer [South Zone-A(Udhna)] on or before Dt.07/06/2023 6.00 up to pm. Please note that the sealed cover shall be super scribed with the name of work. Details of material is as following.

Sr. N.	ITEM DESCRIPTION	Unit	Rate without GST
	Tube Light And accessories		
1	4 Ft. (1200 mm) Tube fitting Including 36/40 Watt Electronic Ballast Without Tube Rod Only Fixture	Ea.	
2	4 Ft. (1200 mm) Tube Light Rod , Light output 2450 Lumens.	Ea.	
3	4 Ft. 18/20 Watt LED Complete PVC T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
4	2 Ft. 08/10 Watt T5 LED Complete PVC Tube Light Lumen Output 800/1000,	Ea.	
5	4 Ft. 18/20 Watt LED Complete Aluminum body T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt		
6	2 Ft. 08/10 Watt T5 LED Complete Aluminum body Tube Light Lumen Output 800/1000,		
7	4 Ft. (1200 mm) Tube Fitting Without Led Tube Rod Only Fixture With Rotating type Side Holder	Ea.	
8	4 Ft. LED T5 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficiency 100lm/watt	Ea.	
9	36 Watt Electronic Ballast (Choke)	Ea.	
10	Tube Light Side Holder Simple	Ea.	
11	Led Tube Light Side Holder (Rotating Type)	Ea.	
	Lamp & Halogen Tube	Ea.	
12	40W Tungsten Filament Lamp	Ea.	
13	60W Tungsten Filament Lamp	Ea.	
14	100W Tungsten Filament Lamp	Ea.	
15	7 W Led Lamp	Ea.	
16	9 W Led Lamp	Ea.	
17	12 W Led Lamp	Ea.	

	Light & Accessories		
18	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
19	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent	Ea.	
20	18/20 Watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
21	20/24 LED Panel Light size 1 x 1 inch	Ea.	
22	12/15W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
23	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
24	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
	Celling Fan & Accessories		
25	Supply of 1200 mm Sweep (48"),BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC)permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades,2 nos, canopies , shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	
26	Ceiling fan,(48"),1200 mm, Energy Efficient ,BEE 1 Star rated, high Speed Air Delivery ,Minimum 218 CMM input power maximum 53 W	Ea.	
27	Pedestal fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead fleixble wires and plug top 110 Watt.	Ea.	
28	Supplying & erecting single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A,80 Watt.	Ea.	
29	Wall fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	
30	Wall fan A.C. 230 V. 50 Cy/s. 450 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	
31	Supplying & erecting single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A,180 Watt.	Ea.	
32	Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM	Ea.	
33	Supplying & erecting single phase apporved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM	Ea.	
34	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM	Ea.	
35	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM	Ea.	
36	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM	Ea.	
37	Capacitor 440 V AC,1.5 uf	Ea.	
38	Capacitor 440 V AC,2.5 uf (oiled filled)	Ea.	
39	Capacitor 440 V AC,10 uf	Ea.	
40	Capacitor 440 V AC,25 uf	Ea.	
41	Capacitor 440 V AC,36 uf	Ea.	
42	Capacitor 440 V AC,45 uf	Ea.	

43	Capacitor 440 V AC,50 uf	Ea.	
44	Capacitor 440 V AC,100/120 uf	Ea.	
45	1.5 ft Ceiling fan MS pipe	Ea.	
46	2 ft Ceiling fan MS pipe	Ea.	
47	2.5 ft ceiling fan MS pipe	Ea.	
48	3 ft ceiling fan MS pipe	Ea.	
49	4 ft ceiling fan MS pipe	Ea.	
50	Ding Dong Bell	Ea.	
51	Remote Operated Ding Dong Bell	Ea.	
52	Buzzer	Ea.	
53	Musical Bell	Ea.	
54	parrot Bell	Ea.	
	Miniature Circuit Breaker (MCB) Enclosure		
55	1/2 MCB box PVC Enclosure	Ea.	
56	3/4 MCB box PVC Enclosure	Ea.	
57	MCB Metal Enclosure for Double Pole	Ea.	
58	MCB Metal Enclosure for four Pole	Ea.	
	MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
59	1 Amp. Single Pole (SP) MCB	Ea.	
60	6 Amp. Single Pole (SP) MCB	Ea.	
61	10 Amp. Single Pole (SP) MCB	Ea.	
62	16 Amp. Single Pole (SP) MCB	Ea.	
63	20 Amp. Single Pole (SP) MCB	Ea.	
64	32 Amp. Single Pole (SP) MCB	Ea.	
65	6 Amp. Double Pole (DP) MCB	Ea.	
66	10 Amp. Double Pole (DP) MCB	Ea.	
67	16 Amp. Double Pole (DP) MCB	Ea.	
68	25 Amp. Double Pole (DP) MCB	Ea.	
69	32 Amp. Double Pole (DP) MCB	Ea.	
70	40 Amp. Double Pole (DP) MCB	Ea.	
	MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA		
71	20 Amp. Four pole (FP) MCB	Ea.	
72	32 Amp. Four pole (FP) MCB	Ea.	
73	40 Amp. Four pole (FP) MCB	Ea.	
74	63 Amp. Four pole (FP) MCB	Ea.	
75	20 Amp. Four pole (TP) MCB	Ea.	
76	32 Amp. Four pole (TP) MCB	Ea.	
77	40 Amp. Four pole (TP) MCB	Ea.	
78	63 Amp. Four pole (TP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
79	6 Amp. Single Pole (SP) MCB	Ea.	
80	10 Amp. Single Pole (SP) MCB	Ea.	
81	16 Amp. Single Pole (SP) MCB	Ea.	
82	32 Amp. Single Pole (SP) MCB	Ea.	
83	6 Amp. Double Pole (DP) MCB	Ea.	
84	10 Amp. Double Pole (DP) MCB	Ea.	

85	16 Amp. Double Pole (DP) MCB	Ea.	
86	25 Amp. Double Pole (DP) MCB	Ea.	
87	32 Amp. Double Pole (DP) MCB	Ea.	
88	40 Amp. Double Pole (DP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
89	16 Amp. Four pole (FP) MCB	Ea.	
90	25 Amp. Four pole (FP) MCB	Ea.	
91	32 Amp. Four pole (FP) MCB	Ea.	
92	40 Amp. Four pole (FP) MCB	Ea.	
93	63 Amp. Four pole (FP) MCB	Ea.	
	MCCB		
94	63 Amp. Four pole (FP) MCCB	Ea.	
95	100 Amp. Four pole (FP) MCCB	Ea.	
96	125 Amp. Four pole (FP) MCCB	Ea.	
	RCCB		
97	25 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
98	25 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
99	40 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
100	40 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
101	63 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
102	63 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
103	100 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
104	100 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
105	25 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
106	25 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
107	40 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
108	40 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
109	63 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
110	63 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
111	100 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
112	100 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
	MCB DISTRIBUTION BOARDS		
113	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	
114	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	
115	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
116	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
117	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
118	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
119	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
120	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
121	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
122	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	

	Flexible Wire Cable		
123	1.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
124	1.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
125	2.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
126	4.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
127	6.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
128	1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
129	1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
130	2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
131	4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
132	32/20 mm Twins Twisted flexible Copper Wire (R&BK) (90 Mtr)	PKT	
133	2.5 sq. mm 2 Core Alluminum Flat Cable (90 mtr.)	PKT	
134	4 sq. mm 2 Core Alluminum Flat Cable (90 Mtr)	PKT	
135	1.00 sq mm 2 core round flexible PVC insulated multi (100 Mtr.)	PKT	
136	1.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
137	1.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
138	2.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
139	4.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
140	2.50 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
141	4.00 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
142	CAT-6 UTP Cable (305 mtr.)	PKT	
	Modular Accessories		
	Modular Board		
143	2-Up PVC Modular Board Surface	Ea.	
144	3-Up PVC Modular Board Surface	Ea.	
145	4-Up PVC Modular Board Surface	Ea.	
146	6-Up PVC Modular Board Surface	Ea.	
147	8-Up PVC Modular Board Surface	Ea.	
148	12-Up PVC Modular Board Surface	Ea.	
149	16-Up PVC Modular Board Surface	Ea.	
150	18-Up PVC Modular Board Surface	Ea.	
	Modular Plate		
151	2-Up Modular Plate	Ea.	
152	3-Up Modular Plate	Ea.	
153	4-Up Modular Plate	Ea.	
154	6-Up Modular Plate	Ea.	
155	8-Up Modular Plate	Ea.	
156	12-Up Modular Plate	Ea.	
157	16-Up Modular Plate	Ea.	
158	18-Up Modular Plate	Ea.	
	Modular Type Switch and Regulator		
159	Dummy Plate Modular	Ea.	
160	Indicator Modular	Ea.	
161	Modular Switch 6 Amp	Ea.	
162	Modular Switch 16 Amp	Ea.	
163	Modular Plug 6 Amp	Ea.	
164	Modular Plug 16 Amp	Ea.	
165	Modular Bell Push Switch	Ea.	

166	Plug Type step type Hum free Regulator for Modular	Ea.	
167	Switch Type step type Hum free Regulator for Modular	Ea.	
168	2 Way Switch Modular	Ea.	
169	6 to 32 Amp S.P. MCB Modular	Ea.	
170	6 to 32 Amp D.P. MCB Modular	Ea.	
171	Modular Angle Holder	Ea.	
172	Modular Battan Holder	Ea.	
173	AC starter Modular 16/25 A	Ea.	
174	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
175	TV Co-axial Socket out	Ea.	
	Tissino Type Switch and Fan Regulator		
176	Tissino Type Switch 6 Amp (simple)	Ea.	
177	Tissino type Switch 16 Amp (simple)	Ea.	
178	Tissino type 2-Way Switch 6 Amp	Ea.	
179	Tissino Type Bell Push	Ea.	
180	Tissino type Plug 6 Amp (simple) 2 IN 1 Socket	Ea.	
181	Tissino type Plug 16 Amp (Simple)	Ea.	
182	Holder Adapter	Ea.	
183	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
184	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
185	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S S Combine with box)	Ea.	
186	Angle Holder	Ea.	
187	Batten Holder	Ea.	
188	Pendent Holder	Ea.	
189	Bakelite Celling Rose	Ea.	
190	6 to 32 Amp S.P. MCB	Ea.	
191	6 to 32 Amp D.P. MCB	Ea.	
192	3 Pin Top 6A	Ea.	
193	3 Pin Top 16A	Ea.	
194	5 Amp Connector Strip	Ea.	
195	10 Amp Connector Strip	Ea.	
196	Male Female 2 Pin Connector	Ea.	
	Conduits & Pipes Accessories		
197	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
198	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
199	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	
200	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	
201	Junction 1 Way 20/25/32 mm	Ea.	
202	Junction 2 Way 20/25/32 mm	Ea.	
203	Junction 3 Way 20/25/32 mm	Ea.	
204	Junction 4 Way 20/25/32 mm	Ea.	
205	Coupling 20/25/32 mm	Ea.	
206	Elbow 20/25/32 mm	Ea.	
207	Tee 20/25/32 mm	Ea.	
	Casing-Capping Accessories		
208	Pvc Casing Capping Double Lock Type 12/20 mm (2 Mtr.)	No.	
209	Pvc Casing Capping Double Lock Type 12/25 mm (2 Mtr.)	No.	

210	Pvc Casing Capping Double Lock Type 12/32 mm (2 Mtr.)	No.	
211	UPVC cable trunking system size 50 mm x 50 mm trunking (2 Mtr.)	No.	
212	External Coupler 20/25/32 mm	Ea.	
213	Internal coupler 20/25/32 mm	Ea.	
214	Elbow 20/25/32 mm	Ea.	
215	Tee 3/4 Way 20/25/32 mm	Ea.	
216	Inner/Outer 20/25/32 mm	Ea.	
217	Junction 1 Way 20/25/32 mm	Ea.	
218	Junction 2 Way 20/25/32 mm	Ea.	
219	Junction 3 Way 20/25/32 mm	Ea.	
220	Junction 4 Way 20/25/32 mm	Ea.	
221	Coupler 20/25/32 mm	Ea.	
	Cable Tie		
222	CABLE TIE, 300 MM (100 Nos.)	PKT	
223	CABLE TIE, 250 MM (100 Nos.)	PKT	
224	CABLE TIE, 200 MM (100 Nos.)	PKT	
225	CABLE TIE, 150 MM (100 Nos.)	PKT	
226	CABLE TIE,100 MM (100 Nos.)	PKT	
	C-Clamp		
227	4 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
228	6 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
229	8 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
230	9 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
231	10 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
232	12 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
233	20 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
234	25 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
	Khili		
235	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
	Different Size Screw		
236	Metal Screw 13 x 6 mm (1000 nos.)	PKT	
237	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
238	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
239	Metal Screw 36 x 6 mm (500 nos.)	PKT	
240	Metal Screw 45 x 6 mm (500 nos.)	PKT	
241	Metal Screw 50 x 6 mm (500 nos.)	PKT	
242	Metal Screw 35 x 8 mm (500 nos.)	PKT	
243	Black Metal Screw 13 x 6 mm (1000 nos.)	PKT	
244	Black Metal Screw 19 x 6 mm (1000 nos.)	PKT	
245	Black Metal Screw 32 x 6 mm (1000 nos.)	PKT	
246	Black Metal Screw 38 x 6 mm (750 nos.)	PKT	
247	Black Metal Screw 50 x 6 mm (500 nos.)	PKT	
248	Black Metal Screw 60 x 6 mm (400 nos.)	PKT	
249	Black Metal Screw 75 x 6 mm (300 nos.)	PKT	
	Other Accessories		
250	Electrical insulation Tape Roll different colour box (R-Y-B-N)	Ea.	
251	Wooden Grip Packet	PKT	
252	PVC Grip Packet	PKT	

253	Aluminum Strip (10 Ft.long)	Ea.	
254	Rubber Clamp (fan)	Ea.	
255	Pencil Cell AAA size 1.5 V	Ea.	
256	Pencil Cell AA size 1.5 V	Ea.	
257	9V Battery Cell	Ea.	
258	12 V 23 A Alkaline Battery Cell	Ea.	
259	Aluminum Lug pin type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
260	Aluminums Lug pin type as per above wire/cable size 6/10 sq. mm cable	Ea.	
261	Aluminum Lug pin type as per above wire/cable size 16 sq. mm cable	Ea.	
262	Copper lug pin type for 2.5/4 sq. mm cable	Ea.	
263	Copper lug pin type for 6/10 sq. mm cable	Ea.	
264	Copper lug pin type for 16 sq. mm cable	Ea.	
265	Aluminum Lug Ring type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
266	Aluminums Lug Ring type as per above wire/cable size 6/10 sq. mm cable	Ea.	
267	Aluminum Lug Ring type as per above wire/cable size 16 sq. mm cable	Ea.	
268	Copper lug Ring type for 2.5/4 sq. mm cable	Ea.	
269	Copper lug ring type for 6/10 sq. mm cable	Ea.	
270	Copper lug Ring type for 16 sq. mm cable	Ea.	
271	6 x 6 Wooden Board with Plate	Ea.	
272	6 x 8 Wooden Board with Plate	Ea.	
273	8 x 10 Wooden Board with Plate	Ea.	
274	10 x 12 Wooden Board with Plate	Ea.	
275	1 Way PVC Gang Box	Ea.	
276	2 Way PVC Gang Box	Ea.	
277	3 Way PVC Gang Box	Ea.	
278	4 Way PVC Gang Box	Ea.	
279	6 Way PVC Gang Box	Ea.	
280	63A Copper Fuse	Ea.	
281	100A Copper Fuse	Ea.	
282	100A Lug type Copper Fuse	Ea.	
283	200A Copper Fuse	Ea.	
284	200A Lug type Copper Fuse	Ea.	
285	500A Copper Fuse	Ea.	
286	10W Led Bulkhead Fitting	Ea.	
287	1W Led Torch	Ea.	
288	3W Led Torch	Ea.	
289	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
290	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
291	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
292	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	

- Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

VENDOR'S LIST

Sr. No.	Equipments/ Accessories	Make
1	Wires	Torrent, Finolex, Havells, KEI, R R Kabel, Polycab
2	Un armoured Cable	Finolex, Torrent, Havells, KEI, R R Kabel, Bharat Cab, CCI, Universal, Incab, Gloster, Tropodure, Avocab, Unistar
3	Switch and Accessories	Anchor, Jainex, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer, Allwyn, Promot
4	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand
5	Tube Lights, lamps,	Philips, Havells, Bajaj, Surya,
6	Led Lamps, LED Tube	Philips, Havells, Bajaj, Osram
7	Ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Almonard.
8	BLDC fan	Any ISI Approved, Atomberg
9	PVC Pipe/casing capping accessories	Precisson, Poly Cab, Finolex, Nihir
10	Insulating PVC Tape	Anchor / Still Grip

Terms/conditions of quotation

*	Delivery period: -	24 hours as intimated by SMC.
*	All Taxes/ Duties, Octroi etc.: -	Included
*	FOR: -	South Zone-A Office, S.M.C.
*	Validity of quotation: -	120 Days
*	Payment condition: -	Payment shall be made within 20 days after safe receipt & inspection/ testing of material.

Terms and Conditions

- The rate should be **Excluding of GST** and including of all other taxes, duties, labor charges and transportation, loading unloading, watch and ward etc. at Site.
- Bidder must offer minimum one year warranty for supplied items.
- The firm will have to supply above Electrical Material within 24 hours from order of Light dept. of SMC. if not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
- The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well. Materials should be supplied within 24 hours as intimated by SMC. Failing which penalty @ 0.2% of order value of unexecuted portion per day of delay subject to maximum 10% of unexecuted portion order value shall be charged and shall be deducted from the bill.
- The successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
- The successful Contractor shall be required to deposit an amount equal to 2% of the total order value as Security Deposit in Municipal Treasury in Cash/ by Demand Draft within 10 (Ten) days of order failing which penalty @ 0.065% of the Security Amount per day of delay shall be charged.
- The firm must have an office in Surat.
- The period of Annual Rate Contract for Supply of Electrical Materials will be two (2) year from the date of the award of the contract.

- SMC will not pay any transportation charges and also not provide any type of assistance which carrying out above mention work. Contractor must replace faulty spare with genuine spare only.
- The rates quoted shall remain in force for full period of contract.
- After bidding process, No objection entertained later.
- All Mentioned Electrical items supplied as per Vendor list only.
- The corporation shall not furnish any sales tax declaration form or octroi exemption certificate for octroi at Surat. The rates should be inclusive of all taxes/ duties, GST and Octroi. Fulfillments of this condition are must or else the quotation shall be liable for outright rejection.
- Rates must be filled in this quotation paper only and returned duly sealed & signed.
- The name of work i.e. “ Quotation for the work of” must be mentioned on the envelope without which quotation is likely to be rejected, which must be noted.

Thanking You,

Yours Faithfully,

-Sd-

Executive Engineer,
South Zone-A (Udhna),
Surat Municipal Corporation.

*** SIGNATURE & SEAL OF CONTRACTOR ***