



SURAT MUNICIPAL CORPORATION
CENTRAL ZONE
QUOTATION FORM

CENTRAL ZONE

QUOTATION/CONSENT FORM

QUOTATION No.CZ/Light/Q/15/2023-24

DATE :08/02/2024

NAME OF WORK	Supply work of Different type of Electrical Accesories/ Materials at Central Zone Light Department.
Validity Period :- 120 Days	Agency Category :- Experience
Required Documents	
1	GST Registration
ISSUING AUTHORITY	Executive Engineer, Central Zone, Surat.
ISSUING OFFICE	New Admin Building, Central Zone, Mugalisarai, Surat - 395003
INVITING AUTHORITY	Executive Engineer, Central Zone, Surat.
Submission Date	TILL : 15/02/2024 UP TO 18:00 P.M.
SUBMITTED To,	EXECUTIVE ENGINEER,
	NEW ADMIN BUILDING, CENTRAL ZONE,
	MUGALISARAI, SURAT - 395003

GST CLAUSE FOR CONSTRUCTION/ ERECTION/ COMMISSIONING/ INSTALLATION/ REPAIRS/ MAINTENANCE/ RENOVATION/ FABRICATION OF STRUCTURE INCLUDING BUILDING (MEANS ALL WORKS CONTRACT/ TURN KEY PROJECT/ SUPPLY OF MATERIAL/ GOODS)

GST (Goods and service tax has come in existence from 1st July, 2017. Contractor/ Successful Bidder is bound to pay any amount of GST prescribed by the govt. of India as per the terms of contract agreed upon during the course of execution of this contract. During the course of execution of contract, if there is any change in rate if GST (Goods and Service Tax) by the Government, the same shall be reimbursed/ recovered separately by SMC. subject to the submission of original receipt/proof for the amounts actually remitted by the contractor/ successful Bidder to the competent Authority along with a certificate from Chartered Accountant of contractor/ successful Bidder certifying that the amount of GST paid to the government and the same shall be intimated/ submitted/ claimed within 30 (Thirty) days from the date of payment. Remittance of GST within stipulated period shall be the sole responsibility of the successful contractor/ Bidder, failing which SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the contractor/ successful Bidder in this regard. Further, the non-payment of GST to the government may lead to the termination of contract. If imposition of any other new taxes/ Duties/ levies/ Cess or any other incidentals etc. or any increase in the existing taxes/ Duties/ Levies/ Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract, the same shall be borne by the successful contractor/Biderer only; in no case SMC shall be liable for the same.

SIGNATURE OF ISSUING AUTHORITY

S/D

EXECUTIVE ENGINEER
CENTRAL ZONE
SURAT MUNICIPAL CORPORATION



Executive Engineer
Central Zone



Surat Municipal Corporation,
Central Zone,
New Administration Building,
Muglisara, Surat - 395003.
Ph. No. : 0261-2432751-56.

QUOTATION INQUIRY

To,

.....
.....
.....
.....

CZ/Tech./No.5495
Dtd. : - 09/02/2024

Sub. : - Offer for Supply of different type of Electrical item for maintenance purpose at various Muni. Building at Central Zone, SMC Surat.

Dear Sir,

Central Zone of Surat Municipal Corporation is inviting quotation for the work of Offer for Supply of different type of Electrical item for maintenance purpose at various Muni. Building at Central Zone, SMC.

Therefore, you are requested to send your offer in a sealed cover So as to reach in the office of Executive Engineer [Central Zone] on or before Dt 15/02/2024 Please note that the sealed cover shall be super scribed with the name of work. Details of material are as following.

Sr. No.	ITEM DESCRIPTION	Unit	Rate Per Unit with GST
	Tube Light And accessories		
1	4 Ft. (1200 mm) Tube Light Rod , Light output 2450 Lumens.	Ea.	
2	4 Ft. 18/20 Watt LED Complete PVC T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
3	2 Ft. 08/10 Watt T5 LED Complete PVC Tube Light Lumen Output 800/1000,	Ea.	
4	4 Ft. (1200 mm) Tube Fitting Without Led Tube Rod Only Fixture With Rotating type Side Holder equivalent to model Phillips TMC 501-1x18 w Batten, Havells REGALBATTEN 1x22 w & Crompton DMLN1LT8-16.	Ea.	
5	4 Ft. LED T8 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficacy 100lm/watt equivalent to model Phillips MASLEDTUBE 18W 65 T8, Havells PHOTON ULTRA 18 W & Crompton LT8-20-865-(2) .	Ea.	

6	36 Watt Electronic Ballast (Choke)	Ea.	
7	Simple Side Holder for Tube Light	Ea.	
8	Side Holder for Led Tube Light (Rotating Type)	Ea.	
	Lamp & Halogen Tube		
9	40 W Tungsten Filament Lamp	Ea.	
10	60 W Tungsten Filament Lamp	Ea.	
11	100 W Tungsten Filament Lamp	Ea.	
12	7 W Led Lamp	Ea.	
13	9 W Led Lamp	Ea.	
	12 W Led Lamp	Ea.	
	Panel Lights / Flood Lights		
15	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
16	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent	Ea.	
17	18 watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
18	20 watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
19	20watt LED Panel Light size 1 x 1 inch	Ea.	
20	24 watt LED Panel Light size 1 x 1 inch	Ea.	
21	12 W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
22	15 W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
23	50-55 watt LED Flood light fitting having Efficacy 100 lm/watt, CCT 5000k to 5700k	Ea.	
24	30-35 watt LED Flood light fitting having Efficacy 100 lm/watt, CCT 5000k to 5700k	Ea.	
	LED Strip Light & Driver		
25	LED Strip Light minimum 4.8 watt, 120 LED per meter without Driver	Mtr.	
26	LED Strip Light minimum 7.2 watt, 240 LED per meter without Driver	Mtr.	
27	LED Strip Light non integral suitable Driver		
28	2 Amp Driver	Ea.	
29	3 Amp Driver	Ea.	
30	5 Amp Driver	Ea.	
31	8 Amp Driver	Ea.	
32	12.5 Amp Driver	Ea.	
33	16 Amp Driver	Ea.	
34	20 Amp Driver	Ea.	
	Ceiling Fan & Accessories		
35	Supply of 1200 mm Sweep (48"), BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC) permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades, 2 no's, canopies , shackle kit with earthling provision, 22 gauge copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	
36	Ceiling fan,(48"), 1200 mm, Energy Efficient , BEE 1 Star rated, high Speed Air Delivery , Minimum 218 CMM input power maximum 53 W	Ea.	
37	Pedestal fan A.C. 230 V. 50 C/s. 400 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top 110 Watt.	Ea.	
38	Supplying & erecting single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium	Ea.	

	duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A, 80 Watt.		
39	Wall fan A.C. 230 V. 50 C/s. 400 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
40	Wall fan A.C. 230 V. 50 C/s. 450 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top	Ea.	
41	Supplying & erecting single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A, 180 Watt.	Ea.	
42	Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM.	Ea.	
43	Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM.	Ea.	
44	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM.	Ea.	
45	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM.	Ea.	
46	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM.	Ea.	
47	Capacitor 440 V AC, 1.5 uf	Ea.	
48	Capacitor 440 V AC, 2.5 uf (oiled filled)	Ea.	
49	Capacitor 440 V AC, 10 uf	Ea.	
50	Capacitor 440 V AC, 25 uf	Ea.	
51	Capacitor 440 V AC, 36 uf	Ea.	
52	Capacitor 440 V AC, 45 uf	Ea.	
53	Capacitor 440 V AC, 50 uf	Ea.	
54	Capacitor 440 V AC, 100/120 uf	Ea.	
55	1.5 ft Ceiling fan MS pipe	Ea.	
56	2 ft Ceiling fan MS pipe	Ea.	
57	2.5 ft ceiling fan MS pipe	Ea.	
58	3 ft ceiling fan MS pipe	Ea.	
59	4 ft ceiling fan MS pipe	Ea.	
60	Ding Dong Bell	Ea.	
61	Remote Operated Ding Dong Bell	Ea.	
62	Buzzer	Ea.	
63	Musical Bell	Ea.	
64	Parrot Bell	Ea.	
	Miniature Circuit Breaker (MCB) Enclosure		
65	1/2 MCB box PVC Enclosure	Ea.	
66	3/4 MCB box PVC Enclosure	Ea.	
67	MCB Metal Enclosure for Double Pole	Ea.	
68	MCB Metal Enclosure for four Pole	Ea.	

	MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
69	1 Amp Single Pole (SP) MCB	Ea.	
70	6 Amp Single Pole (SP) MCB	Ea.	
71	10 Amp Single Pole (SP) MCB	Ea.	
72	16 Amp Single Pole (SP) MCB	Ea.	
73	20 Amp Single Pole (SP) MCB	Ea.	
74	32 Amp Single Pole (SP) MCB	Ea.	
75	6 Amp Double Pole (DP) MCB	Ea.	
76	10 Amp Double Pole (DP) MCB	Ea.	
77	16 Amp Double Pole (DP) MCB	Ea.	
78	25 Amp Double Pole (DP) MCB	Ea.	
79	32 Amp Double Pole (DP) MCB	Ea.	
80	40 Amp Double Pole (DP) MCB	Ea.	
	MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA		
81	20 Amp Four pole (FP) MCB	Ea.	
82	32 Amp Four pole (FP) MCB	Ea.	
83	40 Amp Four pole (FP) MCB	Ea.	
84	63 Amp Four pole (FP) MCB	Ea.	
85	20 Amp Three pole (TP) MCB	Ea.	
86	32 Amp Three pole (TP) MCB	Ea.	
87	40 Amp Three pole (TP) MCB	Ea.	
88	63 Amp Three pole (TP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
89	6 Amp Single Pole (SP) MCB	Ea.	
90	10 Amp Single Pole (SP) MCB	Ea.	
91	16 Amp Single Pole (SP) MCB	Ea.	
92	32 Amp Single Pole (SP) MCB	Ea.	
93	6 Amp Double Pole (DP) MCB	Ea.	
94	10 Amp Double Pole (DP) MCB	Ea.	
95	16 Amp Double Pole (DP) MCB	Ea.	
96	25 Amp Double Pole (DP) MCB	Ea.	
97	32 Amp Double Pole (DP) MCB	Ea.	
98	40 Amp Double Pole (DP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
99	16 Amp Four pole (FP) MCB	Ea.	
100	25 Amp Four pole (FP) MCB	Ea.	
101	32 Amp Four pole (FP) MCB	Ea.	
102	40 Amp Four pole (FP) MCB	Ea.	
103	63 Amp Four pole (FP) MCB	Ea.	
	MCCB		
104	63 Amp Four pole (FP) MCCB	Ea.	
105	100 Amp Four pole (FP) MCCB	Ea.	
106	125 Amp Four pole (FP) MCCB	Ea.	
	RCCB		
107	25 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
108	25 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	

109	40 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
110	40 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
111	63 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
112	63 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
113	100 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
114	100 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
115	25 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
116	25 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
117	40 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
118	40 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
119	63 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
120	63 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
121	100 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
122	100 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
	MCB DISTRIBUTION BOARDS		
123	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	
124	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	
125	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
126	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
127	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
128	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
129	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
130	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
131	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
132	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
	Modular Accessories		
	Modular Board		
133	Surface 2-Up PVC Modular Board	Ea.	
134	Surface 3-Up PVC Modular Board	Ea.	
135	Surface 4-Up PVC Modular Board	Ea.	
136	Surface 6-Up PVC Modular Board	Ea.	
137	Surface 8-Up PVC Modular Board	Ea.	
138	Surface 12-Up PVC Modular Board	Ea.	
139	Surface 16-Up PVC Modular Board	Ea.	
140	Surface 18-Up PVC Modular Board	Ea.	
	Modular Plate		
141	2-Up Modular Plate	Ea.	
142	3-Up Modular Plate	Ea.	
143	4-Up Modular Plate	Ea.	

144	6-Up Modular Plate	Ea.	
145	8-Up Modular Plate	Ea.	
146	12-Up Modular Plate	Ea.	
147	16-Up Modular Plate	Ea.	
148	18-Up Modular Plate	Ea.	
	Modular Type Switch and Regulator		
149	Dummy Plate Modular	Ea.	
150	Indicator Modular	Ea.	
151	6 Amp Modular Switch	Ea.	
152	16 Amp Modular Switch	Ea.	
153	6 Amp Modular Plug	Ea.	
154	16 Amp Modular Plug	Ea.	
155	Modular Bell Push Switch	Ea.	
156	Plug Type step type Hum free Regulator for Modular	Ea.	
157	Switch Type step type Hum free Regulator for Modular	Ea.	
158	2 Way Switch Modular	Ea.	
159	6 to 32 Amp S.P. MCB Modular	Ea.	
160	6 to 32 Amp D.P. MCB Modular	Ea.	
161	Modular Angle Holder	Ea.	
162	Modular Batten Holder	Ea.	
163	16/25 A Modular AC starter	Ea.	
164	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
165	TV Co-axial Socket out	Ea.	
	Tissino Type Switch and Fan Regulator		
166	6 Amp (simple) Tissino Type Switch	Ea.	
167	16 Amp (simple) Tissino type Switch	Ea.	
168	6 Amp Tissino type 2-Way Switch	Ea.	
169	Tissino Type Bell Push	Ea.	
170	6 Amp (simple) 2 IN 1 Socket Tissino type Plug	Ea.	
171	16 Amp (Simple) Tissino type Plug	Ea.	
172	Holder Adapter	Ea.	
173	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
174	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
175	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S S Combine with box)	Ea.	
176	Angle Holder	Ea.	
177	Batten Holder	Ea.	
178	Pendent Holder	Ea.	
179	Bakelite Ceiling Rose	Ea.	
180	6 to 32 Amp S.P. MCB	Ea.	
181	6 to 32 Amp D.P. MCB	Ea.	
182	6 Amp 3 Pin Top	Ea.	
183	16 Amp 3 Pin Top	Ea.	
184	5 Amp Connector Strip	Ea.	
185	10 Amp Connector Strip	Ea.	
186	Male Female 2 Pin Connector	Ea.	
	Conduits & Pipes Accessories		
187	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
188	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
189	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	
190	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	

191	Junction 1 Way 20 mm	Ea.	
192	Junction 1 Way 25 mm	Ea.	
193	Junction 1 Way 32 mm	Ea.	
194	Junction 2 Way 20 mm	Ea.	
195	Junction 2 Way 25mm	Ea.	
196	Junction 2 Way 32 mm	Ea.	
197	Junction 3 Way 20mm	Ea.	
198	Junction 3 Way 25 mm	Ea.	
199	Junction 3 Way 32 mm	Ea.	
200	Junction 4 Way 20 mm	Ea.	
201	Junction 4 Way 25mm	Ea.	
202	Junction 4 Way 32 mm	Ea.	
203	Coupling 20 mm	Ea.	
204	Coupling 25 mm	Ea.	
205	Coupling 32 mm	Ea.	
206	Elbow 20 mm	Ea.	
207	Elbow 25 mm	Ea.	
208	Elbow 32 mm	Ea.	
209	Tee 20 mm	Ea.	
210	Tee 25 mm	Ea.	
211	Tee 32 mm	Ea.	
	Casing-Capping Accessories		
212	PVC Casing Capping Double Lock ISI Type 12/20 mm (2 Mtr.)	No.	
213	PVC Casing Capping Double Lock ISI Type 12/25 mm (2 Mtr.)	No.	
214	PVC Casing Capping Double Lock ISI Type 12/32 mm (2 Mtr.)	No.	
215	UPVC cable trunking system ISI size 50 mm x 50 mm trunking (2 Mtr.)	No.	
216	External Coupler 25mm	Ea.	
217	External Coupler 32 mm	Ea.	
218	Internal coupler 25mm	Ea.	
219	Internal coupler 32 mm	Ea.	
220	Elbow 25mm	Ea.	
221	Elbow 32 mm	Ea.	
222	Tee 3/4 Way 25mm	Ea.	
223	Tee 3/4 Way 32 mm	Ea.	
224	Inner/Outer 25mm	Ea.	
225	Inner/Outer 32mm	Ea.	
226	Junction 1 Way 25mm	Ea.	
227	Junction 1 Way 32 mm	Ea.	
228	Junction 2 Way 25 mm	Ea.	
229	Junction 2 Way 32 mm	Ea.	
230	Junction 3 Way 25 mm	Ea.	
231	Junction 3 Way 32 mm	Ea.	
232	Junction 4 Way 25mm	Ea.	
233	Junction 4 Way 32 mm	Ea.	
234	Coupler 25 mm	Ea.	
235	Coupler 32 mm	Ea.	
	Cable Tie		
236	300 MM Cable Tie (100 Nos.)	PKT	
237	250 MM Cable Tie (100 Nos.)	PKT	
238	200 MM Cable Tie (100 Nos.)	PKT	
239	150 MM Cable Tie (100 Nos.)	PKT	

240	100 MM Cable Tie (100 Nos.)	PKT	
	C-Clamp		
241	4 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
242	6 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
243	8 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
244	9 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
245	10 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
246	12 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
247	20 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
248	25 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
	Khili		
249	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
250	khili for Wiring (1.5") (2.5 kg box) (Doba Khili)	PKT	
	Different Size Screw		
251	Metal Screw 13 x 6 mm (1000 nos.)	PKT	
252	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
253	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
254	Metal Screw 36 x 6 mm (500 nos.)	PKT	
255	Metal Screw 45 x 6 mm (500 nos.)	PKT	
256	Metal Screw 50 x 6 mm (500 nos.)	PKT	
257	Metal Screw 35 x 8 mm (500 nos.)	PKT	
258	Black Metal Screw 13 x 6 mm (1000 nos.)	PKT	
259	Black Metal Screw 19 x 6 mm (900 nos.)	PKT	
260	Black Metal Screw 25 x 6 mm (800 nos.)	PKT	
261	Black Metal Screw 32 x 6 mm (600 nos.)	PKT	
262	Black Metal Screw 38 x 6 mm (570 nos.)	PKT	
263	Black Metal Screw 50 x 6 mm (400 nos.)	PKT	
264	Black Metal Screw 60 x 6 mm (250 nos.)	PKT	
265	Black Metal Screw 75 x 6 mm (200 nos.)	PKT	
266	Machine Metal Screw 13 x 16 mm Nut-bolt with washer (5 Kg.)	PKT	
267	Machine Metal Screw 5 x 16 mm Nut-bolt with washer (5 Kg.)	PKT	
	Other Accessories		
268	Electrical insulation Tape Roll length of 6 meter each with different colour (R-Y-B-N)	Ea.	
269	Wooden Grip Packet (50 NOS)	PKT	
270	PVC Grip Packet	PKT	
271	Aluminum Strip (10 Ft. long)	Ea.	
272	Rubber Clamp (fan)	Ea.	
273	1.5 V Pencil Cell AAA size	Ea.	
274	1.5 V Pencil Cell AA size	Ea.	
275	Long Lasting High Power 1.5 V Pencil Cell AA1 size equivalent to Panasonic Evolta or Its equivalent	Ea.	
276	9 V Battery Cell	Ea.	
277	12 V 23 A Alkaline Battery Cell	Ea.	
278	Pin type Aluminum Lug for wire/cable size 2.5/4 sq. mm cable	Ea.	
279	Pin type Aluminums Lug for wire/cable size 6/10 sq. mm cable	Ea.	
280	Pin type Aluminum Lug for wire/cable size 16 sq. mm cable	Ea.	
281	Pin type Copper lug for cable size 2.5/4 sq. mm	Ea.	
282	Pin type Copper lug for cable size 6/10 sq. mm	Ea.	
283	Pin type Copper lug for cable size 16 sq. mm cable	Ea.	
284	Ring type Aluminum Lug for wire/cable size 2.5/4 sq. mm cable	Ea.	

285	Ring type Aluminums Lug for wire/cable size 6/10 sq. mm cable	Ea.	
286	Ring type Aluminum Lug for wire/cable size 16 sq. mm cable	Ea.	
287	Ring type Copper lug for 2.5/4 sq. mm cable	Ea.	
288	Ring type Copper lug for 6/10 sq. mm cable	Ea.	
289	Ring type Copper lug for 16 sq. mm cable	Ea.	
290	6 x 6 Pvc pwd cutting Board with Plate	Ea.	
291	6 x 8 Pvc pwd cutting Board with Plate	Ea.	
292	8 x 10 Pvc pwd cutting Board with Plate	Ea.	
293	10 x 12 Wooden Board with Plate	Ea.	
294	1 Way PVC Gang Box	Ea.	
295	2 Way PVC Gang Box	Ea.	
296	3 Way PVC Gang Box	Ea.	
297	4 Way PVC Gang Box	Ea.	
298	6 Way PVC Gang Box	Ea.	
299	63 A HRC fuse din type Fuse	Ea.	
300	100 A HRC fuse din type Fuse	Ea.	
301	125 A HRC fuse din type Fuse	Ea.	
302	160 A HRC fuse din type Fuse	Ea.	
303	200 A HRC fuse din type Fuse	Ea.	
304	250A HRC fuse din type Fuse	Ea.	
305	400A HRC fuse din type Fuse	Ea.	
306	500A HRC fuse din type Fuse	Ea.	
307	630A HRC fuse din type Fuse	Ea.	
308	63 A 415V MEM Copper Fuse	Ea.	
309	100A 415V MEM Copper Fuse	Ea.	
310	200A 415V MEM Copper Fuse	Ea.	
311	500 A 415V MEM Copper Fuse	Ea.	
312	63 A 415V MEM Copper Fuse with lugs patti	Ea.	
313	100A 415V MEM Copper Fuse with lugs patti	Ea.	
314	200A 415V MEM Copper Fuse with lugs patti	Ea.	
315	500 A 415V MEM Copper Fuse with lugs patti	Ea.	
316	200 A Bolted type HRC Copper Fuse	Ea.	
317	500 A Bolted type HRC Copper Fuse	Ea.	
318	10 W Led Bulkhead Fitting	Ea.	
319	1 W Led Torch	Ea.	
320	3 W Led Torch	Ea.	
321	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
322	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
323	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
324	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
325	L Slotted type Angel Rail thickness 1.6 mm, Length of 8 foot 3 inch	Nos.	
326	Z Type Clamp Length 175 mm x Width 25 mm x thickness 4 mm	Nos.	

- Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation as when required for the total cost of Rs.5,00,000.00 (with GST) or 1 year whichever is earlier. All the material supplied as per mentioned Vender list.

VENDOR'S LIST

Sr. No.	Equipments/ Accessories	Make
1	Switch and Switch Accessories	Anchor, Jainex, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer , Allwyn, Promot
2	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havells, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand.
3	Tube Lights & lamps	Philips, Havells, Bajaj, Surya, Crompton.
4	Led Lamps, LED Tube light	Philips, Havells, Bajaj, Osram, Crompton, Syska.
5	Ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Almonard.
6	BLDC fan	Atom berg, Crompton, Havells, Bajaj, Usha.
7	PVC Pipe/casing capping accessories	Precision, Poly Cab, Finolex, Nihir or any ISI.
8	Insulating PVC Tape	Anchor / Still Grip
9	LED Panel light/Flood Light	Phillips, Crompton, Havells, Bajaj.

Terms/conditions of quotation

*	All Taxes/ Duties, Octroi etc.: -	Included
*	FOR : -	Central Zone Office, S.M.C.
*	Validity of quotation: -	120 Days
*	Payment condition: -	Payment shall be made within 20 days after safe receipt of material.

Terms and Conditions

- * The rate should be **including of GST** and including of all other taxes, duties, labor charges and transportation, loading unloading, watch and ward etc. at Central Zone Light Department.
 - * Bidder must offer minimum one year warranty for supplied items.
 - * The time limit to deliver the Material within 05 days from the issue of work order. if contractor fail to complete above work then Panely @ 0.2 % of the work amount per day shall be deducted from the bill.
 - * If not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
 - * The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well as.
 - * Initially 5 Lakh order shall be given successful bidder and after that necessary sub work order shall be issued as per requirement of material under limit of 5 lakh in one year
- The Material Supplied shall be as per the Vender List.
- * The supply of Material shall be carried out to the satisfaction of the Engineer in Charge.
 - * The successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
 - * The successful Contractor shall be required to deposit an amount equal to 2% of the total order value as Security Deposit in Municipal Treasury in Cash/ by Demand Draft within 10 (Ten) days of order failing which penalty @ 0.065% of the Security Amount per day of delay shall be charged.
 - * The firm must have an office in Surat.
 - * The period of Annual Rate Contract for Supply of Electrical Materials will be one (1) year from the date of the award of the contract.
 - * SMC will not pay any transportation charges and also not provide any type of assistance which carrying out above mention work. Contractor must replace faulty spare with genuine spare only.
 - * The rates quoted shall remain in force for full period of contract.
 - * After bidding process, No objection entertained later.

- * The corporation shall not furnish any sales tax declaration form or octroi exemption certificate for octroi at Surat. The rates should be inclusive of all taxes/ duties, GST and Octroi. Fulfillments of this condition are must or else the quotation shall be liable for outright rejection.
- * SMC will have its right to reject the offer without any explanation. Decision of Executive Engineer for said work will be final.
- * Rates must be filled in this quotation paper only and returned duly sealed & signed.
- * The name of work i.e. " Quotation for the work of" must be mentioned on the envelope without which quotation is likely to be rejected, which must be noted.

Thanking You,

Yours Faithfully,

S/D
Executive Engineer,
Central Zone
Surat Municipal
Corporation.

*** SEAL OF CONTRACTOR & SIGNATURE ***