સુરત મહાનગરપાલિકા

કાર્યપાલક ઈજનેર સાઉથ વેસ્ટ (અઠવા) ઝોન, આદર્શભવનની બાજુમાં,અઠવાલાઈન્સ, સુરત મહાનગરપાલિકા, સુરત.



કોન નંબર: ૨૬૬૩૦૪૯-૫૦ 5550655 મ્યુનિસિપલ ઝોન ઓફિસ, સુરત.

નં.સા.વે.ઝોન(અઠવા)/આ. 3090 तारीणः 21-12%

| | 111140 | |
|--|--|------|
| <u>=:</u> | સંમતિ પત્ર:- | |
| પ્રતિ, | | |
| | | |
| | | |
| ******************************* | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| વિષય : – સાઉથ વેસ્ટ (અઠવા) ઝોન વિસ્તા | રમાં સબ ઝોન –ર અને ૫ ના વિવિધ ગાર્ડનો,શાંતિકુંજ અને | |
| વોકવે જેવી જગ્યાએ આઉટડોર | ફીઝીકલ ફીટનેસના સાધનોને સપ્લાય અને ફીક્ષ કરવાનું કામ | |
| (એક વર્ષનં કી મેઈન્ટેનન્સ મહિત | .) તેમજ હયાત ફીઝીકલ ફીટનેસના સાધનોને મરામત કરવાનું | |
| |) તમજ હવાત ફાઝાકલ ફાટનસના સાધનાન મરામત કરવાનું | = 25 |
| કામ. | | |
| | | |
| સંદર્ભ :- (૧) જા.બા.સ.નં.૪૧૨/૨૦૨૩, | તા.૩૧/૦૫/૨૦૨૩ થી મંજુર થયેલ ભાવે અને શરતે | |
| (૨) મે.એડી.સીટી.ઈજનેરશ્રી ની તા. | salaslass | |
| (1) meramono o resul all ult | <u> - સ્ટ્રાસ્ટ્રેસ્ટર</u> ના રાજના મજુરા | |

મહાશય,

સાઉથ વેસ્ટ (અઠવા) ઝોન વિસ્તારમાં સાઉથ વેસ્ટ (અઠવા) ઝોન વિસ્તારમાં સબ ઝોન –ર અને પ ના વિવિધ ગાર્ડનો,શાંતિકુંજ અને વોક–વે જેવી જગ્યાએ આઉટડોર ફીઝીકલ ફીટનેસના સાધનોને સપ્લાય અને ફીક્ષ કરવાનું કામ (એક વર્ષનું ફ્રી મેઈન્ટેનન્સ સહિત) તેમજ હયાત ફીઝીકલ ફીટનેસના સાધનોને મરામત કરવાનું કામ ઉકત સંદર્ભ(૧) મુજબ જા.બા.સ.નં.૪૧૨/૨૦૨૩, તા.૩૧/૦૫/૨૦૨૩ થી મંજુર થયેલ ભાવે અને શરતે રૂા.૫,૦૦,૦૦૦.૦૦ પૈ. ની મર્યાદામાં **કામગીરી કરા**વવા સંદર્ભ(૨) હેઠળથી મંજુરી મળેલ. આ કામ કરવા સંમત હોય તો આપશ્રીની લેખીત સંમતિ બંધ કવરમાં તા. ૧૨૧૦૮ રેઝ્ડ્રેબ્રું સુધીમાં નીચે સહી કરનારની કચેરીમાં પહોંચાડવા પ્રબંધ કરશો. ઉપરોક્ત જણાવેલ તારીખ પછી કોઈ બંધ કવરો સ્વીકારવામાં આવશે નહી

-: શરતો :-

- ૧. અર્નેસ્ટમની ડીપોઝીટની રકમ કમિશ્નરશ્રી, સુરત મહાનગરપાલિકાના નામનો સુરતની રાષ્ટ્રીયકૃત શીડયુલ બેંકના ડીમાન્ડ ડ્રાંક્ટ / પે. ઓર્ડરથી સંમતિપત્રક સાથે રૂા.૫,૦૦૦ /– ની આપવાની રહેશે.
- ૨. ઈજારદારે અંદાજીત ૨કમ ના ૨૦% એટલે કે રૂા. ૧,૦૦,૦૦૦.૦૦ પૈ. કે તેથી વધુ ૨કમની વર્તમાન (ચાલુ) વર્ષની રાષ્ટ્રીયકૃત બેંકની સોલવંશી સર્ટીફીકેટ સંમતિપત્રક સાથે આપવાની રહેશે.
- રા ઈજારદારે સમાન પ્રકારના પૂર્વ કરેલ કામના/ અનુભવના સર્ટીફિકેટ (Form 3A/Work Completion Certificate) ની પ્રમાણીત નકલ સંમતિપત્રક સાથે આપવાની રહેશે.

અંદાજીત રકમના ૪૦% એટલે કે રૂા. ૨,૦૦૦૦૦.૦૦ પૈ. કે તેથી વધુ રકમ ના ૦૩(ત્રણ) સરખા પ્રકારના પૂર્ણ કરેલ કામ.

અથવા

અંદાજીત રકમના ૫૦% એટલે કે રૂા. ૨,૫૦,૦૦૦.૦૦ પૈ. કે તેથી વધુ રકમ ના ૦૨(બે) સરખા પ્રકારના પૂર્ણ કરેલ કામ.

અથવા

- અંદાજીત રકમના ૮૦% એટલે કે રૂા.૪,૦૦૦૦૦.૦૦ પૈ. કે તેથી વધુ રકમના ૦૧(એક) સરખા પ્રકારના પૂર્ણ કરેલ કામ.
- ૪. ઈજારદારે GST રજીસ્ટ્રેશન સર્ટીફીકેટની પ્રમાણીત નકલ સંમતિપત્રક સાથે આપવાની રહેશે.
- પ. ઈજારદારે પાન કાર્ડ રજુ કરવાનું રહેશે.
- ⊊. ઈજારદારે શીડયુલ–બી માં જણાવેલ ભાવ અને ટેકનીકલ બીડની શરતોને બંધનકર્તા રહેશે.
- ૭. કોઈપણ તથા બધાજ સંમતિપત્રક રદ કરવાનો અધિકાર સુરત મહાનગરપાલિકાને અબાધિત રહેશે તે અંગે કોઈ પણ કારણો આપવામાં આવશે નહી.
- ૮. તમામ પ્રકારના વેરા / સરકારી ટેક્ષ ઈજારદારે ભોગવવાનાં રહેશે.
- ૯. તમામ સરકારી/ અર્ધ સરકારી લાગુ પડતા કાયદાનું ઈજારદારે પાલન કરવાનું રહેશે.
- ૧૦. સદર કામગીરી બાબતે અત્રેના હાઉસીંગ વિભાગના ટેકનીકલ સ્ટાફનો સંપર્ક કરવો.
- ૧૧. સદર કામગીરી ઉકત મંજુર થયેલ ટેન્ડરના Detailed Technical Specification મુજબ કરવાની રહેશે.

બીડાણ : (૧) શીડયુલ–બી ની નકલ.

SD/-કાર્યપાલક ઈજનેર સાઉથ વેસ્ટ (અઠવા) ઝોન સુરત મહાનગરપાલિકા.

નકલ રવાના ઃ તમામ ખાતા/ઝોનના કાર્યપાલક ઈજનેરશ્રી પ્રતિ જાણ તથા નોટીસ બોર્ડ પર પ્રસિધ્ધ કરવા સારૂ.

SURAT MUNICIPAL CORPORATION SOUTH WEST (ATHWA) ZONE

NAME OF WORK: PROVIDING, SUPPLYING & FIXING OF OUTDOOR PHYSICAL FITNESS EQUIPMENTS (INCLUDING ONE YEAR FREE MAINTENANCE) & MAINTENANCE & REPARING WORK OF EXISTING PHYSICAL FITNESS EQUIPMENTS IN VARIOUS MUNICIPAL GARDEN AT SUB ZONE -2 & 5 IN SOUTH WEST (ATHWA) ZONE, SURAT.

Schedule -B

PART A PROVIDING, SUPPLYING & FIXING OF OUTDOOR PHYSICAL FITNESS EQUIPMENTS (INCLUDING ONE YEAR FREE MAINTENANCE)

| SR NO. | ITEM & SPECIFICATION Item Rate with one yr. free maintenance (including GST) | | Quantity | Per | Amount in Rs. | |
|--------|---|--|-----------------------|----------------|------------------|--|
| 1 | AIR WALKER / SWING WALKER / SKY WALKER LENGTH 800 MM X WIDTH 500 MM X HEIGHT 1200 MM | N 10 10 10 10 10 10 10 10 10 10 10 10 10 | | | 1 11 | |
| | 40 NB GALVANIZED PIPE SUSPENDED OVER 80 NB GALVANIZED UP TO MINIMUM 40 MICRON TK., UNIFORMLY POEDER COATED UP TO MINIMUM 60 MICRON TK.PIPE MAIN FRAME &FOOT REST | * | | | Jan , | |
| , e | CONSISTING OF HOPE SHEET FIXED OVER ZINC PLATE FOR CORROSION RESISTANCE. THE HANDLE | 22500.00 | 1.00 | Nos. | 22500.00 | |
| | CONSIST OF 25 NB GALVANIZED PIPE FIXED OVER 80 NB MAIN FRAME FOR GRIP CONFORMING TO EN1176:2008. ALL OPEN ENDS OF PIPE BEEN | | | | | |
| | CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT | | | | | |
| | | 6 1 1 1,00 | 7.500 | | | |
| 2 | AERO RIDER/ ROWING RIDER LENGTH 800 MM X WIDTH 500 MM X | | | | | |
| | HEIGHT 1200 MM HDPE/LLDPE ROTO MOLDED SEAT HINGED OVER FRAME MADE FROM 100NB GALVANIZED PIPE | | × toke sta | aci d | Elan pol | |
| | WITH POWDER COATING OF MINIMUM 60 MICRON TK. HANDLE SUPPORT PIPELINKED TO SEAT VIA 25 NB GALVANIZED PIPE .THE HANDLE SUPPORT PIPE | | | | | |
| | IS PIVOTED OVER 100 NB SUPPORT PIPE WITH ZINC PLATED SQURE TUBE FOR CORROSION RESISTANCE | 22860.00 | 1.00 | Nos. | 22860.00 | |
| | THE HANDLE PIPE CONSISTS OF GRIP CONFORMING TO EN1176 :2008 .THE HANDLE PIPE EXTENDED TO CONNECT FOOT GRIP VIA 40NB | 22860.00 | 1.00 | 1403. | 22000.00 | |
| | GALVANIZED PIPE. THE SEAT REST OVER THE 50 NB | | | | * | |
| | GI PIPES ARE GALVANIZED UP TO MINIMUM 40 MICRON TK FOR CORROSION RESISTANCE.ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT | * | - K1UR | and the factor | 13 13 | |
| | | | | T 19 | + 11 | |
| - 1 | HIP TWISTER/ WAIST TWISTER LENGTH 600 MM X WIDTH 500 MM X | | TANKI DOMEST | | | |
| | HEIGHT 1200 MM 100 NB GALVANIZED POWDER COATED UPTO MINIMUM 60 MICKON 1 K, PIPE MAIN FRAME WITH | 2.1 | 1 + 2 - 4 100 + 45 | NO NEW T | | |
| | HANDLE PIPE FIXED AT THE TOP. HANDLE PIPE CONSIST OF RUBBER GRIP CONFORMING TO | 17910.00 | 1.00 | Nos. | 17910.00 | |
| | EN1176 :2008 .THE ROTATING DISC MADE FROM HDPE/LLDPE PLASTIC IS SUPPORTED OVER 25 NB PIPE BOLTED TO MAIN FRAME PIPE .ALL GI PIPES | 1 | F 7 MI - 48 | | | |
| | ARE GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR CORROSION RESISTANCE .ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT. | | 3 × 1200 | NA S F | | |

| SR NO. | ITEM & SPECIFICATION MODITARY USEN SUPPRINCE AND SUPERIOR OF THE SUPERIOR OF | Item Rate with one yr. free maintenance (including GST) | Quantity | Per | Amount in Rs. |
|--------|---|--|-------------------------------|-----------------------------|--|
| 4 | ELLIPTICAL CROSS TRAINER /WORKING TRAINER /OVATE STEPPER LENGTH 800 MM X WIDTH 500 MM X HEIGHT 1350 MM PAIRED SQUARE TUBE WITH FOOT REST ON EACH LINKED TO 80NB GALVANIZED MAIN FRAME PIPE WITH POWDER COATED UPTO MINIMUM 60 MICRON TK,THE HANDLE PIPE CONSIST OF 25 NB GALVANIZED RUBBER GRIP ON TOP END HINGED OVER 80 NB MAIN FRAM THE HANDLE PIPE EXTENDED TO THE SQUARE TUBE ON BOTH SIDE | 30479.00 | 1.00 | Nos. | 30479.00 |
| | WITH 40 NB GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR CORROSION RESISTANCE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT. | , 37.44 1 37.44 | eryek û ji li Sana derê 20 | CALLERY Qui Karan Mus | attinas pir oba erosa obas tjasasi |
| 5 | SHOULDER SPINNER / BIG ARM WHEEL / SHOULDER TWIRL RING DIA. MIN. 500 MM X WIDTH 350 MM X HEIGHT 1200 MM 25 NB GALVANIZED PIPE BEND TO FROM RING & SPOKES CONSIST OF 20 NB THAT CONNECTS PIPE RING & 40 NB CONNECTOR PIPE FIXED TO 100 NB MAIN SUPPORT GALVANIZED PIPE WITH POWDER COAT THICKNESS OF MINIMUM 60 MICRONS. ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR CORROSION RESISTANCE. ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT. HANDLE FOR ROTATING THE RING FIXED OVER THE PIPE RING | 16200.00 | 1.00 | Nos. 1 | 16200.00 |
| 6 | FORE ARM SPINNER /SMALL ARM WHEEL RING DIA. MIN. 300 MM X WIDTH 500 MM X HEIGHT 1200 MM 25 NB GALVANIZED PIPE BEND TO FROM PAIRED RING & SPOKES CONSIST OF 20 NB THAT CONNECTS PIPE RING & 40 NB CONNECTOR BEND PIPE FIXED TO 100 NB MAIN SUPPORT GALVANIZED PIPE WITH POWDER COAT THICKNESS OF MINIMUM 60 MICRONS. ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR CORROSION RESISTANCE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HOPE CAPS FOR USER SAFETY AGAINST ENTRAPMENT.HANDLE FOR ROTATING THE RING FIXED OVER THE PIPE RING | 20682.00 | OR MOVED THE | Nos. | 20682.00 |
| 7 | LEG EXTENSION LENGTH 800 MM X WIDTH 700 MM X HEIGHT 1100 MM HDPE/LLDPE SEAT WITH BACKREST FIXED OVER SONB GALVANIZED PIPE FIXED OVER 100NB MAIN SUPPORTING PIPE. THE PAIRED 25 NB PIPE HANDLE WITH RUBBER GRIP AT THE END IS FIXED OVER 40 NB PIPE FRAME. THE PAIRED ROLLER WITH RUBBER GRIP HINGED AND SUPPORTED OVER 100 NB MAIN FRAME WITH 40NB GALVANIZED PIPE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINEST ENTRAPMENT.ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 60 MICRON TK. FOR CORROSION RESISTANCE | 19594.00 | 1.00 | Nos. | 19594.00 |

| SR NO. | ITEM & SPECIFICATION | Item Rate with one yr. free maintenance (including GST) | Quantity | Per | Amount in Rs. |
|--------|---|--|---------------|----------------------------|---------------|
| 8 | ABDOMEN BOARD / SIT UP BOARD LENGTH 1500 MM X WIDTH 700 MM X HEIGHT 600 MM | | | | VIE SHIELD |
| | 80 NB GALVANIZED POWDER COATED PIPE MAIN FRAME WITH LEG SUPPORT HAVING POWDER COAT THICKNESS MINIMUM 60 MICRON .THE FRP/HDPE REST IS FIXED OVER 40 NB TOP SEAT REST FRAE.ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 60 | 17417.00 | 1.00 | Nos. | 17417.00 |
| | MICRON TK. FOR CORROSION RESISTANCE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINEST ENTRAPMENT | | | | |
| 9 | LEG LIFT STATION/ LEG LIFT POST | | | | 407 |
| | LENGTH 700 MM X WIDTH 400 MM X HEIGHT 1600 MM | | | | |
| | MINIMUM 6 NOS. 25 NB SPACER PIPES CONNECTED TO PAIRED 80 NB GALVANIZED PIPE ARRANGED PARALLEL AT EQUIDISTANCE MINIMUM 100 MM. THE PAIRED HANDLE PIPE CONSISTING OF 25 NB | | | | |
| | GALVANIZED PIPE FIXED AT THE TOP & BOTTOM OF 80 NB SUPPORT PIPE .ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR | 18000.00 | 1.00 | Nos. | 18000.00 |
| | CORROSION RESISTANCE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY AGAINEST ENTRAPMENT HANDLE FOR ROTATING THE RING FIXED OVER THE PIPE RING | | | 1 | |
| | 20.00.4 Section 1000 graph | | an wa | The second second | |
| 10 | CHEST PRESS | | Martin Martin | Section 1964 | |
| | LENGTH 800 MM X WIDTH 600 MM X HEIGHT 1800 MM 100 NB GALVANIZED MAIN VERTICAL SUPPORT PIPE FIXED OVER SQURE TUBE BOTTOM FRAME | | | | |
| | HDPE/LLDPE PLASTIC SEAT FIXED OVER SQURE TUBE WITH ZINC PLATING FOR CORROSION RESISTANCE WHICH IS HINGED OVER VERTICAL SUPPORT PIPE THROUGH 40 NB GALVANIZED PIPE | | | ul i | |
| | LINKS. ALL PIPES ARE POEDER COATED WITH THICKNESS OF MINIMUM 60 MICRON .THE HANDLE PIPE CONSIST OF 40 NB GALVANIZED PIPE WITH RUBBER HANDLE GRIP AT ITS BOTH ENDS & LINKED TO THE SEAT WITH 40 NB PIPE HINGED TO MAIN | 30600.00 | 1.00 | Nos. | 30600.00 |
| | VERTICAL SUPPORT PIPE . ALL GI PIPES ARE GALVANIZED UP TO MINIMUM 40 MICRON TK. FOR CORROSION RESISTANCE ALL OPEN ENDS OF PIPE BEEN CLOSED BY GI/HDPE CAPS FOR USER SAFETY | | , 10 Teb | | |
| | AGAINEST ENTRAPMENT | | | | |
| 11 | WALKING BARREL 8-12 YRS. 1.3 M X 0.5 M SAFE PLAY AREA 2.3 | | - 1 | | |
| | M X 1.5 M THE WALKING BARREL CONSIST OF DRUM, WHICH IS MADE UP MOULDED LINER LOW DENSITY POLYETHYLENE (LLDPE) IN ONE PIECE, WHICH IS | | Total | en og | nya aras |
| | SUPPORTED WITH HANDELS OF 20 NB GI PIPES. THE BARREL REVOLVS IN BEARINGS WITH SPECIAL HOUSING TO PREVENT OUTSIDE DUST PARTICLES. THE VERTICAL SUPPORT IS MADE UP OF 80 NB GI | 19594.00 | 1.00 | Nos. | 19594.00 |
| | PIPE , WITH HANDLES PROVIDED FOR HOLDING WHILE PLAYING | | Olema | er tone year) An anasan | |
| 1.4 | | TOTAL AMOUN | IT OF PART | A | 235836.00 |

| SR NO. | ITEM & SPECIFICATION | item Rate with one yr. free maintenance (including GST) | Quantity | Per | Amount i | |
|--------|--|--|------------|--------------|----------|--|
| | MAINTENANCE & REPARING WORK OF | (including dar) | AL FITNES | S EQUIPMENTS | | |
| PART | MAINTENANCE & REPARING WORK OF | EXISTING PHTSIC | April 1991 | 1.74 N | | |
| 1 | Inclusive all Labour and Material etc.for AIR WALKER, AERO RIDER, HIP TWISTER. ELLIPTICAL CROSS TRAINER, BIG ARM WHEEL, SMALL ARM WHEEL, LEG EXTENSION, SIT UP BOARD, LEG LIFT STATION, CHEST | 300.00 | 25.00 | Nos. | 7500.00 | |
| - | PRESS.WALKING BARREL Providing, Supplying and Fixing Nut Bolt | | | | | |
| 2 | inclusive all Labour and Material etc.for AIR WALKER,AERO RIDER,HIP TWISTER ELLIPTICAL CROSS TRAINER,BIG ARM WHEEL,SMALL ARM WHEEL,LEG EXTENSION,SIT UP BOARD,LEG LIFT STATION,CHEST PRESS. WALKING BARREL | 100.00 | 25.00 | Nos. | 2500.00 | |
| 3 | Oiling and Greasing work inclusive all Labour | | GT F | | | |
| | and Material etc.for AIR WALKER, AERO RIDER, HIP TWISTER. ELLIPTICAL CROSS TRAINER, BIG ARM WHEEL, SMALL ARM WHEEL, LEG EXTENSION, SIT UP BOARD, LEG LIFT STATION, CHEST | 100.00 | 20.00 | Nos. | 2000,00 | |
| 4 | PRESS.WALKING BARREL Welding work incusive all Labour and Material | | | | | |
| | etc.for AIR WALKER,AERO RIDER,HIP TWISTER.ELLIPTICAL CROSS TRAINER,BIG ARM WHEEL,SMALL ARM WHEEL,LEG EXTENSION,SIT UP BOARD,LEG LIFT STATION,CHEST | 200.00 | 20.00 | Nos. | 4000.00 | |
| 5 | PRESS. WALKING BARREL Providing, Supplying and Fixing LLDPE sheet incusive all Labour and Material etc.for AERO RIDER, | 1200.00 | 15.00 | Nos. | 18000.00 | |
| | Providing, Supplying and Fixing Roatating Metal Disk incusive all Labour and Material etc. for HIP TWISTER | 3000.00 | 10.00 | Nos. | 30000.00 | |
| 7 | Providing, Supplying and Fixing Pipe cap Incusive all Labour and Material etc.for HIP TWISTER | 300.00 | 10.00 | Nos. | 3000.00 | |
| 8 | Providing, Supplying and Fixing Handle (25 mm Dia.) Incusive all Labour and Material etc.for HIP TWISTER | 2000.00 | 5.00 | Nos. | 10000.00 | |
| | Providing,Supplying and Fixing BARREL incusive all Labour and Material etc.for WALKING BARREL | 15000.00 | 5.00 | Nos. | 75000.00 | |
| 10 | Providing, Supplying and Fixing Wheel incusive all Labour and Material etc.for BIG ARM WHEEL, SMALL ARM WHEEL | 3350.00 | 5.00 | Nos. | 16750.00 | |
| 11 | Providing, Supplying and Fixing Handle (25 mm Dia.) incusive all Labour and Material etc. for BIG ARM WHEEL, SMALL ARM WHEEL | 3800.00 | 5.00 | Nos. | 19000.00 | |
| | Providing, Supplying and Fixing GI/HDPE cap incusive all Labour and Material etc. for LEG EXTENSION | 300.00 | 8.00 | Nos. | 2400.00 | |
| | Providing, Supplying and Fixing FRP/LLDPE cap Incusive all Labour and Material etc. for SIT UP BOARD | 4250.00 | 5.00 | Nos. | 21250.00 | |

| SR NO. | ITEM & SPECIFICATION | Item Rate with one yr. free maintenance (including GST) | Quantity | Per | Amount in Rs. |
|--------|--|---|-----------|------|------------------|
| 14 | Providing, Supplying and Fixing GI/HDPE cap incusive all Labour and Material etc.for CHEST PRESS | 300.00 | 11.00 | Nos. | 3300.00 |
| 15 | Providing, Supplying and Fixing Rubber Handle Grip incusive all Labour and Material etc. for CHEST PRESS | 250.00 | 16.00 | Nos. | 4000.00 |
| | | TOTAL AMOUNT | OF PART E | 1 | 218700.00 |
| | TOTAL AMOUNT OF PART A + B in Rs. Tender Premium As per Condition (+10.00 % above) | | | | |
| | | | | | |
| | | | | | 499989.60 |

SIGNATURE OF THE CONTRACTOR.

EXECUTIVE ENGINEER
SOUTH WEST (ATHWA) ZONE
SURAT MUNICIPAL CORPORATION