

Surat Municipal Corporation
East (Varachha) Zone-A
Quotation Inquiry form

QUOTATION NO. Dy. Comm.(D.)/EZ-A/13/2024-25	DATE:	20/02/2025
NAME OF WORK :-	Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Nagar prathmik school's within East Zone-A area limit for the period of One (01) year.	
ESTIMATED AMOUNT :-	Rs.2,00,000/-	EMD AMOUNT :- Rs.2000/-
VALIDITY PERIOD :-	120 Days	Agency Category :- Experienced
REQUIRED DOCUMENTS :-	(1) Permanent Account Number (PAN) copy. (2) GST Registration certificate. (3) Active Experience Document	
TENDER AVAILABILITY :-	ONLINE	
ISSUING AUTHORITY :-	Executive Engineer, East(Varachha)Zone-A, Surat	
ISSUING OFFICE :-	Administrative office, East(Varachha)Zone-A, Prajapita Brahma Kumari Road, L.H.Road, Opp. Panchavati wadi, Varachha, Surat.	
INVITING AUTHORITY :-	Executive Engineer, East(Varachha)Zone-A ,Surat	
SUBMISSION DATE :-	Last date: 10/03/2025 Time :- up to 18.00 P.M.	
SUBMITTED TO :-	EXECUTIVE ENGINEER, EAST (VARACHHA) ZONE-A, PRAJAPITA BRAHMAKUMARI ROAD, L.H.ROAD, OPP.PANCHAVATI WADI, VARACHHA, SURAT	
G.S.T. WILL BE APPLICABLE IN ACCORDANCE WITH THE PREVAILING NORMS OF GOVERNMENT.		
GST clause for construction/ erection/ commissioning/ installation/ pairs/maintenance/ renovation/ fabrication of structure including building (means all works contract/ turnkey project/supply of material/goods)		
<p>GST(Goods & Service Tax) has come in existence from 1st July 2017 Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of Contract agreed upon during the course of execution of this Contract.</p> <p>During the course of execution of Contract if there is any change in Rate of GST (Goods& Service Tax) by the Government the same shall be reimbursed / recovered separately by SMC, subject to the submission of Original Receipt / Proof for the amounts actually remitted by the Successful Tenderer / Contractor to the Competent Authority along with a Certificate firm Chartered Accountant of Contractor / Successful Bidder certifying that the amount of GST paid to the Government and the same shall be intimated / submitted / claimed within 30(Thirty) Days form the date of payment Remittance of GST within stipulated period shall be the sole responsibility of the Successful Bidder / Contractor, failing which , SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the Contractor/ Successful Bidder in this regard Further, the nonpayment of GST to the Government may lead to the termination of contract and forfeiture of Security Deposit / Performance Guarantee Amount.</p> <p>If imposition of any other new Taxes/Duties/Levies/Cess or any other incidentals etc. or any increase in the existing Taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract. the same shall be borne by the Contractor/ Successful Bidder only, in no case SMC shall be liable for the same.</p>		
	SIGNATURE OF ISSUING AUTHORITY	
	S/D	
	EXECUTIVE ENGINEER EAST(VARACHHA) ZONE-A SURAT MUNICIPAL CORPORATION	



K.J. Bhavsar
Executive Engineer

SURAT MUNICIPAL CORPORATION
EAST (VARACHHA) ZONE-A

PRAJAPITA BRAHMAKUMARI ROAD, BESIDE SAIF SOCIETY,
OPP.PANCHAVATI WADI, L.H.ROAD, VARACHHA, SURAT ☎2547750,
2551363



QUOTATION INQUIRY

EZ-A /Out / No.....

Dtd.: -

To,

.....
.....
.....
.....
.....

Sub: Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Nagar prathmik school's within East Zone-A area limit for the period of One (01) year.

Dear Sir,

Surat municipal corporation, East Zone-A is inviting quotation for the work of Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Nagar prathmik school's within East Zone-A area limit for the period of One (01) year.

You are requested to send your offer in a sealed cover with **E.M.D of Rs.2,000/-** in the form of demand draft/ banker's cheque in favour of the "Municipal Commissioner, Surat Municipal Corporation" payable at Surat. So as to reach in the office of Executive Engineer [East Zone-A] **on or before Dt.10/03/2025 up to 6.00 pm.** Please note that the sealed cover shall be super scribed with the name of work " **Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Nagar prathmik school's within East Zone-A area limit for the period of One (01) year.**" The terms & conditions for this offer are as follow, failing which the quotation shall be rejected out rightly.

SR. NO	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
Lamp & Halogen tube			
1	40W tungsten filament lamp	Ea.	
2	60W tungsten filament lamp	Ea.	
3	100W tungsten filament lamp	Ea.	
4	7 W LED LAMP	Ea.	
5	9 W LED LAMP	Ea.	
6	12 W LED LAMP	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
Led Light & Accessories			
7	2.0 x 2.0 feet square 36 (Watt) LED Fixture for indoor lighting or its equivalent	Ea.	
8	2.0 x 2.0 feet square 36 (Watt) LED Fixture Driver for indoor lighting or its equivalent	Ea.	
9	4.0 Ft. (1200 mm) Complete PVC T5 LED Tube Light 18/20 Watt Lumen out 2000/2100 luminary Efficacy 100lm/watt	Ea.	
10	4.0 Ft. (1200 mm) Complete Aluminium body T5 LED Tube Light 18/20 Watt Lumen out 2000/2100 luminary Efficacy 100lm/watt	Ea.	
11	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000K to 5700K	Ea.	
12	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000K to 5700K	Ea.	
13	150-250 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 3000K to 3500K	Ea.	
14	17-20W, 240V, 50Hz, Cool daylight, Down LED Fixtures (for POP Ceiling) (Square/Round),	Ea.	
15	12W, 240V, 50Hz, Cool daylight, Down LED Fixtures (for POP Ceiling) (Square/Round),	Ea.	
Ceiling Fan & Accessories			
16	Supply of 1200 mm Sweep (48") ,BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC) permanent ferrite magnet Motor, Rust free 3 nos. Aluminium blades, 2 nos. canopies, Air delivery minimum 215 CMM, 350 RPM	Ea.	
17	Ceiling Fan,(48"), 1200 mm , Energy Efficient, High Speed, Air Delivery, Minimum 218 CMM input power Maximum 55 Watt	Ea.	
18	Pedestal fan A.C. 230V. 50 Cy/s. 400 mm sweep oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
19	Wall fan A.C. 230V. 50 Cy/s. 400 mm sweep oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
20	Wall fan A.C. 230V. 50 Cy/s. 450 mm sweep oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
21	Supplying single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM		
22	Supplying single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 305 mm dia size and maximum speed 900 RPM	Ea.	
23	Supplying single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 900 RPM		
24	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame. Having 200 mm with 1350 rpm	Ea.	
25	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame. Having 250 mm with 1350 rpm	Ea.	
26	Capacitor 440 V AC,1.5 µf	Ea.	
27	Capacitor 440 V AC,2.5 µf	Ea.	
28	Capacitor 440 V AC,10 uf	Ea.	
29	Capacitor 440 V AC,15 uf	Ea.	
30	Capacitor 440 V AC,20 uf	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
31	Capacitor 440 V AC,25 uf	Ea.	
32	Capacitor 440 V AC,36 uf	Ea.	
33	Capacitor 440 V AC,50 uf	Ea.	
34	Capacitor 440 V AC,100/120 uf	Ea.	
35	Capacitor 440 V AC,120/150 uf	Ea.	
36	Capacitor 440 V AC,150/200 uf	Ea.	
37	Capacitor 440 V AC,200/250 uf	Ea.	
38	Capacitor 440 V AC,100/120 uf	Ea.	
39	1.5 ft Ceiling fan pipe	Ea.	
40	2 ft Ceiling fan pipe	Ea.	
41	2.5 ft Ceiling fan pipe	Ea.	
42	3 ft Ceiling fan pipe	Ea.	
43	4 ft Ceiling fan pipe	Ea.	
Ding Dong Bell			
44	Ding Dong Bell	Ea.	
45	Remote Operated Ding Dong Bell	Ea.	
46	Buzzer	Ea.	
47	Electric gong bell	Ea.	
48	Parrot Bell	Ea.	
Miniature Circuit Breaker (MCB)			
MCB Enclosure			
49	1/2 MCB box PVC Enclosure	Ea.	
50	3/4 MCB box PVC Enclosure	Ea.	
51	MCB Metal Enclosure for Double Pole	Ea.	
52	MCB Metal Enclosure for Four Pole	Ea.	
MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA			
53	1 Amp. Single pole (SP) MCB	Ea.	
54	6 Amp. Single pole (SP) MCB	Ea.	
55	10 Amp. Single pole (SP) MCB	Ea.	
56	16 Amp. Single pole (SP) MCB	Ea.	
57	20 Amp. Single pole (SP) MCB	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
58	32 Amp. Single pole (SP) MCB	Ea.	
59	6 Amp. Double pole (DP) MCB	Ea.	
60	10 Amp. Double pole (DP) MCB	Ea.	
61	16 Amp. Double pole (DP) MCB	Ea.	
62	25 Amp. Double pole (DP) MCB	Ea.	
63	32 Amp. Double pole (DP) MCB	Ea.	
64	40 Amp. Double pole (DP) MCB	Ea.	
MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA			
65	20 Amp. Four pole (FP) MCB	Ea.	
66	32 Amp. Four pole (FP) MCB	Ea.	
67	40 Amp. Four pole (FP) MCB	Ea.	
68	63 Amp. Four pole (FP) MCB	Ea.	
69	20 Amp. Three pole (TP) MCB	Ea.	
70	32 Amp. Three pole (TP) MCB	Ea.	
71	40 Amp. Three pole (TP) MCB	Ea.	
72	63 Amp. Three pole (TP) MCB	Ea.	
MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA			
73	6 Amp. Single Pole(SP) MCB	Ea.	
74	10 Amp. Single pole (SP) MCB	Ea.	
75	16 Amp. Single pole (SP) MCB	Ea.	
76	32 Amp. Single pole (SP) MCB	Ea.	
77	6 Amp. Double Pole(DP) MCB	Ea.	
78	10 Amp. Double Pole(DP) MCB	Ea.	
79	16 Amp. Double Pole(DP) MCB	Ea.	
80	25 Amp. Double Pole(DP) MCB	Ea.	
84	32 Amp. Double Pole(DP) MCB	Ea.	
81	40 Amp. Double Pole(DP) MCB	Ea.	
MCB B-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA			
82	16 Amp. Four Pole(FP) MCB	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
83	25 Amp. Four Pole(FP) MCB	Ea.	
84	32 Amp. Four Pole(FP) MCB	Ea.	
85	40 Amp. Four Pole(FP) MCB	Ea.	
86	63 Amp. Four Pole(FP) MCB	Ea.	
MCCB			
87	63 Amp. Four Pole (FP) MCCB	Ea.	
88	100 Amp. Four Pole (FP) MCCB	Ea.	
89	125 Amp. Four Pole (FP) MCCB	Ea.	
RCCB			
90	25 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
91	25 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
92	40 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
93	40 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
94	63 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
95	63 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
96	100 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
97	100 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
98	25 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
99	25 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
100	40 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
101	40 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
102	63 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
103	63 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
104	100 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
105	100 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
MCB DISTRIBUTION BOARDS			
106	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 4 way single door	Ea.	
107	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 4 way double door	Ea.	
108	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 6 way single door	Ea.	
109	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 6 way double door	Ea.	
110	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 8 way single door	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
111	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 8 way double door	Ea.	
112	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 12 way single door	Ea.	
113	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 12 way double door	Ea.	
114	Sheet Steel powder coated MCB distribution board - flush / surface mounted Three phase 4 way SS Double door PPI type for single phase outgoing horizontal box	Ea.	
115	Sheet Steel powder coated MCB distribution board - flush / surface mounted Three phase 8 way SS Double door PPI type for single phase outgoing horizontal box	Ea.	
Flexible Wire Cable			
116	1.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
117	1.5 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
118	2.5 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
119	4.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
120	6.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
121	1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
122	1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
123	2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
124	4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour) (90 mtr.)	PKT	
125	40/42 mm Twins Twisted Flexible Copper Wire (Red & Black)	PKT	
126	2.50 Sq.mm 2 core Alluminium Flat Cable(100mtr.)	PKT	
127	1.00 Sq.mm 2 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
128	1.00 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
129	1.50 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
130	2.50 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
131	4.00 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
132	2.50 Sq.mm 4 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	PKT	
133	CAT-6 UTP Cable (305 mtr.)	PKT	
Modular Accessories			
Modular Board			
134	2-Up PVC Modular board Surface	Ea.	
135	3-Up PVC Modular board Surface	Ea.	
136	4-Up PVC Modular board Surface	Ea.	
137	6-Up PVC Modular board Surface	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
138	8-Up PVC Modular board Surface	Ea.	
139	12-Up PVC Modular board Surface	Ea.	
140	16-Up PVC Modular board Surface	Ea.	
141	18-Up PVC Modular board Surface	Ea.	
Modular Plate			
142	2-Up Modular plate	Ea.	
143	3-Up Modular plate	Ea.	
144	4-Up Modular plate	Ea.	
145	6-Up Modular plate	Ea.	
146	8-Up Modular plate	Ea.	
147	12-Up Modular plate	Ea.	
148	16-Up Modular plate	Ea.	
149	18-Up Modular plate	Ea.	
Modular Type Switch and Regulator			
150	Dummy Plate Modular	Ea.	
151	Indicator Modular	Ea.	
152	Modular Switch 6 Amp	Ea.	
153	Modular Switch 16 Amp	Ea.	
154	Modular Plug 6 Amp	Ea.	
155	Modular Plug 16 Amp	Ea.	
156	Modular Bell Push Switch	Ea.	
157	Plug type Regulator for Modular	Ea.	
158	Switch type Regulator for Modular	Ea.	
159	2 way Switch Modular	Ea.	
160	6 to 32 Amp S.P. MCB Modular	Ea.	
161	6 to 32 Amp D.P. MCB Modular	Ea.	
162	Modular Angel holder	Ea.	
163	Modular Battan holder	Ea.	
164	AC starter Modular 16/25 A	Ea.	
165	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
166	TV Co-axial Socket out	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
Tissino Type Switch and Fan Regulator			
167	Tissino type Switch 6 Amp (Simple)	Ea.	
168	Tissino type Switch 16 Amp (Simple)	Ea.	
169	Tissino type 2-way Switch 6 Amp	Ea.	
170	Tissino type Bell Push	Ea.	
171	Tissino type Plug 6 Amp (Simple) 2 IN 1 SOCKET	Ea.	
172	Tissino type Plug 16 Amp (Simple)	Ea.	
173	Electronic Hum free EME Socket Type Steps Fan Regulator(Plug Type)	Ea.	
174	Electronic Hum free EME Socket Type Steps Fan Regulator(Switch Type)	Ea.	
175	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S.S.Combine)	Ea.	
176	Angle Holder	Ea.	
177	Button Holder	Ea.	
178	Pendent Holder	Ea.	
179	Bakelite ceiling, rose	Ea.	
180	6 to 32 Amp S.P. MCB	Ea.	
181	6 to 32 Amp D.P. MCB	Ea.	
182	3 Pin Top, 6 Amp	Ea.	
183	3 Pin Top, 16 Amp	Ea.	
184	5 Amp Connector strip	Ea.	
185	10 Amp Connector strip	Ea.	
186	Male Female 2 Pin Connector	Ea.	
Conduits & Pipes Accessories			
187	20 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
188	25 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
189	32 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
190	20 mm PVC Corrugated Flexible Conduit	Mtr	
191	25 mm PVC Corrugated Flexible Conduit	Mtr	
192	32 mm PVC Corrugated Flexible Conduit	Mtr	
193	Saddle Base with Screw suitable for 20 mm RIGID PVC PIPES	Ea.	
194	Saddle Base with Screw suitable for 25 mm RIGID PVC PIPES	Ea.	
195	Saddle Base with Screw suitable for 32 mm RIGID PVC PIPES	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
196	Junction 1 way 20/25/32 mm	Ea.	
197	Junction 2 way 20/25/32 mm	Ea.	
198	Junction 3 way 20/25/32 mm	Ea.	
199	Junction 4 way 20/25/32 mm	Ea.	
200	Coupling 20/25/32 mm	Ea.	
201	Elbow 20/25/32 mm	Ea.	
202	Tee 20/25/32 mm	Ea.	
Casing - Capping Accessories			
203	Pvc casing capping double lock type 12/20 mm	Ea.	
204	Pvc casing capping double lock type 12/25 mm	Ea.	
205	Pvc casing capping double lock type 12/32 mm	Ea.	
206	External Coupler 20/25/32 mm	Ea.	
207	Internal Coupler 20/25/32 mm	Ea.	
208	Elbow 20/25/32 mm	Ea.	
209	Tee 3/4 way 20/25/32 mm	Ea.	
210	Inner/Outer 20/25/32 mm	Ea.	
211	Junction 1 way 20/25/32 mm	Ea.	
212	Junction 2 way 20/25/32 mm	Ea.	
213	Junction 3 way 20/25/32 mm	Ea.	
214	Junction 4 way 20/25/32 mm	Ea.	
215	Junction Cover 1/2/3/4 way 20/25/32 mm	Ea.	
216	Coupler 20/25/32 mm	Ea.	
CableTie			
217	Cable TIE, 250 MM (100 Nos.)	PKT	
218	Cable TIE, 200 MM (100 Nos.)	PKT	
219	Cable TIE, 150 MM (100 Nos.)	PKT	
220	Cable TIE, 100 MM (100 Nos.)	PKT	
C-Clamp			
221	4mm cable clips (sedal) (100 Nos.)	PKT	
222	6mm cable clips (sedal) (100 Nos.)	PKT	
223	8mm cable clips (sedal) (100 Nos.)	PKT	
224	10mm cable clips (sedal) (100 Nos.)	PKT	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
Khili			
225	khili for wiring (1") (2.5 kg box) (Doba khili)	KG	
226	3" Galvanized Khili (2.5 kg box)	KG	
Different Size Screw			
227	Screw 13 x 6 mm (Black) (>500 Nos.)	PKT	
228	Screw 19 x 6 mm (Black) (>500 Nos.)	PKT	
229	Screw 25 x 6 mm (Black) (>500 Nos.)	PKT	
230	Screw 32 x 6 mm (Black) (>500 Nos.)	PKT	
231	Screw 38 x 6 mm (Black) (>500 Nos.)	PKT	
232	Screw 50 x 6 mm (Black) (>500 Nos.)	PKT	
233	Screw 35 x 8 mm (Black) (>500 Nos.)	PKT	
234	POP Screw 50 x 6 mm (Black 4 head) (500 Nos.)	PKT	
Other Equipment			
235	Electrical insulation Tape roll (R-Y-B-N)	Ea.	
236	wooden Grip packet (>50 Nos.)	PKT	
237	PVC Grip packet	PKT	
238	Aluminium Strip 10 Ft	Ea.	
239	Rubber Clamp(Fan)	Ea.	
240	Pencil cell AAA size 1.5 V	Ea.	
241	Pencil Cell AA size 1.5 V	Ea.	
242	9 V Battery cell	Ea.	
243	12 V 23A Alkaline Battery Cell	Ea.	
244	Aluminium Lug pin type as per above wire/cable size 2.5/4.0 sq.mm cable	Ea.	
245	Aluminium Lug pin type as per above wire/cable size 6.0/10.0 sq.mm cable	Ea.	
246	Aluminium Lug pin type as per above wire/cable size 16.0 sq.mm cable	Ea.	
247	Copper lug pin type for 2.5/4.0 sq.mm cable	Ea.	
248	Copper Lug pin type for wire/cable size 6.0/10.0 sq.mm cable	Ea.	
249	Copper Lug pin type for wire/cable size 16.0 sq.mm cable	Ea.	
250	Aluminium Lug ring type as per above wire/cable size 2.5/4.0 sq.mm cable	Ea.	
251	Aluminium Lug ring type as per above wire/cable size 6.0/10.0 sq.mm cable	Ea.	
252	Aluminium Lug ring type as per above wire/cable size 16.0 sq.mm cable	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (Without GST)
253	Copper lug pin type for 2.5/4.0 sq.mm cable	Ea.	
254	Copper Lug pin type for wire/cable size 6.0/10.0 sq.mm cable	Ea.	
255	Copper Lug pin type for wire/cable size 16.0 sq.mm cable	Ea.	
256	1 way PVC Gangbox	Ea.	
257	2 way PVC Gangbox	Ea.	
258	3 way PVC Gangbox	Ea.	
259	4 way PVC Gangbox	Ea.	
260	3 PLUG, 3 SWITCH PVC box (6 way Gang box)	Ea.	

- Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

VENDOR'S LIST

Sr. No.	Equipments/ Accessories	Make
1	Wires	Torrent, Finolex, Havells, Kei, R R Kabel, Polycab
2	Un armoured Cable	Finolex, Torrent, Havells, Kei, RR Kabel, Bharat Cab, Cci, Universal, Incab, Gloster
3	Switch and Accessories	Anchor, Jainex,, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer, Allwyn, Promot
4	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand
5	lamps	Philips, Havells, Bajaj, Surya
6	Led Lamps, LED Tube	Philips, Havells, Bajaj, Surya
7	ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Almonard.
8	BLDC fan	Any ISI Approved
9	PVC Pipe/casing capping accessories	Precision, Poly Cab, Finolex, Nihir
10	Insulating PVC Tape	Anchor / Still Grip
11	CAT-6	Finolex, R R Kabel, D-Link

Terms and Conditions:

1. All the rates should be **Excluding of GST** and including of all other taxes duties, labor charges and transportation, loading unloading, watch and ward etc. up to delivery at East (Varachha) Zone -A light Department. Fulfilments of this condition are must or else the quotation shall be liable for outright rejection.
2. Rates must be filled in this quotation paper only and returned duly sealed & signed.
3. In case of any misunderstanding due to interpretation of any terms, conditions or specifications the decision of Executive Engineer, East Zone - A, Surat Municipal Corporation, Surat shall be final and binding on the part of contractor.
4. Price variation clause of any form shall not be accepted. Price shall remain firm till end of

contract.

5. No correction, overwriting erasures in filling Quotation papers shall be considered unless countersigned. The material shall be supplied within 03 days of sub work order given.
6. No payment shall be made in advance.
7. 100% payment shall be released after supply of material as per requirement and submission of Bill.
8. If contractor fails to complete above work than penalty @ 0.2 % of amount unexecuted work per day delayed should be recovered from your bill. Maximum delay penalty shall be recovered 10% of unexecuted amount of sub work order.
9. Corporation will not issue any 'C' or 'D' form.
10. The contractor will not be provided any transportation fare or other charges.
11. Conditional Quotation shall not be accepted.
12. The firm must have an office in Surat.
13. The period of Annual Rate Contract for Supply of Electrical Materials will be one (01) year from the date of the award of the contract.
14. All Mentioned Electrical items supplied as per Vendor list only.

SECURITY DEPOSIT/AGREEMENT/STAMP DUTY:-

- Successful Contractor shall be required to deposit an amount equal to **2% of total order value as Security Deposit** in Cash/ by Demand Draft within 10 (Ten) days from date of work order, otherwise penalty @ 0.065% of the Security deposit Amount per day of delay shall be charged.
- Successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.

S/D

Executive Engineer
East(Varachha) Zone-A
Surat Municipal Corporation

SEAL & SIGNATURE OF THE TENDERER:-