Surat Municipal Institute of Medical Education and Research

Opp. Bombay Market, Umarwada, Surat – 395 010 (Guj.)-India.

Medical Superintendent-Extn.1600 SMIMER Hospital Phone Nos. 2368040 to 43



FAX No.(0261) 2360306

SMIMER/Hosp/Out/ No.362 Date: 23 / 04 / 2025

To, M/s			

Sub: Quotation for Replacement of Perishable Spares for Bio-Medical Department of SMIMER Hospital.

Dear Sir,

Quotations are invited for item as per attached list and as per following terms & conditions.

- 1. The rates should be F.O.R. destination inclusive of all taxes & charges i.e. GST etc.
- 2. Rate should be quoted as per serial number of list.
- 3. The rejected items shall have to be removed by the supplier at their own cost.
- 4. Overwriting, erasures or correction in quotations shall not be considered.
- 5. Quotations are to be sent in sealed cover as above.
- 6. Quotations received after due date will not be considered.
- 7. Quotations sent by post or courier services is preferable.
- 8. Guarantee/warranty should be mentioned in quotation.
- 9. Supplier has to submit quality certificate & samples if requires.
- 10. Effective goods will not be accepted.
- GST Clause For Construction/ Erection/ Commissioning/Installation /Repairs/ Maintenance/Renovation/ Fabrication Of Structure Including Building(Means All Works Contract/Turn Key Projects/Supply Of Material/Goods)
- GST (Goods & Service Tax) has come in existence from 1st July, 2017.
 Contractor/ Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of contract agreed upon during the course of execution of this Contract.
- During the course of execution of contract, if there is any change in Rate of GST(Goods & Service Tax) by the Government, the same shall be reimbursed /

recovered separately by SMC, subject to the submission of original Receipt/Proof

for the amounts actually remitted by the successful Tenderer /Contractor to the

Competent Authority along with a Certificate from Chartered Accountant of

Contractor / Successful Bidder certifying that the amount of GST paid to the

Government and the same shall be intimated / submitted/claimed within 15

(fifteen) Days from the date of payment. Remittance of GST within stipulated

period shall be the sole responsibility of the Successful Bidder/Contractor,

failing which, SMC may recover the amount due, from any other payable dues

with SMC and decision of Municipal Commissioner shall be final and binding on

the Contractor / Successful Bidder in this regard. Further, the non-payment of

GST to the Government may lead to the termination of the contract and

forfeiture of Security Deposit / Performance Guarantee Amount.

• If imposition of any other new Taxes / Duties / Levies / Cess or any other

incidentals etc. or any increase in the existing Taxes / Duties / Levies /Cess or

any other incidentals etc. (Excluding GST) are imposed during the course of the

contract, the same shall be borne by the Contractor / Successful Bidder only, in

no case SMC shall be liable for the same.

• The contractor will submit the invoice to the SMC having GSTIN of SMC mentioned therein

and the taxes shall be shown separately on the face of the invoice so as to claim as ITC by

SMC.

Envelope should bear on top: " Quotation for Perishable Spares for Bio-Medical

Department of SMIMER Hospital "

Quotations are to be sent in sealed cover addressed to office of Medical

Superintendent, SMIMER Hospital by post/courier so as to reach on Dt. 30 / 04 /2025

Quotation received thereafter will not be accepted.

Medical Superintendent SMIMER Hospital

Price-Bid

Sr. No.	Item Name	Qty.	Department	Unit Rate (Rs.)	Total Amount (Rs.)
1.	16 amp Three Pin top	5 piece	Bio-Medical		
2	6 amp three pin top only	30 piece	Department		
3	2 Pin Top, 6amp	20 piece	-		
4	6 Amp ON-OFF Switch (for Suction machine) without indicating lights	20 piece			
5	16 Amp ON-OFF Switch (for Incubator) without indicating light	5 piece			
6	Capacitor 10 uf for suction machine motor	4 Piece			
7	Electrical insualtion tape (black) ISI mark	30 piece			
8	Potentiometer (5K ohms)	10 piece			
9	Teflon tape (White)	20 piece			
10	Glue Stick	3 piece			
11	Feviquick (small)	5 piece			
12	Velcro tape 45 mm (hook type)	25 mtr			
13	Velcro tape 45 mm (loop type)	25 mtr			
14	ECG only Bulb silicon Blue with metal Electrode	12 piece			
15	Multimeter lead (good quality)	2 Piece			
16	Battery 9 V	2 piece			
17	Ambu Breathing valve set (Adult)	5 piece			
18	Ambu Breathing valve set (Neonatal)	5 piece			
19	0.4 cm x 15 cm length Cable tie	100 piece X 1			
20	0.6 cm x 15 cm length Cable tie	100 piece X2			
21	0.6 cm x 20 cm length Cable tie	100 piece X2			
22	Heat shrink Sleeve (black)small size 4mm	5 mtr			
23	High temperature resistant thermo sleeve 6mm	5 mtr			
24	Drill Machine with Accessories	1 piece]		
	• Brand: Bosch				
	• Model: GBH 220				
	• Type: Rotary Hammer Drill				
	Power Source: Corded Electric				
	• Rated Power Input: 720W				
	• Impact Energy: 2.0 Joules				
	• No-Load Speed: 0-2,200 RPM				
	• Impact Rate: 0-4,800 BPM				
	 Max Drilling Capacity: Concrete:22mm,Steel:Steel: 13mm, Wood: 30mm 				
	• Drill Chuck Type: SDS-Plus				
	 Modes of Operation: 3 Modes: Drilling, Hammer Drilling, Chiseling 				
	• Weight approx: 2.3 kg				
	 Cord Length: 2.5 meters or more Power supply: Should operate on 220V to 				
	240 V AC with Indian top				

Additional Features: Compact & Lightweight ,Soft Grip Handle,Overload Clutch for Safety Accessories: Drill Bit diameter:- a) 5mm, 6 mm, 8mm for concrete b) 2mm, 3 mm & 5 mm for metal Warranty:One year comprehensive Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. Air blower Power Source: Corded Voltage: 220-240V AC with Indian power cords	
Accessories :Drill Bit diameter:- a) 5mm, 6 mm, 8mm for concrete b) 2mm, 3 mm & 5 mm for metal Warranty:One year comprehensive Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
 a) 5mm, 6 mm, 8mm for concrete b) 2mm, 3 mm & 5 mm for metal Warranty:One year comprehensive Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power 	
• b) 2mm, 3 mm & 5 mm for metal • Warranty:One year comprehensive • Certificates: ISO/CE/BIS/CDSCO certified. • Applications: Drilling in Concrete, Brick, and Masonry • Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower • Power Source: Corded • Voltage: 220-240V AC with Indian power	
Warranty:One year comprehensive Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
Certificates: ISO/CE/BIS/CDSCO certified. Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
Applications: Drilling in Concrete, Brick, and Masonry Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
Masonry • Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower • Power Source: Corded • Voltage: 220-240V AC with Indian power	
Chiseling in Light-Duty Suitable for Wood and Metal with Appropriate Bits. 25 Air blower Power Source: Corded Voltage: 220-240V AC with Indian power	
Metal with Appropriate Bits. 25 Air blower • Power Source: Corded • Voltage: 220-240V AC with Indian power	
25 Air blower • Power Source: Corded • Voltage: 220-240V AC with Indian power	
Power Source: Corded Voltage: 220-240V AC with Indian power	
Voltage: 220-240V AC with Indian power	
• Rated Power Range: 550W-700W (should be	
between this range)	
• Air Flow rate: 3.8 m3/min or more	
Noise Level range: 75 dB -85 dB	
Weight approx: 1.7 kg	
Material: High-Quality ABS Plastic / Durable	
Composite	
Handle Type: Ergonomically designed handle	
with soft grip	
• Cord Length (for corded models) : 3 meters	
Speed Settings: Without variable speed	
• Accessories: - Blower Nozzle 30 cm size	
-Air Filter	
- Spare carbon brush	
• RPM: 14000	
Warranty: 1 year comprehensive	
Coverage: Free repair/replacement for	
manufacturing defects (does not cover	
damage from misuse)	
Certifications: ISO/CE/BIS/CDSCO certified	
26 Soldering iron with Temperature 1 piece	
Contoller	
Type: Soldering Iron with Adjustable	
Temperature Control	
Power Source:Corded Electric	
Voltage:220-240V AC with Indian power	
cords	
Power Rating range: 60W-80W	
• Temperature Control Range:200°C-450°C	
(adjustable)	
• Temperature Stability: +2°C	
Heating Element Type: Ceramic/Metal Alloy (depending on model)	
(depending on model)	
Handle Type: Ergonomically designed heat-	
resistant handle with anti-slip grip	
• Tip Type:Interchangeable tips, with fine,	
medium, and broad options (depending on	
the kit)	
Soldering TipMaterial: High-quality copper,	
nickel-plated, or iron-coated tips	
Power Cord Length: 1.5 meters to 2 meters	
or more.	
Temperature Controller:Analog dial or Digital	
LED display (depending on the model) for	
precise temperature adjustments	
Sleep Mode: Automatic sleep mode or	
standby function when idle (to prevent	
overheating and extend tip life)	
Heat-up Time: Approximately 30-60 seconds	
(depending on wattage and temperature	•
(depending on wattage and temperature setting)	
setting)	

					ı
	-Ergonomic and heat-resistant handle				
	-Overload protection to prevent damage to				
	the heating element				
	Applications: Ideal for electronic repairs, PCB				
	soldering, home DIY projects, and fine				
	precision work				
	Weight: 150g - 500g (depending on the				
	model)				
	Certifications: ISO/CE/BIS/CDSCO certified.				
	Warranty: One year comprehensive				
	Coverage: Free repair/replacement for				
	manufacturing defects (does not cover				
	misuse or wear and tear)				
	Accessories Included:Soldering Iron Stand				
	(with sponge or brass tip cleaner)				
	-Interchangeable Soldering Tips (fine,				
	medium, and broad tips)				
	-Soldering Iron Tip Cleaner (brass coil cleaner				
	or sponge)				
	-Solder Wire qty-2				
27	Hammer with 250 gm head, claw hammer	1 piece			
20	& fiberglass /Wooden/Metal handle	2 bottle	-		
28	WD-40 Maintanence Spray 170 gm	2 bottle			
29	Electronic Ballast 20 watt, 230 volt AC	10 piece			
	(for tube lights)				
30	Iron Connector for Sterilizer (Jainex A41)	2 piece			
31	Acrylic Sheet for X ray View box Size:	3 piece			
	14"x 17.25"	•			
32	Digital Multimeter Mastech MAS830L	1 Piece			
	POWER SOURCE:- Battery operated				
	• AC VOLTAGE:- 200 mV-1000V				
	DC VOLTAGE:- 200mV-600V				
	• RESISTANCE:- UP TO 2M				
	• AC/DC CURRENT:- 200 MA-20A				
	• RESISTANCE:- 200 2-20M				
	• CAPACITANCE: -2NF-200μF.				
	• Should Have :-				
	-Diode Test And Audible Continuity Test,				
	-Low Battery Indication				
	Warranty:- 6 months				
	Should be supplied with battery and lead				
	wires for testing				
	Should be ISO/CE/BIS/CDSCO certified				
	products only				
33	2 Core (copper) power supply cable,0.5	20 meter			
	sqmm		_		
34	Heat Sleeve belt for sealing machine	4 piece			
	used to pack instruments for ETO	1 P'	-		
35	Component(pcb) lead cutter from	1 Piece			
2.0	reputed brands like taparia	10	-		
36	Power cable Indian 6 amp 250 v, 3 mtr	10			
37	Power cable Indian 10 amp, 3 mtr	10			
			1	1	

Note: Above mentioned Instrument should be physically checked in, Department Bio-Medical Department by the Quoting supplier prior to Quoting in SMIMER Hospital.