

**Surat Municipal Corporation**  
**South East Zone(Limbayat)**  
**Quotation Inquiry form**

QUOTATION NO. Dy. Comm./SEZ/ 01 /2025/26		DATE:	05 /05/2025
NAME OF WORK :-	<b>Supply of different type of Electrical item for maintenance purpose at various muni. building at Light Dep. - 1 South East Zone(Limbayat), SMC Surat.</b>		
ESTIMATED AMOUNT :-	In The Limit Of Rs.2,00,000/- (With GST)		
VALIDITY PERIOD :-	120 Days	Agency Category :-	Experienced
REQUIRED DOCUMENTS :-	(1) Permanent Account Number (PAN) copy.		
	(2) GST Registration certificate.		
TENDER AVAILABILITY :-	ONLINE		
ISSUING AUTHORITY :-	Executive Engineer, South East Zone(Limbayat), Surat		
ISSUING OFFICE :-	Administrative Office, South East Zone(Limbayat), Opp. Vatika Township, Dumbhal, Surat.		
INVITING AUTHORITY :-	Executive Engineer, South East Zone(Limbayat)		
SUBMISSION DATE :-	Last date :- 15/ 05 /2025 Time :- up to 18.00 P.M.		
SUBMITTED TO :-	EXECUTIVE ENGINEER, South East Zone(Limbayat), Opp. Vatika Township, Dumbhal, Surat.		
G.S.T. WILL BE APPLICABLE IN ACCORDANCE WITH THE PREVAILING NORMS OF GOVERNMENT.			
GST clause for construction/ erection/ commissioning/ installation/ pairs/maintenance/ renovation/ fabrication of structure including building (means all works contract/ turnkey project/supply of material/goods)			
<p>GST(Goods &amp; Service Tax) has come in existence from 1st July 2017 Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of Contract agreed upon during the course of execution of this Contract.</p> <p>During the course of execution of Contract if there is any change in Rate of GST (Goods&amp; Service Tax) by the Government the same shall be reimbursed / recovered separately by SMC, subject to the submission of Original Receipt / Proof for the amounts actually remitted by the Successful Tenderer / Contractor to the Competent Authority along with a Certificate firm Chartered Accountant of Contractor / Successful Bidder certifying that the amount of GST paid to the Government and the same shall be intimated / submitted / claimed within 30(Thirty) Days form the date of payment Remittance of GST within stipulated period shall be the sole responsibility of the Successful Bidder / Contractor, failing which , SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the Contractor/ Successful Bidder in this regard Further, the nonpayment of GST to the Government may lead to the termination of contract and forfeiture of Security Deposit / Performance Guarantee Amount.</p> <p>If imposition of any other new Taxes/Duties/Levies/Cess or any other incidentals etc. or any increase in the existing Taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract. the same shall be borne by the Contractor/ Successful Bidder only, in no case SMC shall be liable for the same.</p>			
	SIGNATURE OF ISSUING AUTHORITY		
	SD		
	EXECUTIVE ENGINEER SOUTH EAST ZONE (LIMBAYAT) SURAT MUNICIPAL CORPORATION		

## QUATATION

સા.ઈ.ઝોન-ટેક/નં. ૮૫૦  
તા. ૦૬ / ૦૫ / ૨૦૨૫

પ્રતિ,

.....  
.....  
.....

**વિષય:**—સાઉથ ઈસ્ટ ઝોન (લિંબાયત) લાઈટ વિભાગ પાર્ટ-૧ના કાર્યક્ષેત્રમાં આવેલ વિવિધ મ્યુની.

મિલકતોમાં ઈલેક્ટ્રીકલ મરામત તથા નિભાવ અર્થે જુદા જુદા પ્રકારના ઈલેક્ટ્રીકલ મટીરીયલ્સ સપ્લાય કરવાની કામગીરી બાબત.

મહાશય,

ઉપરોક્ત વિષય અન્વયે આપના ધ્વારા સાઉથ ઈસ્ટ ઝોન (લિંબાયત) લાઈટ વિભાગ પાર્ટ-૧ના કાર્યક્ષેત્રમાં આવેલ વિવિધ મ્યુની. મિલકતોમાં ઈલેક્ટ્રીકલ મરામત તથા નિભાવ અર્થે જુદા જુદા પ્રકારના ઈલેક્ટ્રીકલ મટીરીયલ્સ સપ્લાય કરવાના કામ માટે કુલ રૂ.૨,૦૦,૦૦૦/- (તમામ વેરા સહિત) ની મર્યાદામાં અથવા ૨ વર્ષ સુધી બંનેમાંથી જે વહેલુ પુર્ણ થાય તે મુજબ કામગીરી કરવા જો આપ રસ ધરાવતા હોવ તો આપનું ભાવ પત્રક બંધ કવરમાં કાર્યપાલક ઈજનેરશ્રી, સાઉથ ઈસ્ટ ઝોન (લિંબાયત), સુરત મહાનગરપાલિકાને તા.૧૫ /૦૫/૨૦૨૫ સુધીમાં સાંજે ૬:૦૦ વાગ્યા પહેલા મળે એ રીતે પહોંચતું કરશો. સમય મર્યાદા બાદ આવેલ ભાવ પત્રક ને ધ્યાને લેવામાં આવશે નહીં જેની નોંધ લેશો. (કવર ઉપર કામનું નામ અવશ્ય લખવું)

SD  
કાર્યપાલક ઈજનેર  
સાઉથ ઈસ્ટ ઝોન(લિંબાયત)  
સુરત મહાનગરપાલિકા

<b>Name Of Work :- Supply of different type of Electrical item for maintenance purpose at various muni. building at Light Dep. - 1 South East Zone(Limbayat), SMC Surat.</b>			
<b>Sr. No.</b>	<b>DESCRIPTION</b>	<b>Unit</b>	<b>Rate (With GST)</b>
	<b>Tube Light And accessories</b>		
1	4 Ft. (1200 mm) <b>Tube fitting Including 36/40 Watt Electronic Ballast Without Tube Rod</b> Only Fixture	Ea.	
2	4 Ft. (1200 mm) <b>Tube Light Rod</b> , Light output 2450 Lumens.	Ea.	
3	4 Ft. <b>18/20 Watt LED Complete PVC T5 Tube Light</b> Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
4	2 Ft. <b>08/10 Watt T5 LED Complete PVC Tube Light</b> Lumen Output 800/1000,	Ea.	
5	4 Ft. <b>18/20 Watt LED Complete Aluminum body T5 Tube Light</b> Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
6	2 Ft. <b>08/10 Watt T5 LED Complete Aluminum body Tube Light</b> Lumen Output 800/1000,	Ea.	
7	4 Ft. (1200 mm) Tube Fitting Without Led Tube Rod Only Fixture With Rotating type Side Holder	Ea.	
8	4 Ft. LED T5 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficiency 100lm/watt	Ea.	
9	36 Watt Electronic Ballast (Choke)	Ea.	
10	Tube Light Side Holder Simple	Ea.	
11	Led Tube Light Side Holder (Rotating Type )	Ea.	
	<b>Lamp &amp; Halogen Tube</b>		
12	40W Tungsten Filament Lamp	Ea.	
13	60W Tungsten Filament Lamp	Ea.	
14	100W Tungsten Filament Lamp	Ea.	
15	7 W Led Lamp	Ea.	
16	9 W Led Lamp	Ea.	
17	12 W Led Lamp	Ea.	
	<b>Light &amp; Accessories</b>		
18	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
19	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent	Ea.	
20	18/20 Watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
21	20/24 LED Panel Light size 1 x 1 inch	Ea.	
22	12/15W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
23	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
24	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
	<b>LED Strip Light &amp; Driver</b>		
25	LED Strip Light minimum 4.8 watt, 120 LED per meter without Driver	Mtr.	
26	LED Strip Light minimum 7.2 watt, 240 LED per meter without Driver	Mtr.	
27	LED Strip Light non integral suitable Driver	Ea.	
28	2 Amp Driver	Ea.	
29	3 Amp Driver	Ea.	
30	5 Amp Driver	Ea.	
31	8 Amp Driver	Ea.	

32	12.5 Amp Driver	Ea.	
33	16 Amp Driver	Ea.	
34	20 Amp Driver	Ea.	
	<b>Celling Fan &amp; Accessories</b>		
35	Supply of 1200 mm Sweep (48"),BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC)permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades,2 nos, canopies , shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	
36	Ceiling fan,(48"),1200 mm, Energy Efficient ,BEE 1 Star rated, high Speed Air Delivery ,Minimum 218 CMM input power maximum 53 W	Ea.	
37	<b>Pedestal fan</b> A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead fleixble wires and plug top 110 Watt.	Ea.	
38	Supplying & erecting single phase <b>industrial Pedestal</b> fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A,80 Watt.	Ea.	
39	<b>Wall fan</b> A.C. 230 V. 50 Cy/s. <b>400 mm sweep</b> oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	
40	<b>Wall fan</b> A.C. 230 V. 50 Cy/s. <b>450 mm sweep</b> oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	
41	Supplying & erecting single phase approved make <b>industrial Wall fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having <b>600 mm</b> dia size and maximum speed 1440 RPM 0.80 A,180 Watt.	Ea.	
42	Supplying & erecting single phase approved make <b>industrial exhaust fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having <b>300 mm</b> dia size and maximum speed 1350 RPM	Ea.	
43	Supplying & erecting single phase apporved make <b>industrial exhaust fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM	Ea.	
44	Supplying & erecting approved make low noise <b>decorative exhaust fan</b> having square frame <b>ABS body</b> with inbuilt lowers & square frame, Having <b>150 mm</b> with 1350 RPM	Ea.	
45	Supplying & erecting approved make low noise <b>decorative exhaust fan</b> having square frame <b>ABS body</b> with inbuilt lowers & square frame, Having <b>200 mm</b> with 1350 RPM	Ea.	
46	Supplying & erecting approved make low noise <b>decorative exhaust fan</b> having square frame <b>ABS body</b> with inbuilt lowers & square frame, Having <b>250 mm</b> with 1310 RPM	Ea.	
47	Capacitor 440 V AC,1.5 uf	Ea.	
48	Capacitor 440 V AC,2.5 uf (oiled filled)	Ea.	
49	Capacitor 440 V AC,10 uf	Ea.	
50	Capacitor 440 V AC,25 uf	Ea.	
51	Capacitor 440 V AC,36 uf	Ea.	
52	Capacitor 440 V AC,45 uf	Ea.	
53	Capacitor 440 V AC,50 uf	Ea.	
54	Capacitor 440 V AC,100/120 uf	Ea.	
55	1.5 ft Celling fan MS pipe	Ea.	
56	2 ft Celling fan MS pipe	Ea.	
57	2.5 ft celling fan MS pipe	Ea.	
58	3 ft celling fan MS pipe	Ea.	
59	4 ft celling fan MS pipe	Ea.	

60	Ding Dong Bell	Ea.	
61	Remote Operated Ding Dong Bell	Ea.	
62	Buzzer	Ea.	
63	Musical Bell	Ea.	
64	parrot Bell	Ea.	
	<b>Miniature Circuit Breaker (MCB) Enclosure</b>		
65	1/2 MCB box PVC Enclosure	Ea.	
66	3/4 MCB box PVC Enclosure	Ea.	
67	MCB Metal Enclosure for Double Pole	Ea.	
68	MCB Metal Enclosure for four Pole	Ea.	
	<b>MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA</b>		
69	1 Amp. Single Pole (SP) MCB	Ea.	
70	6 Amp. Single Pole (SP) MCB	Ea.	
71	10 Amp. Single Pole (SP) MCB	Ea.	
72	16 Amp. Single Pole (SP) MCB	Ea.	
73	20 Amp. Single Pole (SP) MCB	Ea.	
74	32 Amp. Single Pole (SP) MCB	Ea.	
75	6 Amp. Double Pole (DP) MCB	Ea.	
76	10 Amp. Double Pole (DP) MCB	Ea.	
77	16 Amp. Double Pole (DP) MCB	Ea.	
78	25 Amp. Double Pole (DP) MCB	Ea.	
79	32 Amp. Double Pole (DP) MCB	Ea.	
80	40 Amp. Double Pole (DP) MCB	Ea.	
	<b>MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA</b>		
81	20 Amp. Four pole (FP) MCB	Ea.	
82	32 Amp. Four pole (FP) MCB	Ea.	
83	40 Amp. Four pole (FP) MCB	Ea.	
84	63 Amp. Four pole (FP) MCB	Ea.	
85	20 Amp. Three pole (TP) MCB	Ea.	
86	32 Amp. Three pole (TP) MCB	Ea.	
87	40 Amp. Three pole (TP) MCB	Ea.	
88	63 Amp. Three pole (TP) MCB	Ea.	
	<b>MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA</b>		
89	6 Amp. Single Pole (SP) MCB	Ea.	
90	10 Amp. Single Pole (SP) MCB	Ea.	
91	16 Amp. Single Pole (SP) MCB	Ea.	
92	32 Amp. Single Pole (SP) MCB	Ea.	
93	6 Amp. Double Pole (DP) MCB	Ea.	
94	10 Amp. Double Pole (DP) MCB	Ea.	
95	16 Amp. Double Pole (DP) MCB	Ea.	
96	25 Amp. Double Pole (DP) MCB	Ea.	
97	32 Amp. Double Pole (DP) MCB	Ea.	

98	40 Amp. Double Pole (DP) MCB	Ea.	
	<b>MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA</b>		
99	16 Amp. Four pole (FP) MCB	Ea.	
100	25 Amp. Four pole (FP) MCB	Ea.	
101	32 Amp. Four pole (FP) MCB	Ea.	
102	40 Amp. Four pole (FP) MCB	Ea.	
103	63 Amp. Four pole (FP) MCB	Ea.	
	<b>MCCB</b>		
104	63 Amp. Four pole (FP) MCCB	Ea.	
105	100 Amp. Four pole (FP) MCCB	Ea.	
106	125 Amp. Four pole (FP) MCCB	Ea.	
	<b>RCCB</b>		
107	25 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
108	25 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
109	40 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
110	40 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
111	63 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
112	63 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
113	100 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
114	100 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
115	25 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
116	25 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
117	40 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
118	40 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
119	63 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
120	63 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
121	100 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	
122	100 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	
	<b>MCB DISTRIBUTION BOARDS</b>		
123	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	
124	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	
125	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
126	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
127	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
128	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
129	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
130	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
131	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
132	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	

	<b>Modular Accessories</b>		
	<b>Modular Board</b>		
133	2-Up PVC Modular Board Surface	Ea.	
134	3-Up PVC Modular Board Surface	Ea.	
135	4-Up PVC Modular Board Surface	Ea.	
136	6-Up PVC Modular Board Surface	Ea.	
137	8-Up PVC Modular Board Surface	Ea.	
138	12-Up PVC Modular Board Surface	Ea.	
139	16-Up PVC Modular Board Surface	Ea.	
140	18-Up PVC Modular Board Surface	Ea.	
	<b>Modular Plate</b>		
141	2-Up Modular Plate	Ea.	
142	3-Up Modular Plate	Ea.	
143	4-Up Modular Plate	Ea.	
144	6-Up Modular Plate	Ea.	
145	8-Up Modular Plate	Ea.	
146	12-Up Modular Plate	Ea.	
147	16-Up Modular Plate	Ea.	
148	18-Up Modular Plate	Ea.	
	<b>Modular Type Switch and Regulator</b>		
149	Dummy Plate Modular	Ea.	
150	Indicator Modular	Ea.	
151	Modular Switch 6 Amp	Ea.	
152	Modular Switch 16 Amp	Ea.	
153	Modular Plug 6 Amp	Ea.	
154	Modular Plug 16 Amp	Ea.	
155	Modular Bell Push Switch	Ea.	
156	Plug Type step type Hum free Regulator for Modular	Ea.	
157	Switch Type step type Hum free Regulator for Modular	Ea.	
158	2 Way Switch Modular	Ea.	
159	6 to 32 Amp S.P. MCB Modular	Ea.	
160	6 to 32 Amp D.P. MCB Modular	Ea.	
161	Modular Angle Holder	Ea.	
162	Modular Battan Holder	Ea.	
163	AC starter Modular 16/25 A	Ea.	
164	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
165	TV Co-axial Socket out	Ea.	
	<b>Tissino Type Switch and Fan Regulator</b>		
166	Tissino Type Switch 6 Amp (simple)	Ea.	
167	Tissino type Switch 16 Amp (simple)	Ea.	
168	Tissino type 2-Way Switch 6 Amp	Ea.	
169	Tissino Type Bell Push	Ea.	
170	Tissino type Plug 6 Amp (simple) 2 IN 1 Socket	Ea.	
171	Tissino type Plug 16 Amp (Simple)	Ea.	

172	Holder Adapter	Ea.	
173	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
174	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
175	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined ( S S Combine with box)	Ea.	
176	Angle Holder	Ea.	
177	Batten Holder	Ea.	
178	Pendent Holder	Ea.	
179	Bakelite Ceiling Rose	Ea.	
180	6 to 32 Amp S.P. MCB	Ea.	
181	6 to 32 Amp D.P. MCB	Ea.	
182	3 Pin Top 6A	Ea.	
183	3 Pin Top 16A	Ea.	
184	5 Amp Connector Strip	Ea.	
185	10 Amp Connector Strip	Ea.	
186	Male Female 2 Pin Connector	Ea.	
	<b>Conduits &amp; Pipes Accessories</b>		
187	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
188	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
189	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	
190	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	
191	Junction 1 Way 20/25/32 mm	Ea.	
192	Junction 2 Way 20/25/32 mm	Ea.	
193	Junction 3 Way 20/25/32 mm	Ea.	
194	Junction 4 Way 20/25/32 mm	Ea.	
195	Coupling 20/25/32 mm	Ea.	
196	Elbow 20/25/32 mm	Ea.	
197	Tee 20/25/32 mm	Ea.	
	<b>Casing-Capping Accessories</b>		
198	Pvc Casing Capping Double Lock Type 12/20 mm (2 Mtr.)	No.	
199	Pvc Casing Capping Double Lock Type 12/25 mm (2 Mtr.)	No.	
200	Pvc Casing Capping Double Lock Type 12/32 mm (2 Mtr.)	No.	
201	UPVC cable trunking system size 50 mm x 50 mm trunking (2 Mtr.)	No.	
202	External Coupler 20/25/32 mm	Ea.	
203	Internal coupler 20/25/32 mm	Ea.	
204	Elbow 20/25/32 mm	Ea.	
205	Tee 3/4 Way 20/25/32 mm	Ea.	
206	Inner/Outer 20/25/32 mm	Ea.	
207	Junction 1 Way 20/25/32 mm	Ea.	
208	Junction 2 Way 20/25/32 mm	Ea.	
209	Junction 3 Way 20/25/32 mm	Ea.	
210	Junction 4 Way 20/25/32 mm	Ea.	
211	Coupler 20/25/32 mm	Ea.	
	<b>Cable Tie</b>		
212	CABLE TIE, 300 MM (100 Nos.)	PKT	



213	CABLE TIE, 250 MM (100 Nos.)	PKT	
214	CABLE TIE, 200 MM (100 Nos.)	PKT	
215	CABLE TIE, 150 MM (100 Nos.)	PKT	
216	CABLE TIE,100 MM (100 Nos.)	PKT	
	<b>C-Clamp</b>		
217	4 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
218	6 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
219	8 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
220	9 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
221	10 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
222	12 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
223	20 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
224	25 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
	<b>Khili</b>		
225	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
226	khili for Wiring (1.5") (2.5 kg box) (Doba Khili)	PKT	
	<b>Different Size Screw</b>		
227	Metal Screw 13 x 6 mm (1000 nos.)	PKT	
228	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
229	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
230	Metal Screw 36 x 6 mm (500 nos.)	PKT	
231	Metal Screw 45 x 6 mm (500 nos.)	PKT	
232	Metal Screw 50 x 6 mm (500 nos.)	PKT	
233	Metal Screw 35 x 8 mm (500 nos.)	PKT	
234	Black Metal Screw 13 x 6 mm (1000 nos.)	PKT	
235	Black Metal Screw 19 x 6 mm (1000 nos.)	PKT	
236	Black Metal Screw 32 x 6 mm (1000 nos.)	PKT	
237	Black Metal Screw 38 x 6 mm (750 nos.)	PKT	
238	Black Metal Screw 50 x 6 mm (500 nos.)	PKT	
239	Black Metal Screw 60 x 6 mm (400 nos.)	PKT	
240	Black Metal Screw 75 x 6 mm (300 nos.)	PKT	
241	Machine Metal Screw 5 x 16 mm Nut-bolt with washer (5 Kg.)	PKT	
	<b>Other Accessories</b>		
242	Electrical insulation Tape Roll length of 6 meter each with different colour (R-Y-B-N)	Ea.	
243	Wooden Grip Packet (50Nos)	PKT	
244	PVC Grip Packet	PKT	
245	Aluminum Strip (10 Ft.long)	Ea.	
246	Rubber Clamp (fan)	Ea.	
247	Pencil Cell AAA size 1.5 V	Ea.	
248	Pencil Cell AA size 1.5 V	Ea.	
249	Long Lasting High Power 1.5 V Pencil Cell AA1 size equivalent to Panasonic Evolta or Its equivalent	Ea.	
250	9V Battery Cell	Ea.	
251	12 V 23 A Alkaline Battery Cell	Ea.	

252	Aluminum Lug pin type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
253	Aluminums Lug pin type as per above wire/cable size 6/10 sq. mm cable	Ea.	
254	Aluminum Lug pin type as per above wire/cable size 16 sq. mm cable	Ea.	
255	Copper lug pin type for 2.5/4 sq. mm cable	Ea.	
256	Copper lug pin type for 6/10 sq. mm cable	Ea.	
257	Copper lug pin type for 16 sq. mm cable	Ea.	
258	Aluminum Lug Ring type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
259	Aluminums Lug Ring type as per above wire/cable size 6/10 sq. mm cable	Ea.	
260	Aluminum Lug Ring type as per above wire/cable size 16 sq. mm cable	Ea.	
261	Copper lug Ring type for 2.5/4 sq. mm cable	Ea.	
262	Copper lug ring type for 6/10 sq. mm cable	Ea.	
263	Copper lug Ring type for 16 sq. mm cable	Ea.	
264	6 x 6 Pvc pwd cutting Board with Plate	Ea.	
265	6 x 8 Pvc pwd cutting Board with Plate	Ea.	
266	8 x 10 Pvc pwd cutting Board with Plate	Ea.	
267	10 x 12 Wooden Board with Plate	Ea.	
268	1 Way PVC Gang Box	Ea.	
269	2 Way PVC Gang Box	Ea.	
270	3 Way PVC Gang Box	Ea.	
271	4 Way PVC Gang Box	Ea.	
272	6 Way PVC Gang Box	Ea.	
273	63 A HRC fuse din type Fuse	Ea.	
274	100 A HRC fuse din type Fuse	Ea.	
275	125 A HRC fuse din type Fuse	Ea.	
276	160 A HRC fuse din type Fuse	Ea.	
277	200 A HRC fuse din type Fuse	Ea.	
278	250 A HRC fuse din type Fuse	Ea.	
279	400 A HRC fuse din type Fuse	Ea.	
280	500 A HRC fuse din type Fuse	Ea.	
281	630 A HRC fuse din type Fuse	Ea.	
282	63 A 415V MEM Copper Fuse	Ea.	
283	100 A 415V MEM Copper Fuse	Ea.	
284	200 A 415V MEM Copper Fuse	Ea.	
285	500 A 415V MEM Copper Fuse	Ea.	
286	63 A 415V MEM Copper Fuse with lugs patt	Ea.	
287	100 A 415V MEM Copper Fuse with lugs patt	Ea.	
288	200 A 415V MEM Copper Fuse with lugs patt	Ea.	
289	500 A 415V MEM Copper Fuse with lugs patt	Ea.	
290	200 A Bolted type HRC Copper Fuse	Ea.	
291	500 A Bolted type HRC Copper Fuse	Ea.	
292	10W Led Bulkhead Fitting	Ea.	
293	1W Led Torch	Ea.	
294	3W Led Torch	Ea.	
295	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
296	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	

297	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
298	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
299	L Slotted type Angel Rail thickness 1.6 mm, Length of 8 foot 3 inch	Ea.	
300	Z Type Clamp Length 175 mm x Width 25 mm x thickness 4 mm	Ea.	
	<b>Flexible Wire/Cable</b>		
301	1.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
302	1.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
303	2.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
304	4.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
305	6.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr)	PKT	
306	1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
307	1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
308	2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
309	4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
310	32/20 mm Twins Twisted flexible Copper Wire (R&BK) (90 Mtr)	PKT	
311	2.5 sq. mm 2 Core Alluminum Flat Cable (90 mtr.)	PKT	
312	4 sq. mm 2 Core Alluminum Flat Cable (90 Mtr)	PKT	
313	1.00 sq mm 2 core round flexible PVC insulated multi (100 Mtr.)	PKT	
314	1.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
315	1.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
316	2.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
317	4.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
318	2.50 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
319	4.00 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
320	CAT-6 UTP Cable (305 mtr.)	PKT	

Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

### **VENDOR'S LIST**

<b>Sr. No.</b>	<b>Equipments/ Accessories</b>	<b>Make</b>
1	Wire	Torrent, Finolex, Havells, KEI, R R Kabel, Polycab
2	Un armoured Cable	Finolex, Torrent, Havells KEI, R R Kabel, Bharat Cab, CCI, Universal, Incab, Gloster, Tropodure, Avocab, Unistar
3	Switch and Accessories	Anchor, Jainex, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer Allwyn Promot
4	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L&T, C&S, Legrand
5	Tube Lights, Lamps	Philips, Havells, Bajaj, Surya
6	Led Lamps, LED Tube	Philips, Havells, Hajaj, Osram
7	Ceiling Fan, Pedestal/ wall fan, Exhaust Fan	Crompton, Havells, Usha, Almonard
8	BLDC Fan	Any ISI Approved, Atomberg
9	PVC Pipe/Casing capping Accessories	Precisson, Poly Cab, Finolex, Nihir
10	Insulating PVC Tape	Anchor/Still Grip

## **Terms and Conditions**

- ❖ The rate should be **Excluding of GST** and including of all other taxes, duties, labor charges and transportation loading unloading, watch and ward etc. at Site.
- ❖ Bidder must offer minimum one year warranty for supplied items.
- ❖ The firm will have to supply above Electrical Material within 24 hours from order of Light dept. of SMC. if not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
- ❖ The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well. Materials should be supplied within 24 hours as intimated by SMC. Failing which penalty @ 0.2% of order value of unexecuted portion per day of delay subject to maximum 10% of unexecuted portion order value shall be charged and shall be deducted from the bill.
- ❖ The successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (ie. 300.00+ 300.00+ 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
- ❖ The successful Contractor shall be required to deposit an amount equal to 2% of the total order value as Security Deposit in Municipal Treasury in Cash/ by Demand Draft within 10 (Ten) days of order failing which penalty @0.065% of the Security Amount per day of delay shall be charged.
- ❖ The firm must have an office in Surat.
- ❖ The period of Annual Rate Contract for Supply of Electrical Materials will be two (2) year from the date of the award of the contract.

SD

**EXECUTIVE ENGINEER  
SOUTH EAST ZONE  
SURAT MUNICIPAL CORPORATION**

**I/We understood this work & agree to do work  
with above rate.**