



Surat Municipal Corporation South Zone – B (Kanakpur) Nr. Swaminarayan Temple, Kanakpur, Surat. FAX : 91-0261-2272147 PHONE : 2278429-2277043

> SZ-B/Tech/1207 Date :27/05 /2025

| 10, | |
|-----|---|
| | , |
| | , |
| | |

Subject : Quotations are Invited for Providing, Conveying, Lowering, Laying, Fixing and Jointing 6 KG/CM² ISI MARK 75 mm, 90 mm, 110 mm, 140 mm, 160 mm Diameter PVC Pipeline and 6 KG/CM² and 10 KG/CM² ISI MARK 90 mm, 110 mm, 160 mm, 180 mm, 200 mm, 280 mm, 315 mm, 355 mm, 400 mm Diameter HDPE Pipeline Including Necessary Fittings in Different Areas of Sachin, Kanakpur-Kansad, Pardi-Kande, Pali, Talangpore and Umber of South Zone – B (Kanakpur).

You are requested to Offer Rate in below mentioned format of this quotation and the sealed quotation must be duly superscribed and returnable on or before <u>Dt : 06/06/2025</u> to the office of the undersigned.

NAME OF WORK :

Quotations are Invited for Providing, Conveying, Lowering, Laying, Fixing and Jointing 6 KG/CM² ISI MARK 75 mm, 90 mm, 110 mm, 140 mm, 160 mm Diameter PVC Pipeline and 6 KG/CM² and 10 KG/CM² ISI MARK 90 mm, 110 mm, 160 mm, 180 mm, 200 mm, 280 mm, 315 mm, 355 mm, 400 mm Diameter HDPE Pipeline Including Necessary Fittings in Different Areas of Sachin, Kanakpur-Kansad, Pardi-Kande, Pali, Talangpore and Umber of South Zone – B (Kanakpur).

| Sr. No. | Description | Qty. | UNIT | Rate per UNIT Inc. GST | Amount Inc. GST |
|------------|--|------|------|------------------------------|--------------------|
| 1 | Excavation for pipeline trenches including all safety provision (barricading, fencing, reflective Cautionary Warning Sign Board of work in progress etc.) using site rails with shoring, strutting and stacking the excavated stuff up to 90.00 mt. complete for lift and strata as specified. The excavation shall be carried out in stable slope for which no extra payment will be made. Rate is inclusive of backfilling the trenches with available excavated earth (excluding rock) in layer including ramming, watering, consolidating the same etc. Cleaning the site taking all debris & excess materials and excavated soil etc. after completion of whole work. Complete as directed by the Engineer-in-charge. | | | | |
| ļ | (A) depth 0.00 to 1.50 mt. | 500 | C.M. | | |
| | (B) depth 1.5 to 3.00 mt. | 25 | C.M. | | |
| | (C) 3.00 mt. and above | 25 | C.M. | | |

| 2 | Extra over item No.1 for excavation of asphalt | 25 | C.M. | |
|-----|---|----------|------------|---|
| | road or any kind of pavement of any thickness | | | |
| | with stacking the same etc. | | | |
| 3 | Removing of metal road surface upto base | 25 | C.M. | |
| | course including stacking of material upto lead of | | | |
| | 90.00mt. | | | |
| 4 | Demolition/Dismantling RCC work or masonry | | | |
| | work or removing of paver block flooring in any | | | |
| | part including stacking of serviceable/useful | | | |
| | material and disposal of unserviceable material | | | |
| | with all lead and lift. | | | |
| | (a) Brick masonary work/Paver block | 25 | C.M. | |
| | (b) RCC work | 25 | C.M. | |
| 5 | Providing, Conveying, lowering, laying, fixing and | | | |
| | jointing 6 KG/CM ² ISI MARK Standard Length | | | |
| | PVC Pipes suitable for potable water with ring fit | | | |
| | joint including cost of rings, including all local | | | |
| | and central taxes, transportation, freight charge, | | | |
| | octroi, inspection charge, loading, unloading, | | | |
| | conveyance to the department store and | | | |
| | including cost of jointing material, labour etc. | | | |
| | (a) 75 mm Dia. | 150 | R.M. | + |
| | (b) 90 mm Dia. | 200 | R.M. | |
| | (c) 110 mm Dia. | 200 | R.M. | |
| | (d) 140 mm Dia. | 200 | R.M. | |
| | (e) 160 mm Dia. | 20 | R.M. | |
| 6 | Providing, Conveying, lowering, laying, fixing and | 20 | 11.101. | |
| 0 | jointing ISI MARK PVC Coupler of following dia. | | | |
| | In proper position, grade and alignment as | | | |
| | directed by Engineer in charge incl. Conveyance | | | |
| | from stores to site of work, labour etc. | | | |
| , . | (a) 75 mm Dia. | 50 | NO. | |
| | (b) 90 mm Dia. | 100 | NO. | |
| | (c) 110 mm Dia. | 100 | NO. | |
| | (d) 140 mm Dia. | 100 | NO. | |
| | (e) 160 mm Dia. | 10 | NO. | |
| 7 | Providing, Conveying, lowering, laying, fixing and | 10 | 110. | |
| , | jointing ISI MARK PVC Tee of following dia. In | | | |
| | proper position, grade and alingment as directed | | | |
| | by Engineer in charge incl. Conveyance from | | | |
| | stores to site of work, labour etc. | | | |
| | 90mm x 90mm x 75mm | 20 | NO. | |
| | 90mm x 90mm x 90mm | 20 | NO. | + |
| | | | | |
| | 110 mm x 110 mm x 90mm | 20 | NO. | <u> </u> |
| | 110 mm x 110 mm x 110 mm | 20 | NO. | |
| | 140 mm x 140 mm x 90mm | 10 | NO. | <u> </u> |
| | 140 mm x 140 mm x 110 mm | 10 | NO. | |
| | 160 mm x 160 mm x 110 mm | 10 | NO. | |
| | 160 mm x 160 mm x 140mm | 10 | NO. | |
| | 160 mm x 160 mm x 160 mm | 10 | NO. | |
| 8 | Providing, Conveying, lowering, laying, fixing and | | | |
| | jointing ISI MARK PVC Elbow of following dia. In | | | |
| | proper position, grade and alingment as directed | | | |
| | by Engineer in charge incl. Conveyance from | | | |
| | stores to site of work, labour etc. | | | |
| | | | | |
| | (a) 75 mm Dia. (b) 90 mm Dia. | 30 30 | NO. NO. | |

| | (c) 110 mm Dia. | 30 | NO. | | |
|----|---|----|------|---|--|
| | (d) 140 mm Dia. | 5 | NO. | | |
| | (e) 160 mm Dia. | 5 | NO. | | |
| 9 | Providing, Conveying, lowering, laying, fixing and | | | | |
| | jointing ISI MARK PVC Reducer of following dia. | | | | |
| | In proper position, grade and alignment as | | | | |
| | directed by Engineer in charge incl. Conveyance | | | | |
| | from stores to site of work, labour etc. | | | | |
| | 90 mm x 75 mm | 10 | NO. | | |
| | 110 mm x 75 mm | 10 | NO. | | |
| | 110 mm x 90 mm | 10 | NO. | | |
| | 140 mm x 110 mm | 10 | NO. | | |
| | 160 mm x 140 mm | 10 | NO. | | |
| 10 | | 10 | NO. | | |
| 10 | Providing, Conveying, lowering, laying, fixing and jointing ISI MARK C I D Long Collar Joint of | | | | |
| | following dia. Suitable to PVC/HDPE Pipeline with | | | | |
| | all the materials required like rubber rings, Nut | | | | |
| | Bolts In proper position, grade and alignment as | | | | |
| | directed by Engineer in charge incl. Conveyance | | | | |
| | from stores to site of work, labour etc. | | | | |
| | (a) 75 mm Dia. | 50 | NO. | | |
| | | | | | |
| | (b) 90 mm Dia. | 50 | NO. | | |
| | (c) 110 mm Dia. | 50 | NO. | | |
| | (d) 140 mm Dia. | 20 | NO. | | |
| | (e) 160 mm Dia. | 20 | NO. | | |
| | (f) 180 mm Dia. | 20 | NO. | | |
| | (g) 200 mm Dia. | 20 | NO. | | |
| | (h) 280 mm Dia. | 20 | NO. | | |
| | (i) 315 mm Dia. | 20 | NO. | | |
| | (j) 355 mm Dia. | 20 | NO. | | |
| | (k) 400 mm Dia. | 20 | NO. | | |
| 11 | Providing, Conveying, lowering, laying, fixing and | | | | |
| | jointing ISI MARK PVC Saddle of following dia. In | | | | |
| | proper position, grade and alingment as directed | | | | |
| | by Engineer in charge incl. Conveyance from | | | | |
| | stores to site of work, labour etc. | | | | |
| | (a) 75 mm Dia. | 10 | NO. | | |
| | (b) 90 mm Dia. | 10 | NO. | | |
| | (c) 110 mm Dia. | 10 | NO. | | |
| | (d) 140 mm Dia. | 10 | NO. | | |
| | (e) 160 mm Dia. | 10 | NO. | | |
| 12 | Providing, Conveying, lowering, laying, fixing and | | | | |
| | jointing ISI MARK PVC Cap of following dia. In | | | | |
| | proper position, grade and alingment as directed | | | | |
| | by Engineer in charge incl. Conveyance from | | | | |
| | stores to site of work, labour etc. | | | | |
| | (a) 75 mm Dia. | 20 | NO. | | |
| | (b) 90 mm Dia. | 20 | NO. | | |
| ŀ | (c) 110 mm Dia. | 20 | NO. | | |
| | (d) 140 mm Dia. | 10 | NO. | | |
| | (e) 160 mm Dia. | 10 | NO. | | |
| 13 | Providing, Conveying, lowering, laying, fixing and | 10 | | | |
| | jointing ISI MARK PVC Valve of following dia. In | | | | |
| | proper position, grade and alingment as directed | | | | |
| | by Engineer in charge incl. Conveyance from | | | | |
| | stores to site of work, labour etc. | | | | |
| | (a) 75 mm Dia. | 10 | NO. | | |
| | | 10 | 110. | 1 | |

| | (b) 90 mm Dia. | 10 | NO. | |
|----|--|-----|----------|--|
| | (c) 110 mm Dia. | 10 | NO. | |
| 14 | Providing, Conveying, lowering, laying, fixing and | 10 | | |
| 14 | jointing Cl Valve Flange Set with nut - bolt with | | | |
| | specials of following dia. In proper position, | | | |
| | grade and alingment as directed by Engineer in | | | |
| | charge incl. Conveyance from stores to site of | | | |
| | work, labour etc. | | | |
| | (a) 75 mm Dia. | 10 | NO. | |
| | (b) 90 mm Dia. | 10 | NO. | |
| | (c) 110 mm Dia. | 10 | NO. | |
| 15 | Providing and laying C.C 1:3:6 (1- cement :3- | 10 | C.M. | |
| 15 | coarse sand : 6- graded stone aggregate of 40 | 10 | C.IVI. | |
| | | | | |
| | mm nominal size) and curing , compacting | | | |
| 10 | including cost of form work for P.C.C. | 20 | <u> </u> | |
| 16 | Providing and constructing brick work using | 20 | C.M. | |
| | common burnt clay Fly Ash building bricks | | | |
| | confirming to IS:13757 ,IS:5454 ,IS:3495 having | | | |
| | crushing strength not less than 50Kg/Sq.cm. brick | | | |
| | masonary as per the detailed drawing using brick | | | |
| | of approved quality in foundation and plinth incl. | | | |
| | racking out joints, watering etc. as directed in | | | |
| | CM 1:6 (1 Cement:6 corse sand) | | | |
| 17 | Providing and applying 10 mm thick cement | 10 | S.M. | |
| | plaster in single coat on brick / concrete walls | | | |
| | similar surface for plastering and finished even | | | |
| | and smooth with a floating coat of neat cement | | | |
| | slurry mixed with admixture of lime required | | | |
| | proportion etc. complete in C.M. 1:3 (1 cement : | | | |
| | 3 sand) as directed by the Engineer-in-charge.(As | | | |
| | per R&B SOR 2011-12, Page No 11, 12, Ch-17, | | | |
| | I.No. 1-17.58 & 4-17.69) | | | |
| 18 | Providing & fixing R.C.C. Precast Manhole Frame | 5 | NO. | |
| | with cover in M-350 as per drawing for Manhole | | | |
| | suitable for 450x600 cm opening of M.H. | | | |
| | including cost of reinforcement M.S. Angles or | | | |
| | Flate, curring mold work etc.complete. | | | |
| 19 | Providing and fixing M.S manhole frame and | 200 | KG. | |
| | cover of required size including necessary hold | | | |
| | fast arrangement. The frame shall be grouted in | | | |
| | the RCC slab at the time of casting the slab | | | |
| | including one coat of primer and two coat of oil | | | |
| | paint. | | | |
| 20 | Providing ISI MARK CI D Collar Joint Suitable for | | | |
| | PVC/HDPE Pipeline with rubber rings and nut | | | |
| | bolts of following dia. incl. Conveyance from | | | |
| | stores to site of work, labour etc. | | | |
| | (a) 75 mm Dia. | 50 | NO. | |
| | (b) 90 mm Dia. | 50 | NO. | |
| | (c) 110 mm Dia. | 50 | NO. | |
| | (d) 140 mm Dia. | 10 | NO. | |
| | (e) 160 mm Dia. | 10 | NO. | |
| | (h) 280 mm Dia. | 10 | NO. | |
| | (i) 315 mm Dia. | 10 | NO. | |
| | (j) 355 mm Dia. | 10 | NO. | |
| | (j) 355 mm Dia. | 10 | NO. | |

TERMS & CONDITIONS :-

- 1. The Rates Should be Quoted for Providing, Conveying, lowering, laying, fixing and jointing 6 KG/CM² ISI MARK Standard Length Rigid PVC Pipes with ringfit joint including cost of rings, ISI MARK PVC Coupler, ISI MARK PVC Tee, ISI MARK PVC Elbow, ISI MARK PVC Reducer, ISI MARK CI D Collar, ISI MARK PVC Saddle, ISI MARK PVC Cap, ISI MARK PVC Valve, CI Valve Flange Set with nut bolt etc., suitable for potable water and including all the local, state and central taxes, GST, transportation, freight charge, octroi, inspection charge, loading, unloading, conveyance to the department store and including cost of jointing material etc.
- ASTRAL, SUPREME, PRINCE, KISAN or Equivalent Brand ISI MARK PVC Pipes, ISI MARK PVC Coupler, ISI MARK PVC Tee, ISI MARK PVC Elbow, ISI MARK PVC Reducer, ISI MARK PVC Saddle, ISI MARK PVC Cap etc., is to be used while quoting the Rates.
- 3. Quotation once offered shall not be withdrawn by Contractor.
- 4. Quotation once accepted shall be binding to the Contractor.
- The rates quoted must include all local, state and central taxes, duties/levies, GST (Goods and Service Taxes), freight, transportation, delivery, Loading and unloading at the Required site etc.,
- 6. Right to accept any or to reject any or all the Quotation/s or to reduce or increase the scope of work without assigning any reason thereof is reserved by the competent authority of Surat Municipal Corporation.
- 7. Quotation to whom the award is made must enter into agreement with Surat Municipal Corporation on Rs. 300 + Rs. 300 + Rs. 300 Stamp Paper.
- 8. While Calculating total amount, quantity to be taken into consideration will be the quantity to be supplied and not the quantity which can't be Supplied.
- 9. Quotations received after due date will not be considered.
- 10. Quotations sent by post or courier of services or in person are preferable.
- 11. Sealed envelope should bear on top : " Providing, Conveying, Lowering, Laying, Fixing and Jointing 6 KG/CM² ISI MARK 75 mm, 90 mm, 110 mm, 140 mm, 160 mm Diameter PVC Pipeline and 6 KG/CM² and 10 KG/CM² ISI MARK 90 mm, 110 mm, 160 mm, 180 mm, 200 mm, 280 mm, 315 mm, 355 mm, 400 mm Diameter HDPE Pipeline Including Necessary Fittings in Different Areas of Sachin, Kanakpur-Kansad, Pardi-Kande, Pali, Talangpore and Umber of South Zone – B (Kanakpur)."
- 12. E.M.D of Rs. 15,000 in Favour of Commissioner, Surat Municipal Corporation payable at Surat is to be submitted alongwith the Quotation in Sealed Cover.
- 13. The Contractor needs to produce Solvency Certificate, Experience Letter/Proof of workdone alongwith the Quotation.
- Quotations in sealed cover should reach the Office of Undersigned on or before 24/06/2024 up to 18:00 hrs, Quotations Received after the Due date are Subject to Rejection.

sd/-

Executive Engineer South Zone – B (Kanakpur) Surat Municipal Corporation