


Surat Municipal Corporation
New East (Sarthana) Zone
Quotation Inquiry form

QUOTATION NO. DC(D)/EZ-B/ /2025-26		DATE: 26 /06/2025	
NAME OF WORK	Supply of all Electrical material at New East (Sarthana) Zone Light department for 1 (one) year or upto limit of Rs.5,00,000.00 (in word Rupees Five Lac only)		
ESTIMATED AMOUNT:	5,00,000 (with GST)	EMD AMOUNT:	Rs.5,000/-
VALIDITY PERIOD :	120 Days	Agency Category :	Supplier/Dealer/Distributor
REQUIRED DOCUMENTS	(1) Permanent Account Number (PAN) Copy (2) GST registration Certificate (3) Experience Certificate		
TENDER AVAILABILITY			
ISSUING AUTHORITY	DEPUTY MUNICIPAL COMMISSIONER(D), New East (Sarthana) Zone, Surat		
ISSUING OFFICE	Administrative office, New East (Sarthana) Zone, Beside Sankalp Residency, Behind Syamdham Mandir Char Rasta, Sarthana, Surat.		
INVITING AUTHORITY	DEPUTY MUNICIPAL COMMISSIONER(D), New East (Sarthana) Zone, Surat		
SUBMISSION DATE	Last date: 11 / 07 /2025 Time : 06.00 P.M.		
SUBMITTED TO,	EXECUTIVE ENGINEER NEW EAST (SARTHANA) ZONE, Beside Sankalp Residency, Behind Syamdham Mandir Char Rasta, Sarthana, Surat.		
G.S.T. WILL BE APPLICABLE IN ACCORDANCE WITH THE PREVAILING NORMS OF GOVERNMENT.			
GST clause for construction/ erection/ commissioning/ installation/ pairs/maintenance/ renovation/ fabrication of structure including building (means all works contract/ turnkey project/supply of material/goods)			
<p>GST(Goods & Service Tax) has come in existence from 1st July 2017 Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of Contract agreed upon during the course of execution of this Contract.</p> <p>During the course of execution of Contract if there is any change in Rate of GST (Goods & Service Tax) by the Government the same shall be reimbursed / recovered separately by SMC, subject to the submission of Original Receipt / Proof for the amounts actually remitted by the Successful Tenderer / Contractor to the Competent Authority along with a Certificate firm Chartered Accountant of Contractor / Successful Bidder certifying that the amount of GST paid to the Government and the same shall be intimated / submitted / claimed within 30(Thirty) Days from the date of payment Remittance of GST within stipulated period shall be the sole responsibility of the Successful Bidder / Contractor, failing which , SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the Contractor/ Successful Bidder in this regard Further, the nonpayment of GST to the Government may lead to the termination of contract and forfeiture of Security Deposit / Performance Guarantee Amount.</p> <p>If imposition of any other new Taxes/Duties/Levies/Cess or any other incidentals etc. or any increase in the existing Taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are Imposed during the course of the contract. the same shall be borne by the Contractor/ Successful Bidder only, in no case SMC shall be liable for the same.</p>			
	SIGNATURE OF ISSUING AUTHORITY		
			
	Executive Engineer New East (Sarthana) Zone Surat Municipal Corporation		

નવો ઈસ્ટ ઝોન(બી)-ઇલેક્ટ્રી સિભાગ
 આઉટ વર્ડ નં..... 911-2
 તારીખ 24/06/25



Executive Engineer

New East(Sarthana)Zone

Surat Municipal Corporation

New East (Sarthana) Zone, Beside Sankalp Residency, Behind
Syamdham Mandir Char Rasta, Sarthana, Surat.

Ph. : 6359909506 - 6359909606

QUOTATION INQUIRY

To,

.....
.....
.....
.....
.....

જાનો ઇસ્ટ ઝોન(જી)-સર્થના ડિપાર્ટમેન્ટ
આઉટ ઓફ નં..... ૧૬૮૭
સુરત ૨૭/૦૫/૨૫

SUB:- Supply of all Electrical material at New East (Sarthana) Zone Light department for 1 (one) year or up to limit of Rs.5,00,000.00 (in word Rupees Five Lac only)

You are requested to send your offer in a sealed cover with E.M.D of Rs. 5000/- in the form of demand draft / banker's cheque in favour of the "Municipal Commissioner, Surat Municipal Corporation" payable at Surat. So as to reach in the office of Executive Engineer [New East(Sarthana)Zone] on or before Dt. 11 / 07 /2025 up to 6.00 pm. Please note that the sealed cover shall be super scribed with the name of work " Supply of all Electrical material at New East (Sarthana) Zone Light department for 1 (one) year or upto limit of Rs.5,00,000.00 (in word Rupees Five Lac only)" The terms & conditions for this offer are as follow, failing which the quotation shall be rejected out rightly.

SR. NO.	ITEM DESCRIPTION	UNIT	RATE WITHOUT GST
****	TUBE LIGHT AND Lamp		
1	4 Ft. 18/20 Watt LED Complete PVC T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
2	2 Ft. 08/10 Watt T5 LED Complete PVC Tube Light Lumen Output 800/1000,	Ea.	
3	4 Ft. 18/20 Watt LED Complete Aluminum body T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
4	2 Ft.08/10 Watt T5 LED Complete Aluminum body Tube Light Lumen Output 800/1000,	Ea.	
5	40W Tungsten Filament Lamp	Ea.	
6	60W Tungsten Filament Lamp	Ea.	
7	100W Tungsten Filament Lamp	Ea.	
8	9 W Led Lamp	Ea.	
9	12 W Led Lamp	Ea.	
10	20 W LED LAMP	Ea.	
****	Light & Accessories		
11	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
12	PHILIPS DRIVER for 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent, Pin: 50W mac, U In: 240 Vac, I in 0.22 A max, P.F. ≥0.95, I out : 280mA, V : U out -190 V DC max, self Declaration Conforming to IS 15885(Part 2/Sec:13)	Ea.	
13	DRIVER for 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent, SIDL-36-600, Pin: 36W mac, V in: 230 Vac 50Hz, I in 160mA, P.F. > 0.9, Athd : <10%, I out : 600mA, V : U out -54 V max, IS 15885(Part 2/Sec:13)	Ea.	
14	18/20 Watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
15	20/24 LED Panel Light size 12 x 12 inch	Ea.	
16	12/15W Led Panel Light (Square/ Round), 1020 Lumens	Ea.	
17	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
18	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
****	Ceiling Fan & Accessories		

19	Supply of 1200 mm Sweep (48"),BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC)permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades, 2 nos, canopies, shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	
20	Ceiling fan,(48"),1200 mm, Energy Efficient, BEE≥ 1 Star rated, high Speed Air Delivery, Minimum 218 CMM input power maximum 53 W	Ea.	
21	Pedestal fan A.C.230V. 50 Cy/s. 400 mm sweep oscillating type and adjustable height complete with guard, regulator & standard lead flexble wires and plug top.	Ea.	
22	Single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A,180 Watt.	Ea.	
23	Wall fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating, type and adjustable height complete with guard, regulator & standard lead flexible wires and plug top	Ea.	
24	Wall fan A.C. 230 V. 50 Cy/s. 450 mm sweep oscillating, type and adjustable height complete with guard regulator & standard lead flexible wires and plug top	Ea.	
25	Single phase approved make Industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A,180 Watt.	Ea.	
26	Single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM	Ea.	
27	Single phase approved make Industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM	Ea.	
28	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM	Ea.	
29	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM	Ea.	
30	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM	Ea.	
31	Capacitor 440 V AC,1.5 uf	Ea.	
32	Capacitor 440 V AC,2.5 uf (oiled filled)	Ea.	
33	Capacitor 440 V AC,10 uf	Ea.	
34	Capacitor 440 V AC,25 uf	Ea.	
35	Capacitor 440 V AC,36 uf	Ea.	
36	Capacitor 440 V AC,45 uf	Ea.	
37	Capacitor 440 V AC,50 uf	Ea.	
38	Capacitor 440 V AC,100/120 uf	Ea.	
39	1.5 ft Ceiling fan MS pipe	Ea.	
40	2 ft Ceiling fan MS pipe	Ea.	
41	2.5 ft ceiling fan MS pipe	Ea.	
42	3 ft ceiling fan MS pipe	Ea.	
43	4 ft ceiling fan MS pipe	Ea.	
44	Ding Dong Bell	Ea.	
****	BELL/BUZZER/HOOTER		
45	Remote Operated Ding Dong Bell	Ea.	
46	Buzzer	Ea.	
47	Industrial Gong bell 9inch	Ea.	
48	Standard Industrial Bell (School Bell) 240 V Ac 225mm	Ea.	
49	Standard Industrial Bell (School Bell) 240 V Ac 150 mm	Ea.	
50	Musical Bell	Ea.	
51	parrot Bell	Ea.	
****	Miniature Circuit Breaker (MCB) Enclosure		

52	1/2 MCB box PVC Enclosure	Ea.	
53	3/4 MCB box PVC Enclosure	Ea.	
54	MCB Metal Enclosure for Double Pole	Ea.	
55	MCB Metal Enclosure for four Pole	Ea.	
****	MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
56	1 Amp. Single Pole (SP) MCB	Ea.	
57	6 Amp. Single Pole (SP) MCB	Ea.	
58	10 Amp. Single Pole (SP) MCB	Ea.	
59	16 Amp. Single Pole (SP) MCB	Ea.	
60	20 Amp. Single Pole (SP) MCB	Ea.	
61	32 Amp. Single Pole (SP) MCB	Ea.	
62	6 Amp. Double Pole (DP) MCB	Ea.	
63	10 Amp. Double Pole (DP) MCB	Ea.	
64	16 Amp. Double Pole (DP) MCB	Ea.	
65	25 Amp. Double Pole (DP) MCB	Ea.	
66	32 Amp. Double Pole (DP) MCB	Ea.	
67	40 Amp. Double Pole (DP) MCB	Ea.	
****	MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA		
68	20 Amp. Four pole (FP) MCB	Ea.	
69	32 Amp. Four pole (FP) MCB	Ea.	
70	40 Amp. Four pole (FP) MCB	Ea.	
71	63 Amp. Four pole (FP) MCB	Ea.	
72	20 Amp. Four pole (TP) MCB	Ea.	
73	32 Amp. Four pole (TP) MCB	Ea.	
74	40 Amp. Four pole (TP) MCB	Ea.	
75	63 Amp. Four pole (TP) MCB	Ea.	
****	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
76	6 Amp. Single Pole (SP) MCB	Ea.	
77	10 Amp. Single Pole (SP) MCB	Ea.	
78	16 Amp. Single Pole (SP) MCB	Ea.	
79	32 Amp. Single Pole (SP) MCB	Ea.	
80	6 Amp. Double Pole (DP) MCB	Ea.	
81	10 Amp. Double Pole (DP) MCB	Ea.	
82	16 Amp. Double Pole (DP) MCB	Ea.	
83	25 Amp. Double Pole (DP) MCB	Ea.	
84	32 Amp. Double Pole (DP) MCB	Ea.	
85	40 Amp. Double Pole (DP) MCB	Ea.	
****	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
86	16 Amp. Four pole (FP) MCB	Ea.	
87	25 Amp. Four pole (FP) MCB	Ea.	
88	32 Amp. Four pole (FP) MCB	Ea.	
89	40 Amp. Four pole (FP) MCB	Ea.	
90	63 Amp. Four pole (FP) MCB	Ea.	
****	MCCB		
91	63 Amp. Four pole (FP) MCCB	Ea.	
92	100 Amp. Four pole (FP) MCCB	Ea.	
93	125 Amp. Four pole (FP) MCCB	Ea.	
****	ELCB/RCCB		
94	25 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
95	25 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
96	40 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
97	40 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
98	63 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
99	63 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
100	100 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
101	100 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
****	MCB DISTRIBUTION BOARDS		
102	Sheet Steel powder coated MCB distribution board-flush/surface mounted Single phase 4 way single door	Ea.	
103	Sheet Steel powder coated MCB distribution board-flush/surface mounted Single phase 4 way double door	Ea.	

104	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
105	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
106	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
107	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
108	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
109	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
110	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
111	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
****	Flexible Wire & Cable		
112	1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
113	1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
114	2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
115	4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr)	PKT	
116	32/20 mm Twins Twisted flexible Copper Wire (R&BK) (90 Mtr)	PKT	
117	2.5 sq. mm 2 Core Alluminum Flat Cable (90 mtr.)	PKT	
118	4 sq. mm 2 Core Alluminum Flat Cable (90 Mtr)	PKT	
119	1.00 sq mm 2 core round flexible PVC Insulated multi (100 Mtr.)	PKT	
120	Twin Flat 2 core Copper Wires and Cables 0.5 mm for Domestic up to 500 watts (100 mtr)	PKT	
121	1.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
122	1.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
123	2.50 sq mm 3 core round flexible PVC Insulated multi (100 Mtr.)	PKT	
124	4.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.)	PKT	
125	1.50 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)		
126	2.50 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
127	4.00 sq mm 4 core round flexible PVC insulated multi (100 Mtr.)	PKT	
128	CAT-6 UTP Cable (305 mtr.)	PKT	
****	MODULAR ACCESSORIES		
****	Modular Board		
129	2-Up PVC Modular Board Surface	Ea.	
130	3-Up PVC Modular Board Surface	Ea.	
131	4-Up PVC Modular Board Surface	Ea.	
132	6-Up PVC Modular Board Surface	Ea.	
133	8-Up PVC Modular Board Surface	Ea.	
134	12-Up PVC Modular Board Surface	Ea.	
135	16-Up PVC Modular Board Surface	Ea.	
136	18-Up PVC Modular Board Surface	Ea.	
****	Modular Plate		
137	2-Up Modular Plate	Ea.	
138	3-Up Modular Plate	Ea.	
139	4-Up Modular Plate	Ea.	
140	6-Up Modular Plate	Ea.	
141	8-Up Modular Plate	Ea.	
142	12-Up Modular Plate	Ea.	

143	16-Up Modular Plate	Ea.	
144	18-Up Modular Plate	Ea.	
****	Modular Type Switch and Regulator		
145	Dummy Plate Modular	Ea.	
146	Indicator Modular	Ea.	
147	Modular Switch 6 Amp	Ea.	
148	Modular Switch 16 Amp	Ea.	
149	Modular Plug 6 Amp	Ea.	
150	Modular Plug 16 Amp	Ea.	
151	Modular Bell Push Switch	Ea.	
152	Plug Type step type Hum free Regulator for Modular	Ea.	
153	Switch Type step type Hum free Regulator for Modular	Ea.	
154	2 Way Switch Modular	Ea.	
155	6 to 32 Amp S.P. MCB Modular	Ea.	
156	6 to 32 Amp D.P. MCB Modular	Ea.	
157	Modular Angle Holder	Ea.	
158	Modular Batten Holder	Ea.	
159	AC starter Modular 16/25 A	Ea.	
160	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
161	TV Co-axial Socket out	Ea.	
****	Tissino Type Switch, Fan Regulator & Accessories		
162	Tissino Type Switch 6 Amp (simple)	Ea.	
163	Tissino type Switch 16 Amp (simple)	Ea.	
164	Tissino type 2-Way Switch 6 Amp	Ea.	
165	Tissino Type Bell Push	Ea.	
166	Tissino type Plug 6 Amp (simple) 2 IN 1 Socket	Ea.	
167	Tissino type Plug 16 Amp (Simple)	Ea.	
168	Holder Adapter	Ea.	
169	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
170	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
171	One no Single pole 16A Switch & One no 6/16A Universal Socket combined(S S Combine with box)	Ea.	
172	Angle Holder	Ea.	
173	Batten Holder	Ea.	
174	Pendent Holder	Ea.	
175	Bakelite Ceiling Rose	Ea.	
176	3 Pin Top 6A	Ea.	
177	3 Pin Top 16A	Ea.	
178	5 Amp Connector Strip	Ea.	
179	10 Amp Connector Strip	Ea.	
180	Male Female 2 Pin Connector	Ea.	
****	Conduits Pipes & Accessories		
181	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
182	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
183	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	
184	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	
185	Junction 1 Way 20/25/32 mm	Ea.	
186	Junction 2 Way 20/25/32 mm	Ea.	
187	Junction 3 Way 20/25/32 mm	Ea.	
188	Junction 4 Way 20/25/32 mm	Ea.	
189	Coupling 20/25/32 mm	Ea.	
190	Elbow 20/25/32 mm	Ea.	
191	Tee 20/25/32 mm	Ea.	
****	Casing-Capping Accessories		
192	Pvc Casing Capping Double Lock Type 12/20 mm (2 Mtr.)	No.	
193	Pvc Casing Capping Double Lock Type 12/25 mm (2 Mtr.)	No.	
194	Pvc Casing Capping Double Lock Type 12/32 mm (2 Mtr.)	No.	
195	UPVC cable trunking system size 50 mm x 50 mm trunking (2 Mtr.)	No.	
196	External Coupler 20/25/32 mm	Ea.	

197	Internal coupler 20/25/32 mm	Ea.	
198	Elbow 20/25/32 mm	Ea.	
199	Tee 3/4 Way 20/25/32 mm	Ea.	
200	Inner/Outer 20/25/32 mm	Ea.	
201	Junction 1 Way 20/25/32 mm	Ea.	
202	Junction 2 Way 20/25/32 mm	Ea.	
203	Junction 3 Way 20/25/32 mm	Ea.	
204	Junction 4 Way 20/25/32 mm	Ea.	
205	Coupler 20/25/32 mm	Ea.	
****	Cable Tie		
206	CABLE TIE, 300 MM (100 Nos.)	PKT	
207	CABLE TIE, 250 MM (100 Nos.)	PKT	
208	CABLE TIE, 200 MM (100 Nos.)	PKT	
209	CABLE TIE, 150 MM (100 Nos.)	PKT	
210	CABLE TIE, 100 MM (100 Nos.)	PKT	
****	C-Clamp		
211	4 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
212	6 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
213	8 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
214	9 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
215	10 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
216	12 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
217	20 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
218	25 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
****	Khili & Different Size Screw		
219	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
220	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
221	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
222	Metal Screw 36 x 6 mm (500 nos.)	PKT	
223	Metal Screw 45 x 6 mm (500 nos.)	PKT	
224	Metal Screw 50 x 6 mm (500 nos.)	PKT	
225	Metal Screw 35 x 8 mm (500 nos.)	PKT	
226	Black Metal Screw 19 x 6 mm (1000 nos.)	PKT	
227	Black Metal Screw 32 x 6 mm (1000 nos.)	PKT	
228	Black Metal Screw 38 x 6 mm (750 nos.)	PKT	
229	Black Metal Screw 50 x 6 mm (500 nos.)	PKT	
230	Black Metal Screw 60 x 6 mm (400 nos.)	PKT	
231	Black Metal Screw 75 x 6 mm (300 nos.)	PKT	
****	Other Accessories		
232	Electrical insulation Tape Roll different colour box (R-Y-B-N)	Ea.	
233	Wooden Grip Packet	PKT	
234	PVC Grip Packet	PKT	
235	Aluminum Strip (10 Ft.long)	Ea.	
236	Rubber Clamp (fan)	Ea.	
237	Pencil Cell AAA size 1.5 V	Ea.	
238	Pencil Cell AA size 1.5 V	Ea.	
239	9V Battery Cell	Ea.	
240	12 V 23 A Alkaline Battery Cell	Ea.	
241	Aluminum Lug pin type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
242	Aluminums Lug pin type as per above wire/cable size 6/10 sq. mm cable	Ea.	

243	Aluminum Lug pin type as per above wire/cable size 16 sq. mm cable	Ea.	
244	Copper lug pin type for 2.5/4 sq. mm cable	Ea.	
245	Copper lug pin type for 6/10 sq. mm cable	Ea.	
246	Copper lug pin type for 16 sq. mm cable	Ea.	
247	Aluminum Lug Ring type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	
248	Aluminums Lug Ring type as per above wire/cable size 6/10 sq. mm cable	Ea.	
249	Aluminum Lug Ring type as per above wire/cable size 16 sq. mm cable	Ea.	
250	Copper lug Ring type for 2.5/4 sq. mm cable	Ea.	
251	Copper lug ring type for 6/10 sq. mm cable	Ea.	
252	Copper lug Ring type for 16 sq. mm cable	Ea.	
253	6 x 6 Wooden Board with Plate	Ea.	
254	6 x 8 Wooden Board with Plate	Ea.	
255	8 x 10 Wooden Board with Plate	Ea.	
256	10 x 12 Wooden Board with Plate	Ea.	
257	1 Way PVC Gang Box	Ea.	
258	2 Way PVC Gang Box	Ea.	
259	3 Way PVC Gang Box	Ea.	
260	4 Way PVC Gang Box	Ea.	
261	6 Way PVC Gang Box	Ea.	
262	63A Copper Fuse	Ea.	
263	100A Copper Fuse	Ea.	
264	100A Lug type Copper Fuse	Ea.	
265	200A Copper Fuse	Ea.	
266	200A Lug type Copper Fuse	Ea.	
267	500A Copper Fuse	Ea.	
268	10W Led Bulkhead Fitting	Ea.	
269	3W Led Torch	Ea.	
270	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
271	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
272	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
273	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
274	L&T MOO Control ContactorL&T [Lauritz Knudsen] MOO Control Contactor 4A 4P 415V AC 2NO+2NC AC-15 24V DC Coil		
275	3Amp 250V Glass Fuse 3Amp 250V Glass Fuse Fast Blow - 5x20mm		
276	Protectron Glass Fuse/Inverter Fuse 10A Pack of 10PROTECTRON 6.35X32mm GLASS FUSE/INVERTER FUSE - 10A (Pack of 10)		
277	5*20mm 250V 10A Glass Tube Fuse5*20mm 250V 10A Glass Tube Fuse		
278	Push Button Contact- M Green (PB5-ME101)		
279	Push Button Contact- M Red (PB5-ME102)		
280	DAYTON Emergency Stop Push Button: Non-Illuminated, Mushroom Head Profile, Non-Metallic, 22 mm		
281	Amp Meter 0-10A		
282	Amp Meter 0-10A		
283	VAF + PF Digital Meter with RS485, CI 1		
284	VAF + PF Digital Meter with RS485, CI 1		
285	idicators 230V AC		
286	idicators 110V DC		

Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

VENDOR'S LIST

Sr. No.	Equipments/ Accessories	Make
1	Wires	Torrent, Finolex, Havells, KEI, R R Kabel, Polycab
2	Un armored Cable	Finolex, Torrent, Havells, KEI, R R Kabel, Bharat Cab, CCI, Universal, Incab, Gloster, Tropodure, Avocab, Unistar

3	Switch and Accessories	Anchor, Jainex, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer, Allwyn, Promot
4	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand
5	Tube Lights, lamps,	Philips, Havells, Bajaj, Surya,
6	Led Lamps, LED Tube	Philips, Havells, Bajaj, Osram
7	Ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Almonard.
8	BLDC fan	Any ISI Approved, Atomberg
9	PVC Pipe/casing capping accessories	Precisson, Poly Cab, Finolex, Nihir
10	Insulating PVC Tape	Anchor / Still Grip

Tenderer shall have to follow all the terms & conditions for this offer, failing which the quotation is liable to rejection.

Terms and Conditions

The rate should be **Excluding of GST** and including of all other taxes, duties, labor charges and transportation, loading unloading, watch and ward etc. at Site.

- Bidder must offer minimum one year warranty for supplied items.
- The firm will have to supply above Electrical Material within 3 days from order of Light dept. of SMC. If not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
- The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well. Materials should be supplied within 24 hours as intimated by SMC. Failing which penalty @ 0.2% of order value of unexecuted portion per day of delay subject to maximum 10% of unexecuted portion order value shall be charged and shall be deducted from the bill.
- The successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
- The successful Contractor shall be required to deposit an amount equal to 2% of the total order value as Security Deposit in Municipal Treasury in Cash/ by Demand Draft within 10 (Ten) days of date of work order failing which penalty @ 0.065% of the Security Amount per day of delay shall be charged.
- The firm must have an office in Surat.
- The period of Annual Rate Contract for Supply of Electrical Materials will be one (1) year from the date of the award of the contract.
- SMC will not pay any transportation charges and also not provide any type of assistance which carrying out above mention work. Contractor must replace faulty spare with genuine spare only.
- The rates quoted shall remain in force for full period of contract.
- After bidding process, No objection entertained later.
- All Mentioned Electrical items supplied as per Vendor list only.
- The corporation shall not furnish any sales tax declaration form.

SEAL & SIGNATURE OF THE TENDERER:-


 Executive Engineer
 New East (Sarothana) Zone-B
 Surat Municipal Corporation