



SURAT MUNICIPAL CORPORATION
WEST ZONE
QUOTATION/CONSENT FORM

| | | |
|--|--|--|
| QUOTATION NO. Addi. City Engineer /West Zone/28/2025-26 | | DATE : 09/07/2025 |
| Name of Work Quotations Are Invited for Providing, Conveying, Lowering, Laying, Fixing And Jointing of IS 1239 Mark Various Diameter Heavy Series GI Pipeline Including Necessary Fittings In Different Areas Of Bhatha, Bhatpore, Ichhapore, Bhesan Of In West Zone (Rander) | | |
| ESTIMATED AMOUNT Rs.5,00,000/- | | EMD AMOUNT: Rs.5,000/- |
| validity period : 120 Days | | Agency Category : E-1 & experienced |
| Required Documents | | |
| 1 | Solvency Certificate | Yes |
| 2 | GST Registration Certificate | Yes |
| 3 | Experience Certificate | Yes |
| 4 | Authorized Letter | Yes |
| 5 | Registration Certificate | Yes |
| QUOTATION/CONSENT AVAILABILITY | | |
| ISSUING AUTHORITY | Executive Engineer, West Zone, Surat | |
| ISSUING OFFICE | Administrative office, West Zone(Rander), Balasaheb Devras Road, Tadvadi, Rander, Surat | |
| INVITING AUTHORITY | Executive Engineer, West Zone, Surat | |
| Submission Date | Last date:19/07/2025 | |
| | SUBMITTED To, | |
| Time : 18.00 P.M. | EXECUTIVE ENGINEER ADMINISTRATIVE BUILDING, WEST ZONE (RANDER), BALASAHEB DEVRAS ROAD, TADWADI, RANDER, SURAT | |
| <u>GST CLAUSE FOR CONSTRUCTION/ ERECTION/ COMMISSIONING/ INSTALLATION/ REPAIRS/ MAINTENANCE/ RENOVATION/ FABRICATION OF STRUCTURE INCLUDING BUILDING (MEANS ALL WORKS CONTRACT/ TURN KEY PROJECT/ SUPPLY OF MATERIAL/ GOODS)</u> | | |
| GST (Goods and service tax has come in existance from 1st July, 2017. Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the govt. of India as per the terms of contract agreed upon during the course of execution of this contract. During the course of execution of contract, if there is any change in rate if GST (Goods and Service Tax) by the Government, the same shall be reimbursed/recovered separately by SMC. subject to the submission of original receipt/proof for the amounts actually remitted by the contractor/ successful Tenderer to the competent Authority along with a certificate from Chartered Accountant of contractor/ successful Tenderer certifying that the amount of GST paid to the government and the same shall be intimated/submitted/claimed within 30 (Thirty) days from the date of payment. Remittance of GST within stipulated period shall be the sole responsibility of the successful contractor/Tenderer, failing which SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the contractor/ successful Tenderer in this regard. Further, the non-payment of GST to the government may lead to the termination of contract and forfeiture of security Deposit/Performance Guarantee Amount. If imposition of any other new taxes/Duties/levies/Cess or any other incidentals etc. or any increase in the existing taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract, the same shall be borne by the successful contractor/Tenderer only, in no case SMC shall be liable for the same. | | |
| SIGNATURE OF ISSUING AUTHORITY | | |
| sd/- | | |
| EXECUTIVE ENGINEER WEST ZONE SURAT MUNICIPAL CORPORATION | | |

Executive Engineer
West Zone (Rander)



West Zone (Rander)
Vahivati Bhavan,
Bala Saheb Devrash Road, New
Rander Road, Tadmadi, Surat..
Ph. (O) 2786181 – 82 - 83

To.
.....
.....
.....

Subject Quotations Are Invited for Providing, Conveying, Lowering, Laying, Fixing And Jointing of IS 1239 Mark Various Diameter Heavy Series GI Pipeline Including Necessary Fittings In Different Areas Of Bhatha, Bhatpore, Ichhapore, Bhesan Of In West Zone (Rander)

You are requested to offer Rate in below mentioned format of this quotation and the sealed quotation must be duly super scribed and returnable on or **before dt: 19/07/2025** to the office of the undersigned.

NAME OF WORK :

Providing, Conveying, Lowering, Laying, Fixing And Jointing of IS 1239 Mark Various Diameter Heavy Series GI Pipeline Including Necessary Fittings In Different Areas Of Bhatha, Bhatpore, Ichhapore, Bhesan Of In West Zone (Rander)

| ITEM NO | DESCRIPTION | QTY. | UNIT | Rate per UNIT Excl. GST | Amount With. Cess |
|---------|---|-------|------|-------------------------|-------------------|
| 1 | Excavation for pipeline treches including all safety provision (barricading, fencing, reflective Cautionary Warning Sign Board of work in progress etc.) using site rail with shoring, strutting and stacking the excavated stuff up to 90.00 mt. complete for lift and strata as specified. The excavation shall be carried out in stable slope for which no extra payment will be made. Rate is inclusive of backfilling the trenches with available excavate earth (excluding rock) in layer including ramming, watering, consolidating the same etc. Cleaning the site taking all debris & excess materials and excavated soil etc. after completion of whole work. Complete as directed by the Engineer-in-charge. | | | | |
| | (A) depth 0.00 to 1.50 mt. | 50.00 | C.M. | | |
| | (B) depth 1.5 to 3.00 mt. | | C.M. | | |
| | (C) 3.00 mt. and above | | C.M. | | |
| 2 | Extra over item No.1 for excavation or asphalt road of any kind of pavement of any thickness with stacking the same etc. | 10.00 | C.M. | | |
| 3 | Removing of metal road surface upto base course including stacking of material upto lead of 90.00mt. | 10.00 | C.M. | | |
| 4 | Demolition/Desmantling RCC work or masonry work or removing of paver block flooring in any part including stacking of serviceable / useful material with all lead and lift. | | | | |
| | (a) Brick masonry work/Paver block | 10.00 | C.M. | | |
| | (b) RCC work | 10.00 | C.M. | | |
| 5 | Providing, Conveying, lowering, laying, fixing and joining IS 1239 Standard Length GI Pipes (Heavy - Red mark) suitable for potable water with including necessary welding joint and necessary GI clamp including , transportation, freight charge, octroi, inspection charge, loading, unloading, and including | | | | |

| | | | | | |
|----|--|-------|------|--|--|
| | cost of jointing material, labour etc. | | | | |
| | (a) 50 mm Dia | 5.00 | R.M. | | |
| | (b) 65 mm Dia | 5.00 | R.M. | | |
| | (c) 80 mm Dia. | 5.00 | R.M. | | |
| | (d) 100 mm Dia. | 50.00 | R.M. | | |
| | (e) 125 mm Dia. | 5.00 | R.M. | | |
| | (f) 150 mm Dia. | 10.00 | R.M. | | |
| 6 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK MS Flange of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a) 50 mm Dia | 1.00 | NO. | | |
| | (b) 65 mm Dia | 1.00 | NO. | | |
| | (c) 80 mm Dia. | 1.00 | NO. | | |
| | (d) 100 mm Dia. | 1.00 | NO. | | |
| | (e) 125 mm Dia. | 1.00 | NO. | | |
| | (f) 150 mm Dia. | 1.00 | NO. | | |
| 7 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK GI Tee of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a) 50 mm × 50 mm × 50 mm | 1.00 | NO. | | |
| | (b)65 mm × 65 mm × 65 mm | 1.00 | NO. | | |
| | (c)80 mm × 80 mm × 80 mm | 1.00 | NO. | | |
| | (d)100 mm × 100 mm × 100 mm | 1.00 | NO. | | |
| | (e)125 mm × 125 mm × 125 mm | 1.00 | NO. | | |
| | (f)150 mm × 150 mm × 150 mm | 1.00 | NO. | | |
| 8 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK GI Elbow of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a) 50 mm Dia | 1.00 | NO. | | |
| | (b) 65 mm Dia | 1.00 | NO. | | |
| | (c) 80 mm Dia. | 1.00 | NO. | | |
| | (d) 100 mm Dia. | 1.00 | NO. | | |
| | (e) 125 mm Dia. | 1.00 | NO. | | |
| | (f) 150 mm Dia. | 1.00 | NO. | | |
| 9 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK GI Reducer of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a)65 mm × 50 mm | 1.00 | NO. | | |
| | (b)80 mm × 65 mm | 1.00 | NO. | | |
| | (c)100 mm × 80 mm | 1.00 | NO. | | |
| | (d)125 mm × 100 mm | 1.00 | NO. | | |
| | (e)150 mm × 125 mm | 1.00 | NO. | | |
| 10 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK GI cap of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a) 50 mm Dia | 1.00 | NO. | | |
| | (b) 65 mm Dia | 1.00 | NO. | | |
| | (c) 80 mm Dia. | 1.00 | NO. | | |
| | (d) 100 mm Dia. | 1.00 | NO. | | |
| | (e) 125 mm Dia. | 1.00 | NO. | | |

| | | | | | |
|----|--|------------------|------|--|--|
| | (f) 150 mm Dia. | 1.00 | NO. | | |
| 11 | Providing, Conveying, lowering, laying , fixing and jointing ISI MARK CI Non Return Valve of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance from stores to site of work, labour etc. | | | | |
| | (a) 80 mm Dia. | 0.00 | NO. | | |
| | (b) 100 mm Dia. | 1.00 | NO. | | |
| | (c) 125 mm Dia. | 0.00 | NO. | | |
| | (d) 150 mm Dia. | 1.00 | NO. | | |
| 12 | Providing, Conveying, lowering, laying , fixing and jointing ISI CI Sluice Valve of following dia. In Proper position, grade and alingment as directed by Engineer in charge incl. Conveyance to site of work, labour etc. | | | | |
| | (a) 80 mm Dia. | 0.00 | NO. | | |
| | (b) 100 mm Dia. | 1.00 | NO. | | |
| | (c) 125 mm Dia. | 0.00 | NO. | | |
| | (d) 150 mm Dia. | 1.00 | NO. | | |
| 13 | Providing and laying C.C 1:3:6 (1 - cement :3-coarse sand : 6 graded stone aggregate of 40 mm nominal size) and curing, compacting including cost of from work for P.C.C. | 1.00 | C.M. | | |
| 14 | Providing and constructing brick work using common burnt clay Fly Ash building bricks confirming to IS:13757 , IS:5454, IS:3495 having crushing strength not less than 50Kg/Sq.cm. brick masonry as per the detailed drawing using brick of approved quality in foundation and plinth incl. racking out joins, watering etc. as directed in CM 1:6 (1 Cement:6 corse sand) | 2.00 | C.M. | | |
| 15 | Providing and applying 10 mm thick cement plaster in single coat on brick / concrete walls similar surface for plastering and finished even and smooth with a floating coat of neat cement slurry mixed with admixture of lime required proportion etc. complete in C.M. 1:3 (1 cement : 3 sand) as directed by the Engineer-in-charge. | 6.00 | S.M. | | |
| 16 | Providing and fixing R.C.C. Precast Manhole Frame with cover in M-350 as per drawing for Manhole suitable for 450×600 cm opening of M.H. including cost of reinforcement M.S. Angles or Flate, Curring mold work etc.complete. | 3.00 | NO. | | |
| 17 | Providing and fixing M.S Manhole Frame and cover of required size including necessary hold fast arrangement. The frame shall be grouted in the RCC slab at the time of casting the slab including one coat of primer and two coat of oil paint. | 150.00 | K.G. | | |
| | | Total Amount Rs. | | | |

(Rs. in words :-)

contractor sign

sd/-
Asst./Jr. Engineer
West Zone
S.M.C.

sd/-
Deputy Engineer
West Zone
S.M.C.

sd/-
Executive Engineer
West Zone
S.M.C.

TERMS & CONDITIONS :-

1. The Rates Should be Quoted for Providing, Conveying, lowering, laying, fixing and jointing IS 1239 MARK Various diameter heavy series GI Pipeline including necessary welding joint and necessary GI Clamps, ISI MARK MS Flange, ISI MARK GI Tee, ISI MARK GI Elbow, ISI MARK GI Reducer, ISI MARK GI Cap etc. suitable for potable water and, transportation, freight charge, octroi, inspection charge, loading, unloading, conveyance to the department store and including cost of jointing material etc, but Excluding GST .
2. ASIAN/ JINDAL/ TATA Brand ISI MARK GI Pipes(Heavy series- Red Mark) is to be used while quoting the Rates.
3. ZOLOTO/KRISHNA/KARTAR ISI CI Sluice valve and ISI CI Non Return Valve is to be used while quoting the Rates.
4. Quotation once offered shall not be withdrawn by Contractor.
5. Quotation once accepted shall be binding to the Contractor.
6. The rates quoted must include all duties/levies, freight, transportation, delivery, loading and unloading at the Required site etc., But Excluding GST
7. Right to accept any or to reject any or all the Quotation/s or to reduce or increase the scope of work without assigning any reason thereof is reserved by the competent authority of Surat Municipal Corporation.
8. Quotation to whom the award is made must enter into agreement with Surat Municipal Corporation on Rs.300 (Agreement) + Rs.300 (Surety) + Rs.300 (Undertaking) Stamp Paper.
9. While Calculating total amount, quantity to be taken into consideration will be the quantity to be supplied and not the quantity which can't be Supplied.
10. Quatations received after due date will not be considered.
11. Sealed envelope should bear on top : Providing, Conveying, Lowering, Laying, Fixing and Jointing of IS 1239 mark Various Required Diameter Heavy series GI Pipeline Including Necessary Fittings in Different Areas of Bhatha, Bhatpore, Ichhapore, Bhesan of in West Zone (Rander)
12. E.M.D of Rs. 5,000 in favour of Commissioner, Surat Municipal Corporation payable at Surat is to be submitted along with the Quotation in Sealed Cover.
13. The Contractor needs to produce required Solvency Certificate, Experience Letter/Proof of work done along with the Quotation.
14. Quotation in sealed cover should reach the Office of Undersigned on or **before 19/07/2028** up to 18:00 hrs, Quotations Received after the Due date are Subject to Rejection.

sd/-

Executive Engineer
West Zone (Rander)

