



SURAT MUNICIPAL CORPORATION
NORTH ZONE(KATARGAM)
QUOTATION FORM

| | | | |
|--|------------------|---|--|
| QUOTATION No.NZ/Light/ 14 /2025-26 | | DATE: 24 / 07 /2025 | |
| NAME OF WORK | | Supply of all Electrical materials at North Zone (Katargam) Light Department in Surat Municipal Corporation. | |
| Agency Category | | Supplier/Dealers/Distributors | |
| Required Documents | | | |
| 1 | GST Registration | | |
| ISSUING AUTHORITY | | Executive Engineer, North Zone, Surat. | |
| ISSUING OFFICE | | Administrative office, North Zone(Katargam), Nr. Gajera School, B/S Ramji krupa Raw House, Katargam, Surat. | |
| INVITING AUTHORITY | | Executive Engineer, North Zone, Surat. | |
| Last Date Of Submission Date | | TILL: 02/08/2025 UPTO 18:00 P.M. | |
| SUBMITTED To, | | EXECUTIVE ENGINEER ADMINISTRATIVE BUILDING, NORTH ZONE (KATARGAM),NR. GAJERA SCHOOL, B/S RAMJI KRUPA RAW HOUSE, KATARGAM, SURAT. | |
| <p>GST CLAUSE FOR CONSTRUCTION/ ERECTION/ COMMISSIONING/ INSTALLATION/ REPAIRS/ MAINTENANCE/ RENOVATION/ FABRICATION OF STRUCTURE INCLUDING BUILDING (MEANS ALL WORKS CONTRACT/ TURN KEY PROJECT/ SUPPLY OF MATERIAL/ GOODS)</p> <p>GST (Goods and service tax has come in existence from 1st July, 2017. Contractor/ Successful Bidder is bound to pay any amount of GST prescribed by the govt. of India as per the terms of contract agreed upon during the course of execution ofthis contract.During the course of execution of contract, if there is any change in rate if GST (Goods and Service Tax) by the Government, the same shall be reimbursed/ recovered separately by SMC. subject to the submission of original receipt/proof for the amounts actually remitted by the contractor/ successful Bidderer to the competent Authority along with a certificate from Chartered Accountant of contractor/ successful Bidderer certifying that the amount of GST paid to the government and the same shall be intimated/ submitted/ claimed within 30 (Thirty) days from the date of payment. Remittance of GST within stipulated period shall be the sole responsibility of the successful contractor/ Bidder, failing which SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the contractor/ successful Bidder in this regard. Further, the non- payment of GST to the government may lead to the termination of contract. If imposition of any other new taxes/ Duties/ levies/ Cess or any other incidentals etc. or any increase in the existing taxes/ Duties/ Levies/ Cess / GST or any other incidentals etc. are imposed during the course of the contract, the same shall be borne by the successful contractor/Bidder only; in no case SMC shall be liable for the same.</p> | | | |
| <p>SIGNATURE OF ISSUING AUTHORITY</p> <p>--S.D/-</p> <p>EXECUTIVE ENGINEER</p> <p>NORTH ZONE (KATARGAM)</p> <p>SURAT MUNICIPAL CORPORATION</p> | | | |

નોર્થઝોન/આઉટ/નં.....

તા. / ૦૭/૨૦૨૫

પ્રતિ,

ઈજારદારશ્રી,

.....

.....

વિષય :- સુરત મહાનગરપાલિકાના નોર્થઝોન(કતારગામ) કાર્યક્ષેત્રમાં આવેલ વિવિધ કચેરીઓ તથા યુટીલીટીઝ માટે જરૂરી વિવિધ ઇલેક્ટ્રીકલ એસેસરીઝ તેમજ મટીરીયલ સપ્લાય કરવાની કામગીરી.

મહાશય,

નોર્થઝોન(કતારગામ) કાર્યક્ષેત્રમાં આવેલ વિવિધ મ્યુની.મિલ્કતોમાં ઇલેક્ટ્રીકલ મરામત તથા નિભાવ અર્થે જુદા જુદા પ્રકારના ઇલેક્ટ્રીકલ મટીરીયલ સપ્લાય કરવાની કામગીરી આ સાથે સામેલ શીડયુલ-બી માં દર્શાવેલ ભાવો (જી.એસ.ટી સહિત) થી ઉચા/નીચા મુજબ એટલે કે, પર્સેન્ટેજ રેટ દર્શાવી કુલ રૂ.૨,૦૦,૦૦૦.૦૦ (જી.એસ.ટી સહિત)ની મર્યાદામાં અથવા ૧ વર્ષ બન્નેમાંથી જે વહેલુ પુર્ણ થાય તે મુજબ ભાવપત્રકની શરતો મુજબ કરવા માટે આ સાથે સામેલ શીડયુલ-બી અને શરતો પર સહિ સિકકા કરી તા.૦૨/૦૮/૨૦૨૫ સુધીમાં બંધ કવરમાં નોર્થઝોન (કતારગામ) ખાતે નીચે સહિ કરનારને પહોંચતું કરશો.સમય મર્યાદા બાદ આવેલ આવેલ ભાવપત્રક ધ્યાને લેવામાં આવશે નહીં જેની નોંધ લેશો.

બિડાણ :- શીડયુલ-બી અને શરતો.

--S.D/-

કાર્યપાલક ઈજનેર
નોર્થઝોન(કતારગામ)
સુરત મહાનગરપાલિકા

| SURAT MUNICIPAL CORPORATION NORTH ZONE (KATARGAM) LIGHT DEPATMENT | | | |
|---|---|------|----------------------------|
| Name Of Work :- Supply of different type of Electrical item for maintenance purpose at various muni. building at North Zone(KATARGAM), SMC Surat. | | | |
| SCHEDULE-B | | | |
| Sr. No | DESCRIPTION | Unit | Sanctioned Rate (With GST) |
| | Tube Light And accessories | | |
| 1 | 4 Ft. (1200 mm) Tube fitting Including 36/40 Watt Electronic Ballast Without Tube Rod Only Fixture | Ea. | 183.07 |
| 2 | 4 Ft. (1200 mm) Tube Light Rod , Light output 2450 Lumens. | Ea. | 36.79 |
| 3 | 4 Ft. 18/20 Watt LED Complete PVC T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt | Ea. | 187.76 |
| 4 | 2 Ft. 08/10 Watt T5 LED Complete PVC Tube Light Lumen Output 800/1000, | Ea. | 169.07 |
| 5 | 4 Ft. 18/20 Watt LED Complete Aluminum body T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt | Ea. | 397.82 |
| 6 | 2 Ft. 08/10 Watt T5 LED Complete Aluminum body Tube Light Lumen Output 800/1000, | Ea. | 445.93 |
| 7 | 4 Ft. (1200 mm) Tube Fitting Without Led Tube Rod Only Fixture With Rotating type Side Holder | Ea. | 159.13 |
| 8 | 4 Ft. LED T5 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficiacy 100lm/watt | Ea. | 227.66 |
| 9 | 36 Watt Electronic Ballast (Choke) | Ea. | 112.66 |
| 10 | Tube Light Side Holder Simple | Ea. | 8.94 |
| 11 | Led Tube Light Side Holder (Rotating Type) | Ea. | 10.56 |
| | Lamp & Halogen Tube | Ea. | 0.00 |
| 12 | 40W Tungsten Filament Lamp | Ea. | 16.90 |
| 13 | 60W Tungsten Filament Lamp | Ea. | 16.90 |
| 14 | 100W Tungsten Filament Lamp | Ea. | 16.90 |
| 15 | 7 W Led Lamp | Ea. | 79.56 |
| 16 | 9 W Led Lamp | Ea. | 80.74 |
| 17 | 12 W Led Lamp | Ea. | 138.47 |
| | Light & Accessories | | |
| 18 | 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent | Ea. | 1232.19 |
| 19 | 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent | Ea. | 410.73 |
| 20 | 18/20 Watt, LED Panel light (Square/Round), 1700 Lumens | Ea. | 546.86 |
| 21 | 20/24 LED Panel Light size 1 x 1 inch | Ea. | 1056.16 |
| 22 | 12/15W Led Panel Light (Square/Round), 1020 Lumens | Ea. | 397.82 |
| 23 | 50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k | Ea. | 1584.24 |
| 24 | 30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k | Ea. | 1173.51 |
| | Celling Fan & Accessories | | |
| 25 | Supply of 1200 mm Sweep (48"),BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC)permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades,2 nos, canopies , shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM | Ea. | 2983.06 |
| 26 | Ceiling fan,(48"),1200 mm, Energy Efficient ,BEE 1 Star rated, high Speed Air Delivery ,Minimum 218 CMM input power maximum 53 W | Ea. | 1989.10 |
| 27 | Pedestal fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillanting ,type and adjustable ,height complete with guard regulator, & standard lead fleixble wires and plug top 110 Watt. | Ea. | 2628.66 |

| | | | |
|----|---|-----|----------------|
| 28 | Supplying & erecting single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A,80 Watt. | Ea. | 5046.09 |
| 29 | Wall fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top | Ea. | 2386.92 |
| 30 | Wall fan A.C. 230 V. 50 Cy/s. 450 mm sweep oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top | Ea. | 4694.04 |
| 31 | Supplying & erecting single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A,180 Watt. | Ea. | 9446.76 |
| 32 | Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM | Ea. | 1466.89 |
| 33 | Supplying & erecting single phase apporved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM | Ea. | 1290.86 |
| 34 | Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM | Ea. | 1144.17 |
| 35 | Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM | Ea. | 1232.19 |
| 36 | Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM | Ea. | 1384.74 |
| 37 | Capacitor 440 V AC,1.5 uf | Ea. | 25.82 |
| 38 | Capacitor 440 V AC,2.5 uf (oiled filled) | Ea. | 25.82 |
| 39 | Capacitor 440 V AC,10 uf | Ea. | 58.68 |
| 40 | Capacitor 440 V AC,25 uf | Ea. | 93.88 |
| 41 | Capacitor 440 V AC,36 uf | Ea. | 129.09 |
| 42 | Capacitor 440 V AC,45 uf | Ea. | 134.95 |
| 43 | Capacitor 440 V AC,50 uf | Ea. | 164.29 |
| 44 | Capacitor 440 V AC,100/120 uf | Ea. | 164.29 |
| 45 | 1.5 ft Celling fan MS pipe | Ea. | 39.90 |
| 46 | 2 ft Celling fan MS pipe | Ea. | 49.29 |
| 47 | 2.5 ft celling fan MS pipe | Ea. | 58.68 |
| 48 | 3 ft celling fan MS pipe | Ea. | 70.41 |
| 49 | 4 ft celling fan MS pipe | Ea. | 88.01 |
| 50 | Ding Dong Bell | Ea. | 117.35 |
| 51 | Remote Operated Ding Dong Bell | Ea. | 586.76 |
| 52 | Buzzer | Ea. | 88.01 |
| 53 | Musical Bell | Ea. | 152.56 |
| 54 | parrot Bell | Ea. | 134.95 |
| | Miniature Circuit Breaker (MCB) Enclosure | | |
| 55 | 1/2 MCB box PVC Enclosure | Ea. | 23.47 |
| 56 | 3/4 MCB box PVC Enclosure | Ea. | 46.94 |
| 57 | MCB Metal Enclousre for Double Pole | Ea. | 105.62 |
| 58 | MCB Metal Enclousre for four Pole | Ea. | 138.47 |
| | MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA | | |
| 59 | 1 Amp. Single Pole (SP) MCB | Ea. | 125.57 |
| 60 | 6 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 61 | 10 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 62 | 16 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 63 | 20 Amp. Single Pole (SP) MCB | Ea. | 123.22 |

| | | | |
|-----|--|-----|---------|
| 64 | 32 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 65 | 6 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 66 | 10 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 67 | 16 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 68 | 25 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 69 | 32 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 70 | 40 Amp. Double Pole (DP) MCB | Ea. | 668.90 |
| | MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA | | |
| 71 | 20 Amp. Four pole (FP) MCB | Ea. | 1020.95 |
| 72 | 32 Amp. Four pole (FP) MCB | Ea. | 1020.95 |
| 73 | 40 Amp. Four pole (FP) MCB | Ea. | 1326.07 |
| 74 | 63 Amp. Four pole (FP) MCB | Ea. | 1441.07 |
| 75 | 20 Amp. Three pole (TP) MCB | Ea. | 795.64 |
| 76 | 32 Amp. Three pole (TP) MCB | Ea. | 795.64 |
| 77 | 40 Amp. Three pole (TP) MCB | Ea. | 1093.71 |
| 78 | 63 Amp. Three pole (TP) MCB | Ea. | 1191.11 |
| | MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA | | |
| 79 | 6 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 80 | 10 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 81 | 16 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 82 | 32 Amp. Single Pole (SP) MCB | Ea. | 123.22 |
| 83 | 6 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 84 | 10 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 85 | 16 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 86 | 25 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 87 | 32 Amp. Double Pole (DP) MCB | Ea. | 434.20 |
| 88 | 40 Amp. Double Pole (DP) MCB | Ea. | 668.90 |
| | MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA | | |
| 89 | 16 Amp. Four pole (FP) MCB | Ea. | 1020.95 |
| 90 | 25 Amp. Four pole (FP) MCB | Ea. | 1020.95 |
| 91 | 32 Amp. Four pole (FP) MCB | Ea. | 1020.95 |
| 92 | 40 Amp. Four pole (FP) MCB | Ea. | 1342.50 |
| 93 | 63 Amp. Four pole (FP) MCB | Ea. | 1441.07 |
| | MCCB | | |
| 94 | 63 Amp. Four pole (FP) MCCB | Ea. | 2188.60 |
| 95 | 100 Amp. Four pole (FP) MCCB | Ea. | 2470.24 |
| 96 | 125 Amp. Four pole (FP) MCCB | Ea. | 3379.71 |
| | RCCB | | |
| 97 | 25 Amp. Double Pole (DP) RCCB 30MA sensitivity | Ea. | 1660.52 |
| 98 | 25 Amp. Double Pole (DP) RCCB 100 MA sensitivity | Ea. | 1720.37 |
| 99 | 40 Amp. Double Pole (DP) RCCB 30MA sensitivity | Ea. | 1830.68 |
| 100 | 40 Amp. Double Pole (DP) RCCB 100 MA sensitivity | Ea. | 1854.15 |
| 101 | 63 Amp. Double Pole (DP) RCCB 30MA sensitivity | Ea. | 2382.23 |
| 102 | 63 Amp. Double Pole (DP) RCCB 100 MA sensitivity | Ea. | 2417.43 |
| 103 | 100 Amp. Double Pole (DP) RCCB 30MA sensitivity | Ea. | 4752.72 |
| 104 | 100 Amp. Double Pole (DP) RCCB 100 MA sensitivity | Ea. | 5046.09 |
| 105 | 25 Amp. Four Pole (FP) RCCB 30 MA sensitivity | Ea. | 2229.67 |
| 106 | 25 Amp. Four Pole (FP) RCCB 100 MA sensitivity | Ea. | 2241.40 |
| 107 | 40 Amp. Four Pole (FP) RCCB 30 MA sensitivity | Ea. | 2264.87 |
| 108 | 40 Amp. Four Pole (FP) RCCB 100 MA sensitivity | Ea. | 2288.34 |
| 109 | 63 Amp. Four Pole (FP) RCCB 30 MA sensitivity | Ea. | 2523.05 |
| 110 | 63 Amp. Four Pole (FP) RCCB 100 MA sensitivity | Ea. | 2523.05 |

| | | | |
|-----|---|-----|----------|
| 111 | 100 Amp. Four Pole (FP) RCCB 30 MA sensitivity | Ea. | 5121.20 |
| 112 | 100 Amp. Four Pole (FP) RCCB 100 MA sensitivity | Ea. | 5163.44 |
| | MCB DISTRIBUTION BOARDS | | |
| 113 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door | Ea. | 352.05 |
| 114 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door | Ea. | 469.40 |
| 115 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door | Ea. | 352.05 |
| 116 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door | Ea. | 586.76 |
| 117 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door | Ea. | 352.05 |
| 118 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door | Ea. | 821.46 |
| 119 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door | Ea. | 762.78 |
| 120 | Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door | Ea. | 1173.51 |
| 121 | Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box | Ea. | 1173.51 |
| 122 | Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box | Ea. | 1760.27 |
| | Flexible Wire Cable | | |
| 123 | 1.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr) | PKT | 1144.17 |
| 124 | 1.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr) | PKT | 1642.91 |
| 125 | 2.5 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr) | PKT | 2640.40 |
| 126 | 4.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr) | PKT | 3872.58 |
| 127 | 6.0 sq. mm ISI marked 1.1 kv grade FR PVC Insulated (90 Mtr) | PKT | 5069.56 |
| 128 | 1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr) | PKT | 1191.11 |
| 129 | 1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr) | PKT | 1807.21 |
| 130 | 2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr) | PKT | 2875.10 |
| 131 | 4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC Insulated (90 Mtr) | PKT | 4271.58 |
| 132 | 32/20 mm Twins Twisted flexible Copper Wire (R&BK) (90 Mtr) | PKT | 880.13 |
| 133 | 2.5 sq. mm 2 Core Alluminum Flat Cable (90 mtr.) | PKT | 671.25 |
| 134 | 4 sq. mm 2 Core Alluminum Flat Cable (90 Mtr) | PKT | 997.48 |
| 135 | 1.00 sq mm 2 core round flexible PVC insulated multi (100 Mtr.) | PKT | 3290.52 |
| 136 | 1.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.) | PKT | 4471.07 |
| 137 | 1.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.) | PKT | 6160.93 |
| 138 | 2.50 sq mm 3 core round flexible PVC insulated multi (100 Mtr.) | PKT | 9968.97 |
| 139 | 4.00 sq mm 3 core round flexible PVC insulated multi (100 Mtr.) | PKT | 15126.54 |
| 140 | 2.50 sq mm 4 core round flexible PVC insulated multi (100 Mtr.) | PKT | 12791.26 |
| 141 | 4.00 sq mm 4 core round flexible PVC insulated multi (100 Mtr.) | PKT | 19820.58 |
| 142 | CAT-6 UTP Cable (305 mtr.) | PKT | 7140.81 |
| | Modular Accessories | | |
| | Modular Board | | |
| 143 | 2-Up PVC Modular Board Surface | Ea. | 23.87 |
| 144 | 3-Up PVC Modular Board Surface | Ea. | 29.83 |
| 145 | 4-Up PVC Modular Board Surface | Ea. | 38.78 |
| 146 | 6-Up PVC Modular Board Surface | Ea. | 53.70 |
| 147 | 8-Up PVC Modular Board Surface | Ea. | 68.06 |
| 148 | 12-Up PVC Modular Board Surface | Ea. | 76.28 |
| 149 | 16-Up PVC Modular Board Surface | Ea. | 103.43 |
| 150 | 18-Up PVC Modular Board Surface | Ea. | 103.43 |
| | Modular Plate | | |
| 151 | 2-Up Modular Plate | Ea. | 29.83 |

| | | | |
|-----|--|-----|--------|
| 152 | 3-Up Modular Plate | Ea. | 34.81 |
| 153 | 4-Up Modular Plate | Ea. | 44.75 |
| 154 | 6-Up Modular Plate | Ea. | 63.65 |
| 155 | 8-Up Modular Plate | Ea. | 74.59 |
| 156 | 12-Up Modular Plate | Ea. | 88.01 |
| 157 | 16-Up Modular Plate | Ea. | 111.48 |
| 158 | 18-Up Modular Plate | Ea. | 124.31 |
| | Modular Type Switch and Regulator | | |
| 159 | Dummy Plate Modular | Ea. | 4.96 |
| 160 | Indicator Modular | Ea. | 29.83 |
| 161 | Modular Switch 6 Amp | Ea. | 16.90 |
| 162 | Modular Switch 16 Amp | Ea. | 44.75 |
| 163 | Modular Plug 6 Amp | Ea. | 29.83 |
| 164 | Modular Plug 16 Amp | Ea. | 74.59 |
| 165 | Modular Bell Push Switch | Ea. | 39.78 |
| 166 | Plug Type step type Hum free Regulator for Modular | Ea. | 163.12 |
| 167 | Switch Type step type Hum free Regulator for Modular | Ea. | 152.56 |
| 168 | 2 Way Switch Modular | Ea. | 39.78 |
| 169 | 6 to 32 Amp S.P. MCB Modular | Ea. | 114.37 |
| 170 | 6 to 32 Amp D.P. MCB Modular | Ea. | 227.66 |
| 171 | Modular Angle Holder | Ea. | 34.81 |
| 172 | Modular Battan Holder | Ea. | 34.81 |
| 173 | AC starter Modular 16/25 A | Ea. | 222.97 |
| 174 | Two Pin/RJ-11 Telephone Socket For One Gang | Ea. | 44.59 |
| 175 | TV Co-axial Socket out | Ea. | 23.47 |
| | Tissino Type Switch and Fan Regulator | | |
| 176 | Tissino Type Switch 6 Amp (simple) | Ea. | 13.92 |
| 177 | Tissino type Switch 16 Amp (simple) | Ea. | 56.33 |
| 178 | Tissino type 2-Way Switch 6 Amp | Ea. | 19.89 |
| 179 | Tissino Type Bell Push | Ea. | 19.89 |
| 180 | Tissino type Plug 6 Amp (simple) 2 IN 1 Socket | Ea. | 24.64 |
| 181 | Tissino type Plug 16 Amp (Simple) | Ea. | 58.68 |
| 182 | Holder Adapter | Ea. | 14.08 |
| 183 | Electronic Hum free EME Socket Type Step Fan Regulator (Plug type) | Ea. | 138.47 |
| 184 | Electronic Hum free EME Switch Type Step Fan Regulator | Ea. | 127.91 |
| 185 | One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S S Combine with box) | Ea. | 129.09 |
| 186 | Angle Holder | Ea. | 21.12 |
| 187 | Batten Holder | Ea. | 21.12 |
| 188 | Pendent Holder | Ea. | 19.95 |
| 189 | Bakelite Ceiling Rose | Ea. | 21.12 |
| 190 | 6 to 32 Amp S.P. MCB | Ea. | 113.83 |
| 191 | 6 to 32 Amp D.P. MCB | Ea. | 228.74 |
| 192 | 3 Pin Top 6A | Ea. | 38.73 |
| 193 | 3 Pin Top 16A | Ea. | 64.54 |
| 194 | 5 Amp Connector Strip | Ea. | 19.95 |
| 195 | 10 Amp Connector Strip | Ea. | 23.47 |
| 196 | Male Female 2 Pin Connector | Ea. | 23.47 |
| | Conduits & Pipes Accessories | | |
| 197 | 20 mm Medium Class RIGID PVC PIPES (3 mtr.) | No. | 52.81 |
| 198 | 25 mm Medium Class RIGID PVC PIPES (3 mtr.) | No. | 76.28 |
| 199 | Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES | Ea. | 4.96 |
| 200 | Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES | Ea. | 7.96 |
| 201 | Junction 1 Way 20/25/32 mm | Ea. | 2.35 |
| 202 | Junction 2 Way 20/25/32 mm | Ea. | 2.35 |

| | | | |
|-----|---|-----|--------|
| 203 | Junction 3 Way 20/25/32 mm | Ea. | 2.35 |
| 204 | Junction 4 Way 20/25/32 mm | Ea. | 2.35 |
| 205 | Coupling 20/25/32 mm | Ea. | 5.87 |
| 206 | Elbow 20/25/32 mm | Ea. | 5.87 |
| 207 | Tee 20/25/32 mm | Ea. | 5.87 |
| | Casing-Capping Accessories | | |
| 208 | Pvc Casing Capping Double Lock Type 12/20 mm (2 Mtr.) | No. | 28.75 |
| 209 | Pvc Casing Capping Double Lock Type 12/25 mm (2 Mtr.) | No. | 46.94 |
| 210 | Pvc Casing Capping Double Lock Type 12/32 mm (2 Mtr.) | No. | 62.20 |
| 211 | UPVC cable trunking system size 50 mm x 50 mm trunking (2 Mtr.) | No. | 218.27 |
| 212 | External Coupler 20/25/32 mm | Ea. | 4.67 |
| 213 | Internal coupler 20/25/32 mm | Ea. | 4.67 |
| 214 | Elbow 20/25/32 mm | Ea. | 4.67 |
| 215 | Tee 3/4 Way 20/25/32 mm | Ea. | 4.67 |
| 216 | Inner/Outer 20/25/32 mm | Ea. | 4.67 |
| 217 | Junction 1 Way 20/25/32 mm | Ea. | 9.39 |
| 218 | Junction 2 Way 20/25/32 mm | Ea. | 9.39 |
| 219 | Junction 3 Way 20/25/32 mm | Ea. | 9.39 |
| 220 | Junction 4 Way 20/25/32 mm | Ea. | 9.39 |
| 221 | Coupler 20/25/32 mm | Ea. | 4.67 |
| | Cable Tie | | |
| 222 | CABLE TIE, 300 MM (100 Nos.) | PKT | 129.09 |
| 223 | CABLE TIE, 250 MM (100 Nos.) | PKT | 98.57 |
| 224 | CABLE TIE, 200 MM (100 Nos.) | PKT | 68.06 |
| 225 | CABLE TIE, 150 MM (100 Nos.) | PKT | 46.94 |
| 226 | CABLE TIE,100 MM (100 Nos.) | PKT | 29.34 |
| | C-Clamp | | |
| 227 | 4 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 19.89 |
| 228 | 6 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 29.83 |
| 229 | 8 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 39.78 |
| 230 | 9 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 46.94 |
| 231 | 10 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 58.68 |
| 232 | 12 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 68.06 |
| 233 | 20 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 100.92 |
| 234 | 25 mm Cable PVC Clips (Saddle) (100 Nos.) | PKT | 123.22 |
| | Khili | | |
| 235 | khili for Wiring (1") (2.5 kg box) (Doba Khili) | PKT | 387.26 |
| | Different Size Screw | | |
| 236 | Metal Screw 13 x 6 mm (1000 nos.) | PKT | 298.07 |
| 237 | Metal Screw 19 x 6 mm (1000 nos.) | PKT | 298.07 |
| 238 | Metal Screw 25 x 6 mm (1000 nos.) | PKT | 298.07 |
| 239 | Metal Screw 36 x 6 mm (500 nos.) | PKT | 427.16 |
| 240 | Metal Screw 45 x 6 mm (500 nos.) | PKT | 427.16 |
| 241 | Metal Screw 50 x 6 mm (500 nos.) | PKT | 347.36 |
| 242 | Metal Screw 35 x 8 mm (500 nos.) | PKT | 427.16 |
| 243 | Black Metal Screw 13 x 6 mm (1000 nos.) | PKT | 247.61 |
| 244 | Black Metal Screw 19 x 6 mm (1000 nos.) | PKT | 247.61 |
| 245 | Black Metal Screw 32 x 6 mm (1000 nos.) | PKT | 247.61 |
| 246 | Black Metal Screw 38 x 6 mm (750 nos.) | PKT | 278.12 |
| 247 | Black Metal Screw 50 x 6 mm (500 nos.) | PKT | 278.12 |
| 248 | Black Metal Screw 60 x 6 mm (400 nos.) | PKT | 293.38 |
| 249 | Black Metal Screw 75 x 6 mm (300 nos.) | PKT | 347.36 |
| | Other Accessories | | |
| 250 | Electrical insulation Tape Roll different colour (R-Y-B-N) | Ea. | 9.95 |
| 251 | Wooden Grip Packet | PKT | 9.39 |

| | | | |
|-----|--|------|----------------|
| 252 | PVC Grip Packet | PKT | 29.34 |
| 253 | Aluminum Strip (10 Ft.long) | Ea. | 56.33 |
| 254 | Rubber Clamp (fan) | Ea. | 19.89 |
| 255 | Pencil Cell AAA size 1.5 V | Ea. | 11.74 |
| 256 | Pencil Cell AA size 1.5 V | Ea. | 11.74 |
| 257 | 9V Battery Cell | Ea. | 58.68 |
| 258 | 12 V 23 A Alkaline Battery Cell | Ea. | 469.40 |
| 259 | Aluminum Lug pin type as per above wire/cable size 2.5/4 sq. mm cable | Ea. | 1.98 |
| 260 | Aluminums Lug pin type as per above wire/cable size 6/10 sq. mm cable | Ea. | 2.98 |
| 261 | Aluminum Lug pin type as per above wire/cable size 16 sq. mm cable | Ea. | 3.98 |
| 262 | Copper lug pin type for 2.5/4 sq. mm cable | Ea. | 4.69 |
| 263 | Copper lug pin type for 6/10 sq. mm cable | Ea. | 5.87 |
| 264 | Copper lug pin type for 16 sq. mm cable | Ea. | 8.21 |
| 265 | Aluminum Lug Ring type as per above wire/cable size 2.5/4 sq. mm cable | Ea. | 1.98 |
| 266 | Aluminums Lug Ring type as per above wire/cable size 6/10 sq. mm cable | Ea. | 2.98 |
| 267 | Aluminum Lug Ring type as per above wire/cable size 16 sq. mm cable | Ea. | 3.52 |
| 268 | Copper lug Ring type for 2.5/4 sq. mm cable | Ea. | 3.52 |
| 269 | Copper lug ring type for 6/10 sq. mm cable | Ea. | 5.87 |
| 270 | Copper lug Ring type for 16 sq. mm cable | Ea. | 8.94 |
| 271 | 6 x 6 Wooden Board with Plate | Ea. | 44.59 |
| 272 | 6 x 8 Wooden Board with Plate | Ea. | 58.68 |
| 273 | 8 x 10 Wooden Board with Plate | Ea. | 79.56 |
| 274 | 10 x 12 Wooden Board with Plate | Ea. | 97.40 |
| 275 | 1 Way PVC Gang Box | Ea. | 23.47 |
| 276 | 2 Way PVC Gang Box | Ea. | 26.99 |
| 277 | 3 Way PVC Gang Box | Ea. | 30.51 |
| 278 | 4 Way PVC Gang Box | Ea. | 35.21 |
| 279 | 6 Way PVC Gang Box | Ea. | 58.68 |
| 280 | 63A Copper Fuse | Ea. | 164.29 |
| 281 | 100A Copper Fuse | Ea. | 397.82 |
| 282 | 100A Lug type Copper Fuse | Ea. | 445.93 |
| 283 | 200A Copper Fuse | Ea. | 496.39 |
| 284 | 200A Lug type Copper Fuse | Ea. | 586.76 |
| 285 | 500A Copper Fuse | Ea. | 1091.36 |
| 286 | 10W Led Bulkhead Fitting | Ea. | 222.97 |
| 287 | 1W Led Torch | Ea. | 158.42 |
| 288 | 3W Led Torch | Ea. | 457.67 |
| 289 | 16 mm PVC Corrugated Flexible Conduit pipe | Mtr. | 3.98 |
| 290 | 20 mm PVC Corrugated Flexible Conduit pipe | Mtr. | 4.96 |
| 291 | 25 mm PVC Corrugated Flexible Conduit pipe | Mtr. | 7.96 |
| 292 | 32 mm PVC Corrugated Flexible Conduit pipe | Mtr. | 11.74 |

VENDOR'S LIST

| Sr. No. | Equipments/ Accessories | Make |
|---------|--|---|
| 1 | Switch and Switch Accessories | Anchor, Jainex, Indoasian, Legrand, L&T (Lauritz knudsen)Schneider Electric, Vinay, Alex, Gm, Pointeer , Allwyn, Promot Lauritz knudsen |
| 2 | Tube Lights & lamps | Philips, Havells, Bajaj, Surya, Crompton. |
| 3 | Led Lamps, LED Tube light | Philips, Havells, Bajaj, Osram, Crompton, Syska. |
| 4 | Ceiling Fan, Pedestal / wall fan, Exhaust Fan | Crompton, Havells, Usha, Almonard.Bajaj |
| 5 | PVC Pipe/casing capping accessories | Precision, Poly Cab, Finolex, Nihir or any ISI. |
| 6 | Insulating PVC Tape | Anchor / Still Grip |
| 7 | LED Panel light/Flood Light/Led fitting driver | Phillips, Crompton, Havells, Bajaj. |

Note- 1) As Shown in Schedule - B rate is Including GST.
2) Tender Amount Limit up to 2,00,000/- with GST

I/We here by tendered to execute the above mentioned description of a work in accordance the accompanying specification and condition in consideration of the quantity of the work to be executed at PAR _____% (Above/Below) in word _____
Percentage Above/Below amount shown in Schedule - B

--S.D/-
Executive Engineer
North Zone
Surat Municipal Corporation

*** SIGNATURE & SEAL OF CONTRACTOR ***

Terms and Conditions

- The rate should be Including all other taxes, duties, labor charges, GST and transportation, loading unloading, watch and ward etc. at Site.
- EMD of Rs 2000.00 (Rupees Two thousand only) Shall be submitted in form of Demand draft/Pay order in favour of Surat Municipal Corporation
- Bidder must offer minimum one year warranty for supplied items.
- The firm will have to supply above Electrical Material within 7 days from sub work order of Light dept. of SMC. if not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
- The Corporation shall have the option to terminate this contract if the contractor fails to Satisfactory comply with the requisition contained in the written notice to be issued by the Corporation to the contractor within 15 (Fifteen) days of the receipt thereof. Competent authority may decide, in case of unsatisfactory performance, to terminate this contract and to black list & to disallow the contractor in future tendering in SMC forfeiting the security deposit.
- The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well. Materials should be supplied within 7 days as intimated by SMC. Failing which penalty @ 0.2% of order value of unexecuted portion per day of delay subject to maximum 10% of unexecuted portion order value shall be charged and shall be deducted from the bill.
- The successful contractor shall also be required to enter into contract **agreement** along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
- The successful Contractor shall be required to deposit an amount equal to **2% of the total order value as Security Deposit** Municipal Treasury in Cash/ by Demand Draft within 15 (Fifteen) days of order failing which penalty @ 0.065% of the Security Amount per day of delay shall be charged.
- The period of Annual Rate Contract for Supply of Electrical Materials will be One (1) year from the date of the award of the contract or ₹ 2 lakh whichever is earlier.
- SMC will not pay any transportation charges and also not provide any type of assistance which carrying out above mention work. Contractor must replace faulty spare with genuine spare only.
- The rates quoted shall remain in force for full period of contract.
- All Make /model Switch and Sockets Have to Supply As Par Vendor List.
- After bidding process, No objection entertained later.
- All Mentioned Electrical items supplied as per Vendor list only.
- Validity of quotation shall remain 120 Days from opening date of the Quotation.
- No Payment shall be made in advance Payment shall be made within 60 days after safe receipt & inspection/ testing of material & Satisfactory of Completion of work
- Rates must be filled in this quotation paper only and returned duly sealed & signed.
- The name of work i.e. " Quotation for the work of Supply Of Different Type Electricals Accessories/Materials at North Zone Light Dept. S.M.C must be mentioned on the envelope without which quotation is likely to be rejected, which must be noted.
- The offer shall be submitted in a sealed cover to " **Executive Engineer,Administrative office, North Zone(Katargam), Nr. Gajera School, B/S Ramji krupa Raw House, Katargam, Surat."**

Thanking You,

--S.D/-
ExecutiveEngineer,
North Zone
Surat Municipal Corporation.

* SIGNATURE & SEAL OF CONTRACTOR *