

Executive Engineer
West (Rander) Zone
Surat Municipal Corporation



West (Rander) Zone
Tadwadi, Rander Road,
Surat-395005, ☎91-261-
22770434 2278429.

QUOTATION NOTICE

West Zone/Outward No.2331

Date: -02.12.2025

Surat Municipal Corporation invites participation from the contractors to supply the different types of electrical goods / item for electrical maintenance purpose for West (Rander) Zone.

(A) Terms and conditions:

- (A.1) The contract period shall be of 1 year as mentioned in the work order or within limit of Rs.2,00,000/- (Including GST) whichever is earlier. Once rate should be filled by contractor it will remain fixed throughout the contract period.
- (A.2) All the rates should be including GST and including of all other taxes duties, levies, labor charges, transportation, loading unloading etc. up to delivery at West Zone (Rander) light Department.
- (A.3) Rates must be filled in financial documents of this quotation paper only and returned duly sealed & signed.
- (A.4) In case of any misunderstanding due to interpretation of any terms, conditions or specifications the decision of Executive Engineer, West Zone(Rander), Surat Municipal Corporation, Surat shall be final and binding to all.
- (A.5) Price variation clause of any form shall not be accepted. Price shall remain firm till end of contract.
- (A.6) The material shall be supplied within the time limit as mentioned in the work order or as per the requirement.
- (A.7) Conditional quotation shall not be accepted.
- (A.8) The agency must follow the approved vendors list.
- (A.9) The agency must be local and shall have an office set up within Surat city limit.
- (A.10) SMC shall be at liberty to terminate the contract any time during the contract period without giving prior notice to the contractor.

(B) Scope of work:

- (B.1) The contractor is expected to supply the material as per the requirement of SMC and /or as mentioned in the sub-work order. Please note that mode of intimation may also vary in form of verbal, telephonic, messages, emails or in written.
- (B.2) If it is found that the delivered materials is not genuine/identical/brand new/ defective, punitive actions shall be taken against the agency which may lead to the cancellation of the contract and ban on the agency from working in SMC further.
- (B.3) The defect liability of each material will be of one year. If any manufacturing defect is experienced during one year, the same materials work shall be resupplied by the agency at free of cost once in DFL period.
- (B.4) The agency is expected to provide materials throughout a year including sundays and public holidays depending upon the urgency of the work.
- (B.5) The agency shall follow all the laws, rules, regulations and guidelines to carry out this work in broader manner.
- (B.6) SMC will not be responsible to any accident / injury / death to/of the employee / manpower deployed by the contractor. No compensation shall be paid to contractor by SMC in such case(s).

(C) Financial Terms:

- (C.1) The successful agency shall have to deposit **security deposit at a rate of 2.5% of the order value** in form of cash or DD/Pay order issued in favor of "Commissioner, Surat Municipal Corporation" and shall be payable at Surat.
- (C.2) The security deposit shall be submitted within 15 days from the date of the work order else delay penalty at a rate of 0.065% of the SD amount per day shall be levied from the agency.
- (C.3) The successful agency shall have to bind in contract with SMC by submitting 3 numbers of non judicial stamp papers of Gujarat State.
- (C.4) No advance payment shall be made to the contractor. The 100% payment Amount shall be released after successfully supply of material as per requirement and submission of invoice. All the payment and deductions shall be made as per prevailing rules and standard practice of SMC.
- (C.5) GST will be paid to the contractor only after submission of necessary evidence of "paid GST" to the Government.

(D) Penalty Criteria :-

- (D.1) If the materials is not supplied within stipulated time limit as mentioned in the sub work order, then a penalty of 10% of the sub order value shall be levied on each delay.
- (D.2) The upper limit of the amount of penalty is limited up to 10% of the main work order value.

(E) The Offer:-

- (E.1) The financial offer along with other documents like firm's registration, GST registration, PAN card copy etc. shall be put in a sealed cover containing following information on outside of the cover:
- a. Quotation Notice Number and name of the work
 - b. Name and address of the sender
- (E.2) The offer shall be submitted to "Executive Engineer, West Zone, Surat Municipal Corporation, Balasaheb Devras Road, Tadwadi, Rander Road, Surat-395009."
- (E.3) Mode of submission: Postal speed post / RPAD / Courier / Physical submission. SMC will not be responsible for any postal delay.

-SD-
Executive Engineer
West (Rander) Zone
Surat Municipal Corporation

SEAL & SIGNATURE OF THE TENDERER:-



SCHEDULE - B			
Sr. No.	Item Description	Unit	Rate (Rs.)
	Tube Light And accessories		
1	Tube Light Rod, Light output 2200-2500 Lumens	Ea.	
2	18/20 Watt LED tube Light with PVC housing Lumen Output 2000/2100, Luminaire Efficiency > 100 lm/Watt	Ea.	
3	2 Ft. 08/10 Watt LED Tube Light with PVC Housing Lumen Output 800/1000,	Ea.	
4	Tube Light Fixture without Led Tube Rod. Only Fixture With Rotating type Side Holder equivalent to model Phillips TMC 501-1x18 w Batten	Ea.	
5	4 Ft. LED T8 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficacy 100lm/watt equivalent to model Phillips MASLEDTUBE 18W 65 T8, Havells PHOTON ULTRA 18 W & Crompton LT8-20-865-(2) .	Ea.	
6	36 Watt Electronic Ballast (Choke)	Ea.	
7	Simple Side Holder for Tube Light	Ea.	
8	Side Holder for Led Tube Light (Rotating Type)	Ea.	
	Lamp & Halogen Tube		
9	40 W Tungsten Filament Lamp	Ea.	
10	60 W Tungsten Filament Lamp	Ea.	
11	100 W Tungsten Filament Lamp	Ea.	
12	7 W Led Lamp	Ea.	
13	9 W Led Lamp	Ea.	
14	12 W Led Lamp	Ea.	
	Panel Lights / Flood Lights		
15	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
16	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent	Ea.	
17	18 watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
18	20 watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
19	20watt LED Panel Light size 1 x 1 inch	Ea.	
20	24 watt LED Panel Light size 1 x 1 inch	Ea.	
21	12 W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
22	15 W Led Panel Light (Square/Round), 1020 Lumens	Ea.	
23	100-120 watt LED Flood light fitting having Efficacy 100 lm/watt, CCT 5000k to 5700k		
24	50-55 watt LED Flood light fitting having Efficacy 100 lm/watt, CCT 5000k to 5700k	Ea.	
25	30-35 watt LED Flood light fitting having Efficacy 100 lm/watt, CCT 5000k to 5700k	Ea.	
	LED Strip Light & Driver		
26	LED Strip Light minimum 4.8 watt, 120 LED per meter without Driver	Mtr.	
27	LED Strip Light minimum 7.2 watt, 240 LED per meter without Driver	Mtr.	
28	LED Strip Light non integral suitable Driver		
29	2 Amp Driver	Ea.	
30	3 Amp Driver	Ea.	

31	5 Amp Driver	Ea.	
32	8 Amp Driver	Ea.	
33	12.5 Amp Driver	Ea.	
34	16 Amp Driver	Ea.	
35	20 Amp Driver	Ea.	
	Ceiling Fan & Accessories		
36	Supply of 1200 mm Sweep (48"), BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC) permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades, 2 no's, canopies , shackle kit with earthling provision, 22 gauge copper winding, power factor not < 0.9, Air delivery minimum 215 CMM, 305 RPM	Ea.	
37	Conventional Induction Motor Ceiling fan (48"), 1200 mm, Energy Efficient , BEE 1 Star rated, high Speed Air Delivery , Minimum 218 CMM input power maximum 53 W	Ea.	
38	Pedestal fan A.C. 230 V. 50 C/s. 400 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top 110 Watt.	Ea.	
39	Supplying & erecting single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A, 80 Watt.	Ea.	
40	Wall fan A.C. 230 V. 50 C/s. 400 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
41	Wall fan A.C. 230 V. 50 C/s. 450 mm sweep oscillating type and adjustable height complete with guard regulator & standard lead flexible wires and plug top	Ea.	
42	Supplying & erecting single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A, 180 Watt.	Ea.	
43	Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM.	Ea.	
44	Supplying & erecting single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM.	Ea.	
45	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM.	Ea.	
46	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM.	Ea.	
47	Supplying & erecting approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM.	Ea.	
48	Capacitor 440 V AC, 1.5 uf	Ea.	
49	Capacitor 440 V AC, 2.5 uf (oiled filled)	Ea.	
50	Capacitor 440 V AC, 10 uf	Ea.	
51	Capacitor 440 V AC, 25 uf	Ea.	
52	Capacitor 440 V AC, 36 uf	Ea.	
53	Capacitor 440 V AC, 45 uf	Ea.	
54	Capacitor 440 V AC, 50 uf	Ea.	
55	Capacitor 440 V AC, 100/120 uf	Ea.	
56	1.5 ft Ceiling fan MS pipe	Ea.	

57	2 ft Ceiling fan MS pipe	Ea.	
58	2.5 ft ceiling fan MS pipe	Ea.	
59	3 ft ceiling fan MS pipe	Ea.	
60	4 ft ceiling fan MS pipe	Ea.	
61	Ding Dong Bell	Ea.	
62	Remote Operated Ding Dong Bell	Ea.	
63	Buzzer	Ea.	
64	Musical Bell	Ea.	
65	industrial bell	Ea.	
	Miniature Circuit Breaker (MCB) Enclosure		
66	1/2 MCB box PVC Enclosure	Ea.	
67	3/4 MCB box PVC Enclosure	Ea.	
68	MCB Metal Enclosure for Double Pole	Ea.	
69	MCB Metal Enclosure for four Pole	Ea.	
	MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
70	1 Amp Single Pole (SP) MCB	Ea.	
71	6 Amp Single Pole (SP) MCB	Ea.	
72	10 Amp Single Pole (SP) MCB	Ea.	
73	16 Amp Single Pole (SP) MCB	Ea.	
74	20 Amp Single Pole (SP) MCB	Ea.	
75	32 Amp Single Pole (SP) MCB	Ea.	
76	6 Amp Double Pole (DP) MCB	Ea.	
77	10 Amp Double Pole (DP) MCB	Ea.	
78	16 Amp Double Pole (DP) MCB	Ea.	
79	25 Amp Double Pole (DP) MCB	Ea.	
80	32 Amp Double Pole (DP) MCB	Ea.	
81	40 Amp Double Pole (DP) MCB	Ea.	
	MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA		
82	20 Amp Four pole (FP) MCB	Ea.	
83	32 Amp Four pole (FP) MCB	Ea.	
84	40 Amp Four pole (FP) MCB	Ea.	
85	63 Amp Four pole (FP) MCB	Ea.	
86	20 Amp Three pole (TP) MCB	Ea.	
87	32 Amp Three pole (TP) MCB	Ea.	
88	40 AmpThree pole (TP) MCB	Ea.	
89	63 Amp Three pole (TP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
90	6 Amp Single Pole (SP) MCB	Ea.	
91	10 Amp Single Pole (SP) MCB	Ea.	
92	16 Amp Single Pole (SP) MCB	Ea.	
93	32 Amp Single Pole (SP) MCB	Ea.	
94	6 Amp Double Pole (DP) MCB	Ea.	
95	10 Amp Double Pole (DP) MCB	Ea.	
96	16 Amp Double Pole (DP) MCB	Ea.	
97	25 Amp Double Pole (DP) MCB	Ea.	
98	32 Amp Double Pole (DP) MCB	Ea.	
99	40 Amp Double Pole (DP) MCB	Ea.	
	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
100	16 Amp Four pole (FP) MCB	Ea.	

101	25 Amp Four pole (FP) MCB	Ea.	
102	32 Amp Four pole (FP) MCB	Ea.	
103	40 Amp Four pole (FP) MCB	Ea.	
104	63 Amp Four pole (FP) MCB	Ea.	
	MCCB		
105	63 Amp Four pole (FP) MCCB	Ea.	
106	100 Amp Four pole (FP) MCCB	Ea.	
107	125 Amp Four pole (FP) MCCB	Ea.	
	RCCB		
108	25 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
109	25 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
110	40 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
111	40 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
112	63 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
113	63 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
114	100 Amp Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
115	100 Amp Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
116	25 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
117	25 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
118	40 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
119	40 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
120	63 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
121	63 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
122	100 Amp Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
123	100 Amp Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
	MCB DISTRIBUTION BOARDS		
124	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	
125	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	
126	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
127	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
128	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
129	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
130	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
131	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
132	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
133	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 6 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
134	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
135	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 12 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
	Modular Accessories		
	Modular Board		
136	Surface 2-Up PVC Modular Board	Ea.	
137	Surface 3-Up PVC Modular Board	Ea.	

138	Surface 4-Up PVC Modular Board	Ea.	
139	Surface 6-Up PVC Modular Board	Ea.	
140	Surface 8-Up PVC Modular Board	Ea.	
141	Surface 12-Up PVC Modular Board	Ea.	
142	Surface 16-Up PVC Modular Board	Ea.	
143	Surface 18-Up PVC Modular Board	Ea.	
	Modular Plate		
144	2-Up Modular Plate	Ea.	
145	3-Up Modular Plate	Ea.	
146	4-Up Modular Plate	Ea.	
147	6-Up Modular Plate	Ea.	
148	8-Up Modular Plate	Ea.	
149	12-Up Modular Plate	Ea.	
150	16-Up Modular Plate	Ea.	
151	18-Up Modular Plate	Ea.	
	Modular Type Switch and Regulator		
152	Dummy Plate Modular	Ea.	
153	Indicator Modular	Ea.	
154	6 Amp Modular Switch	Ea.	
155	16 Amp Modular Switch	Ea.	
156	6 Amp Modular Plug	Ea.	
157	16 Amp Modular Plug	Ea.	
158	Modular Bell Push Switch	Ea.	
159	Plug Type step type Hum free Regulator for Modular	Ea.	
160	Switch Type step type Hum free Regulator for Modular	Ea.	
161	2 Way Switch Modular	Ea.	
162	6 to 32 Amp S.P. MCB Modular	Ea.	
163	6 to 32 Amp D.P. MCB Modular	Ea.	
164	Modular Angle Holder	Ea.	
165	Modular Batten Holder	Ea.	
166	16/25 A Modular AC starter	Ea.	
167	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
168	TV Co-axial Socket out	Ea.	
	Tissino Type Switch and Fan Regulator		
169	6 Amp (simple) Tissino Type Switch	Ea.	
170	16 Amp (simple) Tissino type Switch	Ea.	
171	6 Amp Tissino type 2-Way Switch	Ea.	
172	Tissino Type Bell Push	Ea.	
173	6 Amp (simple) 2 IN 1 Socket Tissino type Plug	Ea.	
174	16 Amp (Simple) Tissino type Plug	Ea.	
175	Holder Adapter	Ea.	
176	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
177	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
178	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S S Combine with box)	Ea.	
179	Angle Holder	Ea.	
180	Batten Holder	Ea.	
181	Pendent Holder	Ea.	
182	Bakelite Ceiling Rose	Ea.	
183	6 to 32 Amp S.P. MCB	Ea.	
184	6 to 32 Amp D.P. MCB	Ea.	
185	6 Amp 3 Pin Top	Ea.	
186	16 Amp 3 Pin Top	Ea.	

187	5 Amp Connector Strip	Ea.	
188	10 Amp Connector Strip	Ea.	
189	Male Female 2 Pin Connector	Ea.	
	Conduits & Pipes Accessories		
190	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
191	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	
192	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	
193	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	
194	Junction 1 Way 20 mm	Ea.	
195	Junction 1 Way 25 mm	Ea.	
196	Junction 1 Way 32 mm	Ea.	
197	Junction 2 Way 20 mm	Ea.	
198	Junction 2 Way 25mm	Ea.	
199	Junction 2 Way 32 mm	Ea.	
200	Junction 3 Way 20mm	Ea.	
201	Junction 3 Way 25 mm	Ea.	
202	Junction 3 Way 32 mm	Ea.	
203	Junction 4 Way 20 mm	Ea.	
204	Junction 4 Way 25mm	Ea.	
205	Junction 4 Way 32 mm	Ea.	
206	Coupling 20 mm	Ea.	
207	Coupling 25 mm	Ea.	
208	Coupling 32 mm	Ea.	
209	Elbow 20 mm	Ea.	
210	Elbow 25 mm	Ea.	
211	Elbow 32 mm	Ea.	
212	Tee 20 mm	Ea.	
213	Tee 25 mm	Ea.	
214	Tee 32 mm	Ea.	
	Casing-Capping Accessories		
215	PVC Casing Capping Double Lock ISI Type 12/20 mm (2 Mtr.)	No.	
216	PVC Casing Capping Double Lock ISI Type 12/25 mm (2 Mtr.)	No.	
217	PVC Casing Capping Double Lock ISI Type 12/32 mm (2 Mtr.)	No.	
218	UPVC cable trunking system ISI size 50 mm x 50 mm trunking (2 Mtr.)	No.	
219	External Coupler 25mm	Ea.	
220	External Coupler 32 mm	Ea.	
221	Internal coupler 25mm	Ea.	
222	Internal coupler 32 mm	Ea.	
223	Elbow 25mm	Ea.	
224	Elbow 32 mm	Ea.	
225	Tee 3/4 Way 25mm	Ea.	
226	Tee 3/4 Way 32 mm	Ea.	
227	Inner/Outer 25mm	Ea.	
228	Inner/Outer 32mm	Ea.	
229	Junction 1 Way 25mm	Ea.	
230	Junction 1 Way 32 mm	Ea.	
231	Junction 2 Way 25 mm	Ea.	
232	Junction 2 Way 32 mm	Ea.	
233	Junction 3 Way 25 mm	Ea.	
234	Junction 3 Way 32 mm	Ea.	
235	Junction 4 Way 25mm	Ea.	
236	Junction 4 Way 32 mm	Ea.	
237	Coupler 25 mm	Ea.	
238	Coupler 32 mm	Ea.	

	Cable Tie		
239	300 MM Cable Tie (100 Nos.)	PKT	
240	250 MM Cable Tie (100 Nos.)	PKT	
241	200 MM Cable Tie (100 Nos.)	PKT	
242	150 MM Cable Tie (100 Nos.)	PKT	
243	100 MM Cable Tie (100 Nos.)	PKT	
	C-Clamp		
244	4 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
245	6 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
246	8 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
247	9 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
248	10 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
249	12 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
250	20 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
251	25 mm PVC Clips for Cable (Saddle) (100 Nos.)	PKT	
	Khili		
252	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
253	khili for Wiring (1.5") (2.5 kg box) (Doba Khili)	PKT	
	Different Size Screw		
254	Metal Screw 13 x 6 mm (1000 nos.)	PKT	
255	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
256	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
257	Metal Screw 36 x 6 mm (500 nos.)	PKT	
258	Metal Screw 45 x 6 mm (500 nos.)	PKT	
259	Metal Screw 50 x 6 mm (500 nos.)	PKT	
260	Metal Screw 35 x 8 mm (500 nos.)	PKT	
261	Black Metal Screw 13 x 6 mm (1000 nos.)	PKT	
262	Black Metal Screw 19 x 6 mm (900 nos.)	PKT	
263	Black Metal Screw 25 x 6 mm (800 nos.)	PKT	
264	Black Metal Screw 32 x 6 mm (600 nos.)	PKT	
265	Black Metal Screw 38 x 6 mm (570 nos.)	PKT	
266	Black Metal Screw 50 x 6 mm (400 nos.)	PKT	
267	Black Metal Screw 60 x 6 mm (250 nos.)	PKT	
268	Black Metal Screw 75 x 6 mm (200 nos.)	PKT	
269	Machine Metal Screw 5 x 16 mm Nut-bolt with washer (5 Kg.)	PKT	
	Other Accessories		
270	Electrical insulation Tape Roll length of 6 meter each with different colour (R-Y-B-N)	Ea.	
271	Wooden Grip Packet (50 NOS)	PKT	
272	PVC Grip Packet	PKT	
273	Aluminum Strip (10 Ft. long)	Ea.	
274	Rubber Clamp (fan)	Ea.	
275	1.5 V Pencil Cell AAA size	Ea.	
276	1.5 V Pencil Cell AA size	Ea.	
277	Long Lasting High Power 1.5 V Pencil Cell AA1 size equivalent to Panasonic Evolta or Its equivalent	Ea.	
278	9 V Battery Cell	Ea.	
279	12 V 23 A Alkaline Battery Cell	Ea.	
280	Pin type Aluminum Lug for wire/cable size 2.5/4 sq. mm cable	Ea.	
281	Pin type Aluminums Lug for wire/cable size 6/10 sq. mm cable	Ea.	
282	Pin type Aluminum Lug for wire/cable size 16 sq. mm cable	Ea.	
283	Pin type Copper lug for cable size 2.5/4 sq. mm	Ea.	
284	Pin type Copper lug for cable size 6/10 sq. mm	Ea.	
285	Pin type Copper lug for cable size 16 sq. mm cable	Ea.	

286	Ring type Aluminum Lug for wire/cable size 2.5/4 sq. mm cable	Ea.	
287	Ring type Aluminums Lug for wire/cable size 6/10 sq. mm cable	Ea.	
288	Ring type Aluminum Lug for wire/cable size 16 sq. mm cable	Ea.	
289	Ring type Copper lug for 2.5/4 sq. mm cable	Ea.	
290	Ring type Copper lug for 6/10 sq. mm cable	Ea.	
291	Ring type Copper lug for 16 sq. mm cable	Ea.	
292	6 x 6 Pvc pwd cutting Board with Plate	Ea.	
293	6 x 8 Pvc pwd cutting Board with Plate	Ea.	
294	8 x 10 Pvc pwd cutting Board with Plate	Ea.	
295	10 x 12 Wooden Board with Plate	Ea.	
296	1 Way PVC Gang Box	Ea.	
297	2 Way PVC Gang Box	Ea.	
298	3 Way PVC Gang Box	Ea.	
299	4 Way PVC Gang Box	Ea.	
300	6 Way PVC Gang Box	Ea.	
301	63 A HRC fuse din type Fuse	Ea.	
302	100 A HRC fuse din type Fuse	Ea.	
303	125 A HRC fuse din type Fuse	Ea.	
304	160 A HRC fuse din type Fuse	Ea.	
305	200 A HRC fuse din type Fuse	Ea.	
306	250A HRC fuse din type Fuse	Ea.	
305	400A HRC fuse din type Fuse	Ea.	
306	500A HRC fuse din type Fuse	Ea.	
307	630A HRC fuse din type Fuse	Ea.	
308	63 A 415V MEM Copper Fuse	Ea.	
309	100A 415V MEM Copper Fuse	Ea.	
310	200A 415V MEM Copper Fuse	Ea.	
310	500 A 415V MEM Copper Fuse	Ea.	
311	63 A 415V MEM Copper Fuse with lugs patti	Ea.	
312	100A 415V MEM Copper Fuse with lugs patti	Ea.	
313	200A 415V MEM Copper Fuse with lugs patti	Ea.	
314	500 A 415V MEM Copper Fuse with lugs patti	Ea.	
315	200 A Bolted type HRC Copper Fuse	Ea.	
316	500 A Bolted type HRC Copper Fuse	Ea.	
317	10 W Led Bulkhead Fitting	Ea.	
318	1 W Led Torch	Ea.	
319	3 W Led Torch	Ea.	
320	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
321	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
322	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
323	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
324	L Slotted type Angel Rail thickness 1.6 mm, Length of 8 foot 3 inch	Nos.	
325	Z Type Clamp Length 175 mm x Width 25 mm x thickness 4 mm	Nos.	

SEAL & SIGNATURE OF THE TENDERER:-

Approved Vendors' List

Sr. No.	Equipments/ Accessories	Make
1	Switch and Accessories	Anchor, Jainex,, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointer, Allwyn, Promot
2	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T,C & S, Legrand
3	Tube Lights, lamps,	Philips, Havells, Bajaj, Surya, Crompton, Wipro
4	Led Lamps, LED Tube	Philips, Havells, Bajaj,Osram,Crompton,Syska,wipro
5	Led Panel Light/Flood light	Philips, Havells, Bajaj, Surya, Crompton,wipro,osram
6	ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Bajaj, Atomberg, Khaitan
7	BLDC fan	Crompton, Havells, Usha, Bajaj, Atomberg, Khaitan
8	PVC Pipe/casing capping accessories	Precision, Polycab, Finolex, Nihir, Prestoplast
9	Insulating PVC Tape	Anchor / Still Grip

NOTE: Prior approval from SMC for the vendors of the items not listed in above table shall invariably taken before supply.

Executive Engineer
West (Rander) Zone
Surat Municipal Corporation

SEAL & SIGNATURE OF THE TENDERER:-

