

Surat Municipal Corporation  
East (Varachha) Zone-A  
Quotation Inquiry form

QUOTATION NO. Dy. Comm.(D.)/EZ-A/ 03/2026-27		DATE:	14/05/2026
NAME OF WORK :-	Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Various municipal buildings & Nagar prathmic school's within East Zone-A area limit for the period of Two(02) year.		
ESTIMATED AMOUNT :-	Rs.5,00,000/-	EMD AMOUNT :-	Rs.5000/-
VALIDITY PERIOD :-	120 Days	Agency Category :-	Experienced
REQUIRED DOCUMENTS :-	(1) Permanent Account Number (PAN) copy. (2) GST Registration certificate. (3) Active Experience Document		
TENDER AVAILABILITY :-	ONLINE		
ISSUING AUTHORITY :-	Executive Engineer, East(Varachha)Zone-A, Surat		
ISSUING OFFICE :-	Administrative office, East(Varachha)Zone-A, Prajapita Brahma Kumari Road, L.H.Road, Opp. Panchavati wadi, Varachha, Surat.		
INVITING AUTHORITY :-	Executive Engineer, East(Varachha)Zone-A ,Surat		
SUBMISSION DATE :-	Last date: 29/05/2026 Time :- up to 18.00 P.M.		
SUBMITTED TO :-	EXECUTIVE ENGINEER, EAST (VARACHHA) ZONE-A, PRAJAPITA BRAHMAKUMARI ROAD, L.H.ROAD, OPP.PANCHAVATI WADI, VARACHHA, SURAT		
G.S.T. WILL BE APPLICABLE IN ACCORDANCE WITH THE PREVAILING NORMS OF GOVERNMENT.			
GST clause for construction/ erection/ commissioning/ installation/ pairs/maintenance/ renovation/ fabrication of structure including building (means all works contract/ turnkey project/supply of material/goods)			
<p>GST(Goods &amp; Service Tax) has come in existence from 1st July 2017 Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of Contract agreed upon during the course of execution of this Contract.</p> <p>During the course of execution of Contract if there is any change in Rate of GST (Goods&amp; Service Tax) by the Government the same shall be reimbursed / recovered separately by SMC, subject to the submission of Original Receipt / Proof for the amounts actually remitted by the Successful Tenderer / Contractor to the Competent Authority along with a Certificate firm Chartered Accountant of Contractor / Successful Bidder certifying that the amount of GST paid to the Government and the same shall be intimated / submitted / claimed within 30(Thirty) Days form the date of payment Remittance of GST within stipulated period shall be the sole responsibility of the Successful Bidder / Contractor, failing which , SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the Contractor/ Successful Bidder in this regard Further, the nonpayment of GST to the Government may lead to the termination of contract and forfeiture of Security Deposit / Performance Guarantee Amount.</p> <p>If imposition of any other new Taxes/Duties/Levies/Cess or any other incidentals etc. or any increase in the existing Taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract. the same shall be borne by the Contractor/ Successful Bidder only, in no case SMC shall be liable for the same.</p>			
	SIGNATURE OF ISSUING AUTHORITY		
	S/D		
	EXECUTIVE ENGINEER EAST(VARACHHA) ZONE-A SURAT MUNICIPAL CORPORATION		

**Maulik M. Rao,**  
**Executive Engineer.**



**East (Varachha) Zone - A**  
**Surat Municipal Corporation**

Beside Brhamkumaris, Saif Soc., Lambe Hanuman Road, Surat.

## QUOTATION INQUIRY

EZ-A - No.749

Dtd.: - 14/05/2026

To,

.....  
.....  
.....  
.....

**Sub:** Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Various municipal buildings & Nagar prathmic school's within East Zone-A area limit for the period of Two(02) year.

Dear Sir,

Surat municipal corporation, East Zone-A is inviting quotation for the work of Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Various municipal buildings & Nagar prathmic school's within East Zone-A area limit for the period of Two (02) year.

You are requested to send your offer in a sealed cover with **E.M.D of Rs.5,000/-** in the form of demand draft/ banker's cheque in favour of the "Municipal Commissioner, Surat Municipal Corporation" payable at Surat. So as to reach in the office of Executive Engineer [East Zone-A] on or before Dt.29/05/2026 up to 6.00 pm. Please note that the sealed cover shall be super scribed with the name of work "**Supply of various electrical material like electrical accessories, wires, cable etc. for electric maintenance work of Various municipal buildings & Nagar prathmic school's within East Zone-A area limit for the period of Two (02) year.**" The terms & conditions for this offer are as follow, failing which the quotation shall be rejected out rightly.

SR. NO	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
<b>Lamp &amp; Halogen tube</b>			
1	40W tungsten filament lamp	Ea.	
2	60W tungsten filament lamp	Ea.	
3	100W tungsten filament lamp	Ea.	
4	7 W LED LAMP	Ea.	
5	9 W LED LAMP	Ea.	
6	12 W LED LAMP	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
<b>Led Light &amp; Accessories</b>			
7	2.0 x 2.0 feet square 36 (Watt) LED Fixture for indoor lighting or its equivalent	Ea.	
8	2.0 x 2.0 feet square 36 (Watt) LED Fixture Driver for indoor lighting or its equivalent	Ea.	
9	4.0 Ft. (1200 mm ) Complete PVC T5 LED Tube Light 18/20 Watt Lumen out 2000/2100 luminary Efficacy 100lm/watt	Ea.	
10	4.0 Ft. (1200 mm ) Complete Aluminium body T5 LED Tube Light 18/20 Watt Lumen out 2000/2100 luminary Efficacy 100lm/watt	Ea.	
11	50-55 watt LED <b>Flood light fitting</b> having Efficacy 100lm/watt, CCT 5000K to 5700K	Ea.	
12	30-35 watt LED <b>Flood light fitting</b> having Efficacy 100lm/watt, CCT 5000K to 5700K	Ea.	
13	150-250 watt LED <b>Flood light fitting</b> having Efficacy 100lm/watt, CCT 3000K to 3500K	Ea.	
14	18/20W, 240V, 50Hz, LED Panel Light (Square/Round)	Ea.	
15	12/15W, 240V, 50Hz, LED Panel Light (Square/Round),	Ea.	
<b>Ceiling Fan &amp; Accessories</b>			
16	Supply of 1200 mm Sweep (48") ,BEE 5 Star rated, Ceiling fan with <b>Brush Less Direct Current (BLDC)</b> permanent ferrite magnet Motor, Rust free 3 nos. Aluminium blades, 2 nos. canopies, Air delivery minimum 215 CMM, 350 RPM	Ea.	
17	<b>Ceiling Fan,(48") , 1200 mm</b> , Energy Efficient, High Speed, Air Delivery, Minimum 218 CMM input power Maximum 55 Watt	Ea.	
18	<b>Pedestal fan A.C. 230V. 50 Cy/s. 400 mm</b> sweep oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
19	<b>Wall fan A.C. 230V. 50 Cy/s. 400 mm sweep</b> oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
20	<b>Wall fan A.C. 230V. 50 Cy/s. 450 mm sweep</b> oscillating, type and adjustable, height complete with guard regulator & standard lead flexible wires and plug top.	Ea.	
21	Supplying single phase approved make <b>industrial Wall fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having <b>600 mm</b> dia size and maximum speed 1440 RPM	Ea.	
22	Supplying single phase approved make <b>industrial exhaust fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having <b>305 mm</b> dia size and maximum speed <b>900 RPM</b>	Ea.	
23	Supplying single phase approved make <b>industrial exhaust fan</b> suitable for medium duty ring mounted low noise operation suitable for medium duty having <b>450 mm</b> dia size and maximum speed <b>900 RPM</b>	Ea.	
24	Supplying & erecting approved make low <b>noise decorative exhaust fan</b> having square frame ABS body with inbuilt lowers & square frame. Having <b>200 mm</b> with 1350 rpm	Ea.	
25	Supplying & erecting approved make low noise <b>decorative exhaust fan</b> having square frame ABS body with inbuilt lowers & square frame. Having <b>250 mm</b> with 1350 rpm	Ea.	
26	Capacitor 440 V AC,1.5 µf	Ea.	
27	Capacitor 440 V AC,2.5 µf	Ea.	
28	Capacitor 440 V AC,10 uf	Ea.	
29	Capacitor 440 V AC,15 uf	Ea.	
30	Capacitor 440 V AC,20 uf	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
31	Capacitor 440 V AC,25 uf	Ea.	
32	Capacitor 440 V AC,36 uf	Ea.	
33	Capacitor 440 V AC,50 uf	Ea.	
34	Capacitor 440 V AC,100/120 uf	Ea.	
35	Capacitor 440 V AC,120/150 uf	Ea.	
36	Capacitor 440 V AC,150/200 uf	Ea.	
37	Capacitor 440 V AC,200/250 uf	Ea.	
38	Capacitor 440 V AC,100/120 uf	Ea.	
39	1.5 ft Ceiling fan pipe	Ea.	
40	2 ft Ceiling fan pipe	Ea.	
41	2.5 ft Ceiling fan pipe	Ea.	
42	3 ft Ceiling fan pipe	Ea.	
43	4 ft Ceiling fan pipe	Ea.	
<b>Ding Dong Bell</b>			
44	Ding Dong Bell	Ea.	
45	Remote Operated Ding Dong Bell	Ea.	
46	Buzzer	Ea.	
47	Electric gong bell	Ea.	
48	Parrot Bell	Ea.	
<b>Miniature Circuit Breaker (MCB)</b>			
<b>MCB Enclosure</b>			
49	1/2 MCB box PVC Enclosure	Ea.	
50	3/4 MCB box PVC Enclosure	Ea.	
51	MCB Metal Enclosure for Double Pole	Ea.	
52	MCB Metal Enclosure for Four Pole	Ea.	
<b>MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA</b>			
53	1 Amp. Single pole (SP) MCB	Ea.	
54	6 Amp. Single pole (SP) MCB	Ea.	
55	10 Amp. Single pole (SP) MCB	Ea.	
56	16 Amp. Single pole (SP) MCB	Ea.	
57	20 Amp. Single pole (SP) MCB	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
58	32 Amp. Single pole (SP) MCB	Ea.	
59	6 Amp. Double pole (DP) MCB	Ea.	
60	10 Amp. Double pole (DP) MCB	Ea.	
61	16 Amp. Double pole (DP) MCB	Ea.	
62	25 Amp. Double pole (DP) MCB	Ea.	
63	32 Amp. Double pole (DP) MCB	Ea.	
64	40 Amp. Double pole (DP) MCB	Ea.	
<b>MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA</b>			
65	20 Amp. Four pole (FP) MCB	Ea.	
66	32 Amp. Four pole (FP) MCB	Ea.	
67	40 Amp. Four pole (FP) MCB	Ea.	
68	63 Amp. Four pole (FP) MCB	Ea.	
69	20 Amp. Three pole (TP) MCB	Ea.	
70	32 Amp. Three pole (TP) MCB	Ea.	
71	40 Amp. Three pole (TP) MCB	Ea.	
72	63 Amp. Three pole (TP) MCB	Ea.	
<b>MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA</b>			
73	6 Amp. Single Pole(SP) MCB	Ea.	
74	10 Amp. Single pole (SP) MCB	Ea.	
75	16 Amp. Single pole (SP) MCB	Ea.	
76	32 Amp. Single pole (SP) MCB	Ea.	
77	6 Amp. Double Pole(DP) MCB	Ea.	
78	10 Amp. Double Pole(DP) MCB	Ea.	
79	16 Amp. Double Pole(DP) MCB	Ea.	
80	25 Amp. Double Pole(DP) MCB	Ea.	
84	32 Amp. Double Pole(DP) MCB	Ea.	
81	40 Amp. Double Pole(DP) MCB	Ea.	
<b>MCB B-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA</b>			
82	16 Amp. Four Pole(FP) MCB	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
83	25 Amp. Four Pole(FP) MCB	Ea.	
84	32 Amp. Four Pole(FP) MCB	Ea.	
85	40 Amp. Four Pole(FP) MCB	Ea.	
86	63 Amp. Four Pole(FP) MCB	Ea.	
<b>MCCB</b>			
87	63 Amp. Four Pole (FP) MCCB	Ea.	
88	100 Amp. Four Pole (FP) MCCB	Ea.	
89	125 Amp. Four Pole (FP) MCCB	Ea.	
<b>RCCB</b>			
90	25 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
91	25 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
92	40 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
93	40 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
94	63 Amp. Double Pole (DP) RCCB 30 mA sensitivity	Ea.	
95	63 Amp. Double Pole (DP) RCCB 100 mA sensitivity	Ea.	
96	25 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
97	25 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
98	40 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
99	40 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
100	63 Amp. Four Pole (FP) RCCB 30 mA sensitivity	Ea.	
101	63 Amp. Four Pole (FP) RCCB 100 mA sensitivity	Ea.	
<b>MCB DISTRIBUTION BOARDS</b>			
102	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 4 way single door	Ea.	
103	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 4 way double door	Ea.	
104	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 6 way single door	Ea.	
105	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 6 way double door	Ea.	
106	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 8 way single door	Ea.	
107	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 8 way double door	Ea.	
108	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 12 way single door	Ea.	
109	Sheet Steel powder coated MCB distribution board - flush / surface mounted Single phase 12 way double door	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
110	Sheet Steel powder coated MCB distribution board - flush / surface mounted Three phase 4 way SS Double door PPI type for single phase outgoing horizontal box	Ea.	
111	Sheet Steel powder coated MCB distribution board - flush / surface mounted Three phase 8 way SS Double door PPI type for single phase outgoing horizontal box	Ea.	
<b>Flexible Wire Cable</b>			
112	1.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
113	1.5 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
114	2.5 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
115	4.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
116	6.0 sq. mm ISI marked 1.1 kv grade FR PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
117	1.0 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
118	1.5 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
119	2.5 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
120	4.0 sq. mm ISI marked 1.1 kv grade FRLS PVC insulated multi strand copper wires (RYBN Colour)	Mtr.	
121	40/42 mm Twins Twisted Flexible Copper Wire (Red & Black)	Mtr.	
1222	2.50 Sq.mm 2 core Alluminium Flat Cable	Mtr.	
123	1.00 Sq.mm 2 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
124	1.00 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
125	1.50 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
126	2.50 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
127	4.00 Sq.mm 3 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
128	2.50 Sq.mm 4 core round Flexible PVC insulated multi strand multi core 1.1 kv grade ISI marked copper wires	Mtr.	
129	CAT-6 UTP Cable	Mtr.	
<b>Modular Accessories</b>			
<b>Modular Board</b>			
130	2-Up PVC Modular board Surface	Ea.	
131	3-Up PVC Modular board Surface	Ea.	
132	4-Up PVC Modular board Surface	Ea.	
133	6-Up PVC Modular board Surface	Ea.	
134	8-Up PVC Modular board Surface	Ea.	
135	12-Up PVC Modular board Surface	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
136	16-Up PVC Modular board Surface	Ea.	
137	18-Up PVC Modular board Surface	Ea.	
<b>Modular Plate</b>			
138	2-Up Modular plate	Ea.	
139	3-Up Modular plate	Ea.	
140	4-Up Modular plate	Ea.	
141	6-Up Modular plate	Ea.	
142	8-Up Modular plate	Ea.	
143	12-Up Modular plate	Ea.	
144	16-Up Modular plate	Ea.	
145	18-Up Modular plate	Ea.	
<b>Modular Type Switch and Regulator</b>			
146	Dummy Plate Modular	Ea.	
147	Indicator Modular	Ea.	
148	Modular Switch 6 Amp	Ea.	
149	Modular Switch 16 Amp	Ea.	
150	Modular Plug 6 Amp	Ea.	
151	Modular Plug 16 Amp	Ea.	
152	Modular Bell Push Switch	Ea.	
153	Plug type Regulator for Modular	Ea.	
154	Switch type Regulator for Modular	Ea.	
155	2 way Switch Modular	Ea.	
156	6 to 32 Amp S.P. MCB Modular	Ea.	
157	6 to 32 Amp D.P. MCB Modular	Ea.	
158	Modular Angel holder	Ea.	
159	Modular Battan holder	Ea.	
160	AC starter Modular 16/25 A	Ea.	
161	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
162	TV Co-axial Socket out	Ea.	
<b>Tissino Type Switch and Fan Regulator</b>			
163	Tissino type Switch 6 Amp (Simple)	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
164	Tissino type Switch 16 Amp (Simple)	Ea.	
165	Tissino type 2-way Switch 6 Amp	Ea.	
166	Tissino type Bell Push	Ea.	
167	Tissino type Plug 6 Amp (Simple)2 IN 1 SOCKET	Ea.	
168	Tissino type Plug 16 Amp (Simple)	Ea.	
169	Electronic Hum free EME Socket Type Steps Fan Regulator( Plug Type)	Ea.	
170	Electronic Hum free EME Socket Type Steps Fan Regulator( Switch Type)	Ea.	
171	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S.S.Combine)	Ea.	
172	Angle Holder	Ea.	
173	Button Holder	Ea.	
174	Pendent Holder	Ea.	
175	Bakelite ceiling, rose	Ea.	
176	6 to 32 Amp S.P. MCB	Ea.	
177	6 to 32 Amp D.P. MCB	Ea.	
178	3 Pin Top, 6 Amp	Ea.	
179	3 Pin Top, 16 Amp	Ea.	
180	5 Amp Connector strip	Ea.	
181	10 Amp Connector strip	Ea.	
182	Male Female 2 Pin Connector	Ea.	
<b>Conduits &amp; Pipes Accessories</b>			
183	20 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
184	25 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
185	32 mm Medium class RIGID PVC PIPES (3 mtr.)	Mtr	
186	20 mm PVC Corrugated Flexible Conduit	Mtr	
187	25 mm PVC Corrugated Flexible Conduit	Mtr	
188	32 mm PVC Corrugated Flexible Conduit	Mtr	
189	Saddle Base with Screw suitable for 20 mm RIGID PVC PIPES	Ea.	
190	Saddle Base with Screw suitable for 25 mm RIGID PVC PIPES	Ea.	
191	Saddle Base with Screw suitable for 32 mm RIGID PVC PIPES	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
192	Junction 1 way 20/25/32 mm	Ea.	
193	Junction 2 way 20/25/32 mm	Ea.	
194	Junction 3 way 20/25/32 mm	Ea.	
195	Junction 4 way 20/25/32 mm	Ea.	
196	Coupling 20/25/32 mm	Ea.	
197	Elbow 20/25/32 mm	Ea.	
198	Tee 20/25/32 mm	Ea.	
<b>Casing - Capping Accessories</b>			
199	Pvc casing capping double lock type 12/20 mm	Ea.	
200	Pvc casing capping double lock type 12/25 mm	Ea.	
201	Pvc casing capping double lock type 12/32 mm	Ea.	
202	External Coupler 20/25/32 mm	Ea.	
203	Internal Coupler 20/25/32 mm	Ea.	
204	Elbow 20/25/32 mm	Ea.	
205	Tee 3/4 way 20/25/32 mm	Ea.	
206	Inner/Outer 20/25/32 mm	Ea.	
207	Junction 1 way 20/25/32 mm	Ea.	
208	Junction 2 way 20/25/32 mm	Ea.	
209	Junction 3 way 20/25/32 mm	Ea.	
210	Junction 4 way 20/25/32 mm	Ea.	
211	Junction Cover 1/2/3/4 way 20/25/32 mm	Ea.	
212	Coupler 20/25/32 mm	Ea.	
<b>CableTie</b>			
213	Cable TIE, 250 MM (100 Nos.)	PKT	
214	Cable TIE, 200 MM (100 Nos.)	PKT	
215	Cable TIE, 150 MM (100 Nos.)	PKT	
216	Cable TIE, 100 MM (100 Nos.)	PKT	
<b>C-Clamp</b>			
217	4mm cable clips (sedal) (100 Nos.)	PKT	
218	6mm cable clips (sedal) (100 Nos.)	PKT	
219	8mm cable clips (sedal) (100 Nos.)	PKT	
220	10mm cable clips (sedal) (100 Nos.)	PKT	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
<b>Khili</b>			
221	khili for wiring (1") (2.5 kg box) (Doba khili)	KG	
222	3" Galvanized Khili (2.5 kg box)	KG	
<b>Different Size Screw</b>			
223	Screw 13 x 6 mm (Black) (1 kg)	PKT	
224	Screw 19 x 6 mm (Black) (1 kg)	PKT	
225	Screw 25 x 6 mm (Black) (1 kg)	PKT	
226	Screw 32 x 6 mm (Black) (1 kg)	PKT	
227	Screw 38 x 6 mm (Black) (1 kg)	PKT	
228	Screw 50 x 6 mm (Black) (1 kg)	PKT	
229	Screw 35 x 8 mm (Black) (1 kg)	PKT	
230	POP Screw 50 x 6 mm (Black 4 head) (1 kg)	PKT	
<b>Other Equipment</b>			
231	Electrical insulation Tape roll (R-Y-B-N)	Ea.	
232	wooden Grip packet (>50 Nos.)	PKT	
233	PVC Grip packet	PKT	
234	Aluminium Strip 10 Ft	Ea.	
235	Rubber Clamp(Fan)	Ea.	
236	Pencil cell AAA size 1.5 V	Ea.	
237	Pencil Cell AA size 1.5 V	Ea.	
238	9 V Battery cell	Ea.	
239	12 V 23A Alkaline Battery Cell	Ea.	
240	Aluminium Lug pin type as per above wire/cable size 2.5/4.0 sq.mm cable	Ea.	
241	Aluminium Lug pin type as per above wire/cable size 6.0/10.0 sq.mm cable	Ea.	
242	Aluminium Lug pin type as per above wire/cable size 16.0 sq.mm cable	Ea.	
243	Copper lug pin type for 2.5/4.0 sq.mm cable	Ea.	
244	Copper Lug pin type for wire/cable size 6.0/10.0 sq.mm cable	Ea.	
245	Copper Lug pin type for wire/cable size 16.0 sq.mm cable	Ea.	
246	Aluminium Lug ring type as per above wire/cable size 2.5/4.0 sq.mm cable	Ea.	
247	Aluminium Lug ring type as per above wire/cable size 6.0/10.0 sq.mm cable	Ea.	
248	Aluminium Lug ring type as per above wire/cable size 16.0 sq.mm cable	Ea.	

Sr.No.	ITEM DESCRIPTION	UNIT	Rate Per Unit (With GST)
249	Copper lug pin type for 2.5/4.0 sq.mm cable	Ea.	
250	Copper Lug pin type for wire/cable size 6.0/10.0 sq.mm cable	Ea.	
251	Copper Lug pin type for wire/cable size 16.0 sq.mm cable	Ea.	
252	1 way PVC Gangbox	Ea.	
253	2 way PVC Gangbox	Ea.	
254	3 way PVC Gangbox	Ea.	
255	4 way PVC Gangbox	Ea.	
259	3 PLUG, 3 SWITCH PVC box (6 way Gang box)	Ea.	

- Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

### **VENDOR'S LIST**

Sr. No.	Equipments/ Accessories	Make
1	Wires	Torrent, Finolex, Havells, Kei, R R Kabel, Polycab
2	Un armoured Cable	Finolex, Torrent, Havells, Kei, RR Kabel, Bharat Cab, Cci, Universal, Incab, Gloster
3	Switch and Accessories	Anchor, Jainex,, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer, Allwyn, Promot
4	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand
5	lamps	Philips, Havells, Bajaj, Surya
6	Led Lamps, LED Tube	Philips, Havells, Bajaj, Surya, Osram
7	ceiling Fan, Pedestal / wall fan, Exhaust Fan	Crompton, Havells, Usha, Orient, Almonard.
8	BLDC fan	Crompton, Havells, Usha, Orient, Atomberg
9	PVC Pipe/casing capping accessories	Precision, Poly Cab, Finolex, Nihir
10	Insulating PVC Tape	Anchor / Still Grip
11	CAT-6	Finolex, R R Kabel, D-Link

### **Terms and Conditions:**

1. All the rates should be **Including of GST** and including of all other taxes duties, labour charges and transportation, loading unloading, watch and ward etc. up to delivery at East (Varachha) Zone -A light Department. Fulfilments of this condition are must or else the quotation shall be liable for outright rejection.
2. Rates must be filled in this quotation paper only and returned duly sealed & signed.
3. In case of any misunderstanding due to interpretation of any terms, conditions or specifications the decision of Executive Engineer, East Zone - A, Surat Municipal Corporation, Surat shall be final and binding on the part of contractor.
4. Price variation clause of any form shall not be accepted. Price shall remain firm till end of contract.

5. No correction, overwriting erasures in filling Quotation papers shall be considered unless countersigned. The material shall be supplied within 03 days of sub work order given.
6. No payment shall be made in advance.
7. 100% payment shall be released after supply of material as per requirement and submission of Bill.
8. If contractor fails to complete above work than penalty @ 0.2 % of amount unexecuted work per day delayed should be recovered from your bill. Maximum delay penalty shall be recovered 10% of unexecuted amount of sub work order.
9. Corporation will not issue any 'C' or 'D' form.
10. The contractor will not be provided any transportation fare or other charges.
11. Conditional Quotation shall not be accepted.
12. The firm must have an office in Surat.
13. The period of Annual Rate Contract for Supply of Electrical Materials will be two (02) year from the date of the award of the contract.
14. All Mentioned Electrical items supplied as per Vendor list only.

**SECURITY DEPOSIT/AGREEMENT/STAMP DUTY:-**

- Successful Contractor shall be required to deposit an amount equal to **2% of total order value as Security Deposit** in Cash/ by Demand Draft within 10 (Ten) days from date of work order, otherwise penalty @ 0.065% of the Security deposit Amount per day of delay shall be charged.
- Successful contractor shall also be required to enter into contract agreement along with undertaking and local surety on Gujarat Stamp Paper purchased from Surat worth Rs.900.00 (i.e. 300.00 + 300.00 + 300.00 for each) (to be brought from Surat by the contractor) on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.

S/D

Executive Engineer  
East(Varachha) Zone-A  
Surat Municipal Corporation

**SEAL & SIGNATURE OF THE TENDERER:-**