


Surat Municipal Corporation
New East (Sarothana) Zone
Quotation Inquiry form

QUOTATION NO.	DATE:	/	/2026
NAME OF WORK	Supply of various type Electrical Accessories for electrical maintenance work at various municipal properties of Part – 1 Area (Mota Varachha, Utran, Bharathana, Umra, Gothan, Abrama, Kathor, Velanja) falling in the New East (Sarothana) Zone		
ESTIMATED AMOUNT:	2,00,000 (with GST)	EMD AMOUNT:	Rs.2,000/-
VALIDITY PERIOD :	120 Days	Agency Category :	Supplier/Dealer/Distributor
REQUIRED DOCUMENTS	(1) Permanent Account Number (PAN) Copy (2) GST registration Certificate (3) Experience Certificate		
TENDER AVAILABILITY	120 Days		
ISSUING AUTHORITY	DEPUTY MUNICIPAL COMMISSIONER(D), New East (Sarothana) Zone, Surat		
ISSUING OFFICE	Administrative office, New East (Sarothana) Zone, Beside Sankalp Residency, Behind Syamdham Mandir Char Rasta, Sarothana, Surat.		
INVITING AUTHORITY	DEPUTY MUNICIPAL COMMISSIONER(D), New East (Sarothana) Zone, Surat		
SUBMISSION DATE	Last date: 25 / 05 /2026 Time : 06.00 P.M.		
SUBMITTED TO,	EXECUTIVE ENGINEER NEW EAST (SARTHANA) ZONE, Beside Sankalp Residency, Behind Syamdham Mandir Char Rasta, Sarothana, Surat.		
G.S.T. WILL BE APPLICABLE IN ACCORDANCE WITH THE PREVAILING NORMS OF GOVERNMENT.			
GST clause for construction/ erection/ commissioning/ installation/ pairs/maintenance/ renovation/ fabrication of structure including building (means all works contract/ turnkey project/supply of material/goods)			
<p>GST(Goods & Service Tax) has come in existence from 1st July 2017 Contractor / Successful Bidder is bound to pay any amount of GST prescribed by the Govt. of India as per the Terms of Contract agreed upon during the course of execution of this Contract.</p> <p>During the course of execution of Contract if there is any change in Rate of GST (Goods & Service Tax) by the Government the same shall be reimbursed / recovered separately by SMC, subject to the submission of Original Receipt / Proof for the amounts actually remitted by the Successful Tenderer / Contractor to the Competent Authority along with a Certificate firm Chartered Accountant of Contractor / Successful Bidder certifying that the amount of GST paid to the Government and the same shall be intimated / submitted / claimed within 30(Thirty) Days from the date of payment Remittance of GST within stipulated period shall be the sole responsibility of the Successful Bidder / Contractor, failing which , SMC may recover the amount due, from any other payable dues with SMC and decision of Municipal Commissioner shall be final and binding on the Contractor/ Successful Bidder in this regard Further, the nonpayment of GST to the Government may lead to the termination of contract and forfeiture of Security Deposit / Performance Guarantee Amount.</p> <p>If imposition of any other new Taxes/Duties/Levies/Cess or any other incidentals etc. or any increase in the existing Taxes/Duties/Levies/Cess or any other incidentals etc. (Excluding GST) are imposed during the course of the contract. the same shall be borne by the Contractor/ Successful Bidder only, in no case SMC shall be liable for the same.</p>			
	SIGNATURE OF ISSUING AUTHORITY		
			
	Executive Engineer New East (Sarothana) Zone Surat Municipal Corporation		

નવો ઇસ્ટ ઝોન (બી) - ઇજનેરી વિભાગ
 કાર્યાલય નં. ૩૩
 તારીખ ૨૫/૦૫/૨૦૨૬



Executive Engineer

New East(Sarthana)Zone

Surat Municipal Corporation

New East (Sarthana) Zone, Beside Sankalp Residency, Behind
Syamdham Mandir Char Rasta, Sarthana, Surat.
Ph. : 6359909506 - 6359909606

QUOTATION INQUIRY

To,

.....
.....
.....
.....
.....

નવો ઈસ્ટ સાર્થના ઝોનના લાઇટ વિભાગ
આરિટ વર્ક નં.....
તારીખ ૨૫/૦૫/૨૬

SUB:- Supply of various type Electrical Accessories for electrical maintenance work at various municipal properties of Part – 1 Area (Mota Varachha, Utran, Bharathana, Umra, Gothan, Abrama, Kathor, Velanja) falling in the New East (Sarthana) Zone.

You are requested to send your offer in a sealed cover with E.M.D of Rs. 2000/- in the form of demand draft / banker's cheque in favour of the "Municipal Commissioner, Surat Municipal Corporation" payable at Surat. So as to reach in the office of Executive Engineer [New East(Sarthana)Zone] on or before Dt. 25 / 05 /2026 up to 6.00 pm. Please note that the sealed cover shall be super scribed with the name of work " Supply of all Electrical material at New East (Sarthana) Zone Light department for 1 (one) year or upto limit of Rs.2,00,000.00 (in word Rupees Five Lac only)" The terms & conditions for this offer are as follow, failing which the quotation shall be rejected out rightly.

SURAT MUNICIPAL CORPORATION			
NEW EAST (SARTHANA) ZONE			
LIGHT DEPARTMENT			
SCHEDULE-B			
SR. NO.	ITEM DESCRIPTION	UNIT	RATE / UNIT. (WITHOUT GST)
****	TUBE LIGHT AND Lamp		
1	4 Ft. 18/20 Watt LED Complete PVC T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
2	2 Ft. 08/10 Watt T5 LED Complete PVC Tube Light Lumen Output 800/1000,	Ea.	
3	4 Ft. 18/20 Watt LED Complete Aluminum body T5 Tube Light Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	
4	2 Ft.08/10 Watt T5 LED Complete Aluminum body Tube Light Lumen Output 800/1000,	Ea.	
5	40W Tungsten Filament Lamp	Ea.	
6	60W Tungsten Filament Lamp	Ea.	
7	100W Tungsten Filament Lamp	Ea.	
8	9 W Led Lamp	Ea.	
9	12 W Led Lamp	Ea.	

10	20 W LED LAMP	Ea.	
****	Light & Accessories		
11	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	
12	PHILIPS DRIVER for 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent, Pin: 50W mac, U in: 240 Vac, I in 0.22 A max, P.F. ≥ 0.95 , I out : 280mA, V : U out -190 V DC max, self Declaration Conforming to IS 15885(Part 2/Sec:13)	Ea.	
13	DRIVER for 2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent, SIDL-36-600, Pin: 36W mac, V in: 230 Vac 50Hz, I in 160mA, P.F. > 0.9 , Athd : $< 10\%$, I out : 600mA, V : U out -54 V max, IS 15885(Part 2/Sec:13)	Ea.	
14	18/20 Watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	
15	20/24 LED Panel Light size 12 x 12 inch	Ea.	
16	12/15W Led Panel Light (Square/ Round), 1020 Lumens	Ea.	
17	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
18	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	
****	Ceiling Fan & Accessories		
19	Supply of 1200 mm Sweep (48"), BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC) permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades, 2 nos, canopies, shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9 , service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	
20	Ceiling fan, (48"), 1200 mm, Energy Efficient, BEE ≥ 1 Star rated, high Speed Air Delivery, Minimum 218 CMM input power maximum 53 W	Ea.	
21	Pedestal fan A.C. 230V. 50 Cy/s. 400 mm sweep oscillating type and adjustable height complete with guard, regulator & standard lead fleixble wires and plug top.	Ea.	
22	Single phase industrial Pedestal fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A, 180 Watt.	Ea.	
23	Wall fan A.C. 230 V. 50 Cy/s. 400 mm sweep oscillating, type and adjustable height complete with guard, regulator & standard lead flexible wires and plug top	Ea.	
24	Wall fan A.C. 230 V. 50 Cy/s. 450 mm sweep oscillating, type and adjustable height complete with guard regulator & standard lead flexible wires and plug top	Ea.	
25	Single phase approved make industrial Wall fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 600 mm dia size and maximum speed 1440 RPM 0.80 A, 180 Watt.	Ea.	
26	Single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 300 mm dia size and maximum speed 1350 RPM	Ea.	
27	Single phase approved make industrial exhaust fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM	Ea.	

28	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 150 mm with 1350 RPM	Ea.	
29	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 200 mm with 1350 RPM	Ea.	
30	approved make low noise decorative exhaust fan having square frame ABS body with inbuilt lowers & square frame, Having 250 mm with 1310 RPM	Ea.	
31	Capacitor 440 V AC,2.5 uf (oiled filled)	Ea.	
32	Capacitor 440 V AC,25 uf	Ea.	
33	Capacitor 440 V AC,36 uf	Ea.	
34	Capacitor 440 V AC,50 uf	Ea.	
35	Capacitor 440 V AC,100/120 uf	Ea.	
36	1.5 ft Ceiling fan MS pipe	Ea.	
37	2 ft Ceiling fan MS pipe	Ea.	
38	2.5 ft ceiling fan MS pipe	Ea.	
39	3 ft ceiling fan MS pipe	Ea.	
40	4 ft ceiling fan MS pipe	Ea.	
41	Ding Dong Bell	Ea.	
****	BELL/BUZZER/HOOTER		
42	Remote Operated Ding Dong Bell	Ea.	
43	Buzzer	Ea.	
44	Industrial Gong bell 9inch	Ea.	
45	Standard Industrial Bell (School Bell) 240 V Ac 225mm	Ea.	
46	Standard Industrial Bell (School Bell) 240 V Ac 150 mm	Ea.	
47	Musical Bell	Ea.	
48	parrot Bell	Ea.	
	MODULAR ACCESSORIES		
49	Modular Board		
50	2-Up PVC Modular Board Surface	Ea.	
51	3-Up PVC Modular Board Surface	Ea.	
52	4-Up PVC Modular Board Surface	Ea.	
53	6-Up PVC Modular Board Surface	Ea.	
54	8-Up PVC Modular Board Surface	Ea.	
55	12-Up PVC Modular Board Surface	Ea.	
56	16-Up PVC Modular Board Surface	Ea.	
57	18-Up PVC Modular Board Surface	Ea.	
****	Modular Plate		
58	2-Up Modular Plate	Ea.	
59	3-Up Modular Plate	Ea.	
60	4-Up Modular Plate	Ea.	
61	6-Up Modular Plate	Ea.	
62	8-Up Modular Plate	Ea.	
63	12-Up Modular Plate	Ea.	
64	16-Up Modular Plate	Ea.	
65	18-Up Modular Plate	Ea.	
****	Modular Type Switch and Regulator		
66	Dummy Plate Modular	Ea.	
67	Indicator Modular	Ea.	
68	Modular Switch 6 Amp	Ea.	
69	Modular Switch 16 Amp	Ea.	
70	Modular Plug 6 Amp	Ea.	

71	Modular Plug 16 Amp	Ea.	
72	Modular Bell Push Switch	Ea.	
73	Plug Type step type Hum free Regulator for Modular	Ea.	
74	Switch Type step type Hum free Regulator for Modular	Ea.	
75	2 Way Switch Modular	Ea.	
76	6 to 32 Amp S.P. MCB Modular	Ea.	
77	6 to 32 Amp D.P. MCB Modular	Ea.	
78	Modular Angle Holder	Ea.	
79	Modular Batten Holder	Ea.	
80	AC starter Modular 16/25 A	Ea.	
81	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	
82	TV Co-axial Socket out	Ea.	
****	Tissino Type Switch, Fan Regulator & Accessories		
83	Tissino Type Switch 6 Amp (simple)	Ea.	
84	Tissino type Switch 16 Amp (simple)	Ea.	
85	Tissino type 2-Way Switch 6 Amp	Ea.	
86	Tissino Type Bell Push	Ea.	
87	Tissino type Plug 6 Amp (simple) 2 IN 1 Socket	Ea.	
88	Tissino type Plug 16 Amp (Simple)	Ea.	
89	Holder Adapter	Ea.	
90	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	
91	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	
92	One no Single pole 16A Switch & One no 6/16A Universal Socket combined (S S Combine with box)	Ea.	
93	Angle Holder	Ea.	
94	Batten Holder	Ea.	
95	Pendent Holder	Ea.	
96	Bakelite Ceiling Rose	Ea.	
97	3 Pin Top 6A	Ea.	
98	3 Pin Top 16A	Ea.	
99	5 Amp Connector Strip	Ea.	
100	10 Amp Connector Strip	Ea.	
101	Male Female 2 Pin Connector	Ea.	
****	Other Accessories		
102	Electrical insulation Tape Roll different colour box (R-Y-B-N)	Ea.	
103	Water Proof Rubber Tape	Ea.	
104	Wooden Grip Packet	PKT	
105	PVC Grip Packet	PKT	
106	Aluminum Strip (10 Ft.long)	Ea.	
107	Rubber Clamp (fan)	Ea.	
108	Pencil Cell AAA size 1.5 V	Ea.	
109	Pencil Cell AA size 1.5 V	Ea.	
110	9V Battery Cell	Ea.	
111	12 V 23 A Alkaline Battery Cell	Ea.	
112	Aluminum Lug pin type for 2.5/4 sq. mm cable/wire	Ea.	
113	Aluminums Lug pin type size 6/10 sq. mm cable/wire	Ea.	
114	Aluminum Lug pin type size 16 sq. mm cable/wire	Ea.	
115	Copper lug pin type for 2.5/4 sq. mm cable/wire	Ea.	
116	Copper lug pin type for 6/10 sq. mm cable/wire	Ea.	
117	Copper lug pin type for 16 sq. mm cable/wire	Ea.	
118	Aluminum Lug Ring type size 2.5/4 sq. mm cable	Ea.	
119	Aluminums Lug Ring type size 6/10 sq. mm cable	Ea.	

120	Aluminum Lug Ring type size 16 sq. mm cable	Ea.	
121	Copper lug Ring type for 2.5/4 sq. mm cable	Ea.	
122	Copper lug ring type for 6/10 sq. mm cable	Ea.	
123	Copper lug Ring type for 16 sq. mm cable	Ea.	
124	1 Way PVC Gang Box	Ea.	
129	2 Way PVC Gang Box	Ea.	
130	3 Way PVC Gang Box	Ea.	
131	4 Way PVC Gang Box	Ea.	
132	6 Way PVC Gang Box	Ea.	
133	63A Kit Kat Fuse (Copper, Lug type)	Ea.	
134	100A Kit Kat Fuse (Copper, Lug type)	Ea.	
135	200A Kit Kat Fuse (Copper, Lug type)	Ea.	
136	10W Led Bulkhead Fitting	Ea.	
137	3W Led Torch	Ea.	
138	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
139	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
140	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
141	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	
****	Cable Tie		
142	CABLE TIE, 400 MM (100 Nos.)		
143	CABLE TIE, 300 MM (100 Nos.)	PKT	
144	CABLE TIE, 250 MM (100 Nos.)	PKT	
145	CABLE TIE, 200 MM (100 Nos.)	PKT	
146	CABLE TIE, 150 MM (100 Nos.)	PKT	
147	CABLE TIE,100 MM (100 Nos.)	PKT	
****	C-Clamp		
148	4 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
149	6 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
150	8 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
151	9 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
152	10 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
153	12 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
154	20 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
155	25 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	
****	Khili & Different Size Screw		
156	Plumbing Khila (1", 1.5", 2", 3") (1 kg box)	PKT	
157	khili for Wiring (1") (2.5 kg box) (Doba Khili)	PKT	
158	Metal Screw 19 x 6 mm (1000 nos.)	PKT	
159	Metal Screw 25 x 6 mm (1000 nos.)	PKT	
160	Metal Screw 36 x 6 mm (500 nos.)	PKT	
161	Metal Screw 45 x 6 mm (500 nos.)	PKT	
162	Metal Screw 50 x 6 mm (500 nos.)	PKT	
163	Metal Screw 35 x 8 mm (500 nos.)	PKT	
164	Black Metal Screw 19 x 6 mm (1000 nos.)	PKT	
165	Black Metal Screw 32 x 6 mm (1000 nos.)	PKT	
166	Black Metal Screw 38 x 6 mm (750 nos.)	PKT	
167	Black Metal Screw 50 x 6 mm (500 nos.)	PKT	
168	Black Metal Screw 60 x 6 mm (400 nos.)	PKT	
169	Black Metal Screw 75 x 6 mm (300 nos.)	PKT	
****	Miniature Circuit Breaker (MCB) Enclosure		
170	1/2 MCB box PVC Enclosure	Ea.	
171	3/4 MCB box PVC Enclosure	Ea.	
172	MCB Metal Enclosure for Double Pole	Ea.	

173	MCB Metal Enclosure for Triple Pole	Ea.	
174	MCB Metal Enclosure for four Pole	Ea.	
****	MCB C-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
175	6 Amp. Single Pole (SP) MCB	Ea.	
176	10 Amp. Single Pole (SP) MCB	Ea.	
177	20 Amp. Single Pole (SP) MCB	Ea.	
178	32 Amp. Single Pole (SP) MCB	Ea.	
179	6 Amp. Double Pole (DP) MCB	Ea.	
180	10 Amp. Double Pole (DP) MCB	Ea.	
181	20 Amp. Double Pole (DP) MCB	Ea.	
182	32 Amp. Double Pole (DP) MCB	Ea.	
183	40 Amp. Double Pole (DP) MCB	Ea.	
****	MCB C-CURVE suitable to operate on 415 V AC system and having short circuit breaking capacity 10 KA		
184	20 Amp. Four pole (FP) MCB	Ea.	
185	32 Amp. Four pole (FP) MCB	Ea.	
186	40 Amp. Four pole (FP) MCB	Ea.	
187	63 Amp. Four pole (FP) MCB	Ea.	
188	20 Amp. Triple Pole (TP) MCB	Ea.	
189	32 Amp. Triple Pole (TP) MCB	Ea.	
190	40 Amp. Triple Pole (TP) MCB	Ea.	
191	63 Amp. Triple Pole (TP) MCB	Ea.	
****	MCB B-CURVE suitable to operate on 240 V AC system and having short circuit breaking capacity 10 KA		
192	6 Amp. Single Pole (SP) MCB	Ea.	
193	10 Amp. Single Pole (SP) MCB	Ea.	
194	20 Amp. Single Pole (SP) MCB	Ea.	
195	32 Amp. Single Pole (SP) MCB	Ea.	
196	6 Amp. Double Pole (DP) MCB	Ea.	
197	10 Amp. Double Pole (DP) MCB	Ea.	
198	20 Amp. Double Pole (DP) MCB	Ea.	
199	32 Amp. Double Pole (DP) MCB	Ea.	
200	40 Amp. Double Pole (DP) MCB	Ea.	
****	MCB B-CURVE suitable to operate on 440 V AC system and having short circuit breaking capacity 10 KA		
201	10 Amp. Four pole (FP) MCB	Ea.	
202	20 Amp. Four pole (FP) MCB	Ea.	
203	32 Amp. Four pole (FP) MCB	Ea.	
204	40 Amp. Four pole (FP) MCB	Ea.	
205	63 Amp. Four pole (FP) MCB	Ea.	
****	MCCB		
206	63 Amp. Four pole (FP) MCCB	Ea.	
207	100 Amp. Four pole (FP) MCCB	Ea.	
208	125 Amp. Four pole (FP) MCCB	Ea.	
****	ELCB/RCCB		
209	25 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
210	25 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
211	40 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
212	40 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
213	63 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	
214	63 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
215	100 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	

216	100 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	
****	MCB DISTRIBUTION BOARDS		
217	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	
218	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	
219	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	
220	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	
221	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	
222	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	
223	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	
224	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	
225	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
226	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	
****	Odher Equipments And Accessories		
227	L&T MNX 22 Power Contactors	Ea.	
228	Relay for Up to 3 HP Submersible moter starter	Ea.	
229	Relay for 3 HP to 5 HP Submersible moter starter	Ea.	
230	Relay for 5 HP to 12.5 HP Submersible moter starter	Ea.	
231	Single Phase Submersible Starter with Digital Ampere and Volt Meter With Power Contactor, Start + Run Capacitor & Start + Stop Push Button, Metal Box with Powder Coating	Ea.	
232	Digital Voltage Stabilizer for 2 KVA 2000W 150V-280V	Ea.	
233	Digital Voltage Stabilizer for 5 KVA 4000W 150V-280V	Ea.	
TOTAL Rs.(Without GST)			

Contractor shall supply the material as per the terms and condition and requirement of Surat Municipal Corporation. All the material supplied as per relevant BIS. Vender list of material shall be as follow.

VENDOR'S LIST

Sr. No.	Equipments/ Accessories	Make
1	Switch and Accessories	Anchor, Jainex, Indoasian, Legrand, L&T, Schneider Electric, Vinay, Alex, Gm, Pointeer, Allwyn, Promot
2	ELCB/MCB/Distribution Board	Standard, Indokupp, MDS, Havell's, Hager, Schneider, Siemens, ABB, L & T, C & S, Legrand
3	Tube Lights, lamps,	Philips, Havells, Bajaj, Surya,
4	Led Lamps, LED Tube, LED Flood light	Philips, Havells, Bajaj, Osram
5	PVC Pipe/casing capping accessories	Precisson, Poly Cab, Finolex, Nihir
6	Insulating PVC Tape	Anchor / Still Grip
7	Submersible motor starter, Relay, Contectors	L & T, simence, C&S Electric, Crompton, ABB
8	Stabilizers	Aulten, V-Guard, Microtek, Luminous, Bluebird

Tenderer shall have to follow all the terms & conditions for this offer, failing which the quotation is liable to rejection.

Terms and Conditions

The rate should be **Excluding of GST** and including of all other taxes, duties, labor charges and transportation, loading unloading, watch and ward etc. at Site.

- The firm will have to supply above Electrical Material within 3 days from order of Light dept. of SMC. if not, the SMC will get it from other contractor and the expenditure so incurred on such supplied items including administrative charges will be deducted from the ARC payment, due for payment to contractor.
- The services should be provided on regular basis during office hours. In case of emergency contractor must supply above Electrical Items beyond office hours & on holiday as well. Materials should be supplied within 24 hours as intimated by SMC. Failing which penalty @ 0.2% of order value of unexecuted portion per day of delay subject to maximum 10% of unexecuted portion order value shall be charged and shall be deducted from the bill.
- The successful contractor shall also be required to enter into contract agreement along with undertaking and surety each on Rs.300 Stamp Paper on getting the order. However, the stamp duty at prevailing rate shall be applicable if revised by Government.
- The successful Contractor shall be required to deposit an amount equal to 2.5 % of the total order value as Security Deposit in Municipal Treasury in Cash/ by Demand Draft within 10 (Ten) days of date of work order failing which penalty @ 0.065% of the Security Amount per day of delay shall be charged.
- The firm must have an office in Surat.
- The period of Annual Rate Contract for Supply of Materials will be one (1) year from the date of the award of the contract.
- SMC will not pay any transportation charges and also not provide any type of assistance which carrying out above mention work.
- The rates quoted shall remain in force for full period of contract.
- After bidding process, No objection entertained later.
- All Mentioned Electrical items supplied as per Vendor list only.
- The corporation shall not furnish any sales tax declaration form.

SEAL & SIGNATURE OF THE TENDERER:-


Executive Engineer
New East (Sarothana) Zone-B
Surat Municipal Corporation