

Addendum and Corrigendum-1

Bid for Supply and Installation of Biometric Attendance Devices

[DC-ISD-BIO-01-2026]



Surat Municipal Corporation (SMC)
ADDENDUM AND CORRIGENDUM-1
Tender Notice No.: DC-ISD-BIO-01-2026

**Bid for Supply and Installation of Biometric Attendance Devices for
Surat Municipal Corporation (SMC)**

The Bidders are requested to take note of the following changes made in the Tender document, which are to be taken into account while submitting the Tender. They shall be presumed to have done so and submitted the Tender accordingly.

- This Addendum and Corrigendum-1 shall be the part of the Tender documents.
- Content specified in this Addendum and Corrigendum supersede relevant content to that effect as provided in the original Tender documents. All other specifications, terms and conditions of the original Tender document shall remain unchanged.
- All the changes mentioned in this document should be read across the Tender, Addendum & Corrigendum-1, wherever applicable

I. Changes with respect to Tender Schedule

- Please note that with respect to tendering schedules, the following changes have been affected. Bidders are requested to take note of the same and adhere to the dates specified hereunder with regards to Online Bid Submission and Submission (in Hard Copy) of Bid Fee and EMD:

Particular	Current Dates	Proposed Dates
Last date for Online Submission of Bids along with the documents	To be submitted online only on https://smc.nprocure.com on or before 31.08.2026 up to 18:00 hrs.	To be submitted online only on https://smc.nprocure.com on or before 07.09.2026 up to 18:00 hrs.
Submission (in Hard Copy) of Bid Fee and EMD	In sealed envelope, strictly by RPAD/Postal Speed Post on or before 09.09.2026 up to 18:00 hrs. To the Chief Accountant, Surat Municipal Corporation, Shri Tapipura, Tapi Bhawan Surat – 395003	In sealed envelope, strictly by RPAD/Postal Speed Post on or before 18.09.2026 up to 18:00 hrs. To the Chief Accountant, Surat Municipal Corporation, Shri Tapipura, Tapi Bhawan Surat – 395003