કાર્યપાલક ઈજનેર
સાઉથ ઝોન–બી(કનકપુર)

સુરત મહાનગરપાલિકા,
સાઉથ ઝોન–બી (કનકપુર)
સ્વામીનારાયણ મંદીર ની બાજુમાં,
ગુ.હા.બોર્ડ સી.ઓ.પી.નં.૦૫ પૈકી,
કનકપુર, સુરત

પત્ર

સા. ઝોન–બી/ટેક/નં. ૪૭૧૮
તા. ૦૨/૧૧/૨૦૨૬

પ્રતિ,

.....

.....

.....

.....

વિષયઃ– સાઉથ ઝોન–બી(કનકપુર) હસ્તકની વિવિધ મ્યુની. મિલ્કતોમાં હાઉસીંગ ઈલેકટ્રીકલ મેઈન્ટેનન્સ અને જુદી જુદી નવી મિલ્કતોમાં ઈલેકટ્રીફીકેશનની કામગીરી અર્થે જુદા જુદા પ્રકારની ઈલેકટ્રીકલ્સ એસેસરીઝ અને મટીરીયલ્સ સપ્લાય કરવા બાબત.

સંદર્ભઃ– સાઉથ ઈસ્ટ ઝોન(લિંબાયત)નો વર્ક ઓર્ડર, સા.ઈ.ઝોન–ટેક/ નં.૨૩૦, તા.૦૬/૧૦/૨૦૨૬

મહાશય,

ઉપરોકત સંદર્ભોને આધિન સાઉથ ઝોન–બી(કનકપુર) હસ્તકની વિવિધ મ્યુની. મિલ્કતોમાં હાઉસીંગ ઈલેકટ્રીકલ મેઈન્ટેનન્સ અને જુદી જુદી નવી મિલ્કતોમાં ઈલેકટ્રીફીકેશનની કામગીરી અર્થે જુદા જુદા પ્રકારની ઈલેકટ્રીકલ્સ એસેસરીઝ અને મટીરીયલ્સ સપ્લાય કરવાની કામગીરી, સાઉથ ઈસ્ટ ઝોન(લિંબાયત)માં આ પ્રકારના કામે મંજુર કવોટેશનના સ્પેસીફીકેશન અને શરતોને આધિન, આ સાથે સામેલ શિડયુલ–બી મુજબ કુલ્લે રૂા.૧,૯૫,૦૦૦/– (જી.એસ.ટી.સહિત) ની મર્યાદામાં કામગીરી કરવા સંમત હોવ તો **આપની લેખિત સંમતિપત્ર (આપના પેઢીના લેટર હેડ પર) અને આ સાથે સામેલ શિડયુલ–બી પર સહિ/સિકકા સહિત તા.૧૭/૧૧/૨૦૨૬** સુધીમાં સાઉથઝોન–બી (કનકપુર) ખાતે નીચે સહી કરનારને પહોંચતું કરશો. સમય મર્યાદા બાદ આવેલ સંમતિપત્રને ધ્યાને લેવામાં આવશે નહીં જેની નોંધ લેશો.

sd/-

કાર્યપાલક ઈજનેર,
સાઉથ ઝોન–બી(કનકપુર)
સુરત મહાનગરપાલિકા

Surat Municipal Corporation

South Zone-B(Kanakpur)

Light Department

Supply of different type of Electrical item for maintenance purpose at various muni. building at South Zone-B(Kanakpur).

Schedule

Sr. No.	DESCRIPTION	Unit	Rate of SEZ (With GST)
	Tube Light And accessories		
1	4 Ft. (1200 mm) **Tube fitting Including 36/40 Watt Electronic Ballast Without Tube Rod** Only Fixture	Ea.	80.00
2	4 Ft. (1200 mm) **Tube Light Rod**, Light output 2450 Lumens.	Ea.	35.00
3	4 Ft. **18/20 Watt LED Complete PVC T5 Tube Light** Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	165.00
4	2 Ft. **08/10 Watt T5 LED Complete PVC Tube Light** Lumen Output 800/1000,	Ea.	130.00
5	4 Ft. **18/20 Watt LED Complete Aluminum body T5 Tube Light** Lumen Output 2000/2100, Luminary Efficiency 100lm/Watt	Ea.	250.00
6	2 Ft. **08/10 Watt T5 LED Complete Aluminum body Tube Light** Lumen Output 800/1000,	Ea.	250.00
7	4 Ft. (1200 mm) Tube Fitting Without Led Tube Rod Only Fixture With Rotating type Side Holder	Ea.	100.00
8	4 Ft. LED T5 Tube Light Rod, glass type 18/20 Watt Lumen Out 2100, 1200 mm Luminary Efficiacy 100lm/watt	Ea.	100.00
9	36 Watt Electronic Ballast (Choke)	Ea.	80.00
10	Tube Light Side Holder Simple	Ea.	4.00
11	Led Tube Light Side Holder (Rotating Type)	Ea.	4.00
	Lamp & Halogen Tube		
12	40W Tungsten Filament Lamp	Ea.	17.00
13	60W Tungsten Filament Lamp	Ea.	17.00
14	100W Tungsten Filament Lamp	Ea.	17.00
15	7 W Led Lamp	Ea.	65.00
16	9 W Led Lamp	Ea.	80.00
17	12 W Led Lamp	Ea.	100.00
	Light & Accessories		
18	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture For Indoor Lighting or its equivalent	Ea.	1400.00
19	2.0 x 2.0 Feet Square 36/40 (Watt) Led Fixture Driver For Indoor Lighting or its equivalent	Ea.	400.00
20	18/20 Watt, LED Panel light (Square/Round), 1700 Lumens	Ea.	550.00
21	20/24 LED Panel Light size 1 x 1 inch	Ea.	1150.00
22	12/15W Led Panel Light (Square/Round), 1020 Lumens	Ea.	400.00
23	50-55 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	1200.00
24	30-35 watt LED Flood light fitting having Efficacy 100lm/watt, CCT 5000 k to 5700k	Ea.	1000.00
	LED Strip Light & Driver		
25	LED Strip Light minimum 4.8 watt, 120 LED per meter without Driver	Mtr.	50.00
26	LED Strip Light minimum 7.2 watt, 240 LED per meter without Driver	Mtr.	80.00
27	LED Strip Light non integral suitable Driver	Ea.	
28	2 Amp Driver	Ea.	150.00
29	3 Amp Driver	Ea.	190.00
30	5 Amp Driver	Ea.	200.00
31	8 Amp Driver	Ea.	320.00
32	12.5 Amp Driver	Ea.	360.00
33	16 Amp Driver	Ea.	450.00
34	20 Amp Driver	Ea.	550.00

	Celling Fan & Accessories		
35	Supply of 1200 mm Sweep (48''),BEE 5 Star rated, Ceiling fan with Brush Less Direct Current (BLDC)permanent territe magnet Motor, class of insulation: B, Rust free 3 nos. Aluminum blades,2 nos, canopies , shackle kit with earthing provision, 22 guage copper winding, power factor not < 0.9, service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 305 RPM	Ea.	2500.00
36	Ceiling fan,(48''),1200 mm, Energy Efficient ,BEE 1 Star rated, high Speed Air Delivery ,Minimum 218 CMM input power maximum 53 W	Ea.	2500.00
37	**Pedestal fan** A.C. 230 V. 50 Cy/s. 400 mm sweep oscillanting ,type and adjustable ,height complete with guard regulator, & standard lead fleixble wires and plug top 110 Watt.	Ea.	3600.00
38	Supplying & erecting single phase **industrial Pedestal** fan suitable for medium duty ring mounted low noise operation suitable for medium duty having 450 mm dia size and maximum speed 1440 RPM 0.80 A,80 Watt.	Ea.	8500.00
39	**Wall fan** A.C. 230 V. 50 Cy/s. **400 mm sweep** oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	3200.00
40	**Wall fan** A.C. 230 V. 50 Cy/s. **450 mm sweep** oscillating ,type and adjustable ,height complete with guard regulator, & standard lead flexible wires and plug top	Ea.	8000.00
41	Supplying & erecting single phase approved make **industrial Wall fan** suitable for medium duty ring mounted low noise operation suitable for medium duty having **600 mm** dia size and maximum speed 1440 RPM 0.80 A,180 Watt.	Ea.	11000.00
42	Supplying & erecting single phase approved make **industrial exhaust fan** suitable for medium duty ring mounted low noise operation suitable for medium duty having **300 mm** dia size and maximum speed 1350 RPM	Ea.	2100.00
43	Supplying & erecting single phase apporved make **industrial exhaust fan** suitable for medium duty ring mounted low noise operation suitable for medium duty having 225 mm dia size and maximum speed 1370 RPM	Ea.	1800.00
44	Supplying & erecting approved make low n**oise decorative exhaust fan** having square frame **ABS body** with inbuilt lowers & square frame, Having **150 mm** with 1350 RPM	Ea.	1400.00
45	Supplying & erecting approved make **low noise decorative exhaust fan** having square frame **ABS body** with inbuilt lowers & square frame, Having **200 mm** with 1350 RPM	Ea.	1800.00
46	Supplying & erecting approved make **low noise decorative exhaust fan** having square frame **ABS body** with inbuilt lowers & square frame, Having **250** mm with 1310 RPM	Ea.	2200.00
47	Capacitor 440 V AC,1.5 uf	Ea.	15.00
48	Capacitor 440 V AC,2.5 uf (oiled filled)	Ea.	35.00
49	Capacitor 440 V AC,10 uf	Ea.	37.00
50	Capacitor 440 V AC,25 uf	Ea.	70.00
51	Capacitor 440 V AC,36 uf	Ea.	90.00
52	Capacitor 440 V AC,45 uf	Ea.	95.00
53	Capacitor 440 V AC,50 uf	Ea.	100.00
54	Capacitor 440 V AC,100/120 uf	Ea.	130.00
55	1.5 ft Celling fan MS pipe	Ea.	60.00
56	2 ft Celling fan MS pipe	Ea.	80.00
57	2.5 ft celling fan MS pipe	Ea.	100.00
58	3 ft celling fan MS pipe	Ea.	105.00
59	4 ft celling fan MS pipe	Ea.	140.00
60	Ding Dong Bell	Ea.	150.00
61	Remote Operated Ding Dong Bell	Ea.	550.00
62	Buzzer	Ea.	80.00
63	Musical Bell	Ea.	150.00
64	parrot Bell	Ea.	140.00
	Miniature Circuit Breaker (MCB) Enclosure		
65	1/2 MCB box PVC Enclosure	Ea.	30.00

66	3/4 MCB box PVC Enclosure	Ea.	60.00
67	MCB Metal Enclousre for Double Pole	Ea.	110.00
68	MCB Metal Enclousre for four Pole	Ea.	143.00
	MCB C-CURVE suitable to opperate on 240 V AC system and having short circuit breaking capacity 10 KA		
69	1 Amp. Single Pole (SP) MCB	Ea.	61.00
70	6 Amp. Single Pole (SP) MCB	Ea.	101.00
71	10 Amp. Single Pole (SP) MCB	Ea.	161.00
72	16 Amp. Single Pole (SP) MCB	Ea.	161.00
73	20 Amp. Single Pole (SP) MCB	Ea.	161.00
74	32 Amp. Single Pole (SP) MCB	Ea.	161.00
75	6 Amp. Double Pole (DP) MCB	Ea.	395.00
76	10 Amp. Double Pole (DP) MCB	Ea.	395.00
77	16 Amp. Double Pole (DP) MCB	Ea.	595.00
78	25 Amp. Double Pole (DP) MCB	Ea.	595.00
79	32 Amp. Double Pole (DP) MCB	Ea.	595.00
80	40 Amp. Double Pole (DP) MCB	Ea.	890.00
	MCB C-CURVE suitable to opperate on 415 V AC system and having short circuit breaking capacity 10 KA		
81	20 Amp. Four pole (FP) MCB	Ea.	1099.00
82	32 Amp. Four pole (FP) MCB	Ea.	1299.00
83	40 Amp. Four pole (FP) MCB	Ea.	1766.00
84	63 Amp. Four pole (FP) MCB	Ea.	1900.00
85	20 Amp. Three pole (TP) MCB	Ea.	784.00
86	32 Amp. Three pole (TP) MCB	Ea.	784.00
87	40 Amp. Three pole (TP) MCB	Ea.	1200.00
88	63 Amp. Three pole (TP) MCB	Ea.	1350.00
	MCB B-CURVE suitable to opperate on 240 V AC system and having short circuit breaking capacity 10 KA		
89	6 Amp. Single Pole (SP) MCB	Ea.	101.00
90	10 Amp. Single Pole (SP) MCB	Ea.	161.00
91	16 Amp. Single Pole (SP) MCB	Ea.	161.00
92	32 Amp. Single Pole (SP) MCB	Ea.	161.00
93	6 Amp. Double Pole (DP) MCB	Ea.	395.00
94	10 Amp. Double Pole (DP) MCB	Ea.	395.00
95	16 Amp. Double Pole (DP) MCB	Ea.	595.00
96	25 Amp. Double Pole (DP) MCB	Ea.	595.00
97	32 Amp. Double Pole (DP) MCB	Ea.	595.00
98	40 Amp. Double Pole (DP) MCB	Ea.	890.00
	MCB B-CURVE suitable to opperate on 240 V AC system and having short circuit breaking capacity 10 KA		
99	16 Amp. Four pole (FP) MCB	Ea.	1099.00
100	25 Amp. Four pole (FP) MCB	Ea.	1299.00
101	32 Amp. Four pole (FP) MCB	Ea.	1299.00
102	40 Amp. Four pole (FP) MCB	Ea.	1766.00
103	63 Amp. Four pole (FP) MCB	Ea.	1900.00
	MCCB		
104	63 Amp. Four pole (FP) MCCB	Ea.	2200.00
105	100 Amp. Four pole (FP) MCCB	Ea.	2600.00
106	125 Amp. Four pole (FP) MCCB	Ea.	3800.00
	RCCB		
107	25 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	2200.00
108	25 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	2300.00
109	40 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	2400.00
110	40 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	2500.00
111	63 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	2900.00

112	63 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	3000.00
113	100 Amp. Double Pole (DP) RCCB 30MA sensitivity	Ea.	3200.00
114	100 Amp. Double Pole (DP) RCCB 100 MA sensitivity	Ea.	3300.00
115	25 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	2800.00
116	25 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	2900.00
117	40 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	2950.00
118	40 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	3000.00
119	63 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	3150.00
120	63 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	3200.00
121	100 Amp. Four Pole (FP) RCCB 30 MA sensitivity	Ea.	3400.00
122	100 Amp. Four Pole (FP) RCCB 100 MA sensitivity	Ea.	3500.00
	MCB DISTRIBUTION BOARDS		
123	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way single door	Ea.	200.00
124	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 4 way double door	Ea.	250.00
125	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way single door	Ea.	250.00
126	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 6 way double door	Ea.	300.00
127	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way single door	Ea.	350.00
128	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 8 way double door	Ea.	400.00
129	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way single door	Ea.	450.00
130	Sheet Steel powder coated MCB distribution board-flush/ surface mounted Single phase 12 way double door	Ea.	500.00
131	Sheet Steel powder coated MCB DB board-flush/surface mounted 3 phase 4 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	950.00
132	Sheet Steel powder coated MCB DB board-flush/ surface mounted 3 phase 8 way SS Double door PPI type for 1 phase outgoing horizontal box	Ea.	1300.00
	Modular Accessories		
	Modular Board		
133	2-Up PVC Modular Board Surface	Ea.	35.00
134	3-Up PVC Modular Board Surface	Ea.	40.00
135	4-Up PVC Modular Board Surface	Ea.	50.00
136	6-Up PVC Modular Board Surface	Ea.	70.00
137	8-Up PVC Modular Board Surface	Ea.	80.00
138	12-Up PVC Modular Board Surface	Ea.	90.00
139	16-Up PVC Modular Board Surface	Ea.	115.00
140	18-Up PVC Modular Board Surface	Ea.	125.00
	Modular Plate		
141	2-Up Modular Plate	Ea.	40.00
142	3-Up Modular Plate	Ea.	45.00
143	4-Up Modular Plate	Ea.	50.00
144	6-Up Modular Plate	Ea.	70.00
145	8-Up Modular Plate	Ea.	82.00
146	12-Up Modular Plate	Ea.	109.00
147	16-Up Modular Plate	Ea.	125.00
148	18-Up Modular Plate	Ea.	145.00
	Modular Type Switch and Regulator		
149	Dummy Plate Modular	Ea.	3.00
150	Indicator Modular	Ea.	20.00
151	Modular Switch 6 Amp	Ea.	20.00
152	Modular Switch 16 Amp	Ea.	53.00
153	Modular Plug 6 Amp	Ea.	38.00
154	Modular Plug 16 Amp	Ea.	75.00
155	Modular Bell Push Switch	Ea.	30.00
156	Plug Type step type Hum free Regulator for Modular	Ea.	180.00

157	Switch Type step type Hum free Regulator for Modular	Ea.	155.00
158	2 Way Switch Modular	Ea.	30.00
159	6 to 32 Amp S.P. MCB Modular	Ea.	135.00
160	6 to 32 Amp D.P. MCB Modular	Ea.	255.00
161	Modular Angle Holder	Ea.	35.00
162	Modular Battan Holder	Ea.	35.00
163	AC starter Modular 16/25 A	Ea.	245.00
164	Two Pin/RJ-11 Telephone Socket For One Gang	Ea.	40.00
165	TV Co-axial Socket out	Ea.	5.00
	Tissino Type Switch and Fan Regulator		
166	Tissino Type Switch 6 Amp (simple)	Ea.	18.00
167	Tissino type Switch 16 Amp (simple)	Ea.	36.00
168	Tissino type 2-Way Switch 6 Amp	Ea.	20.00
169	Tissino Type Bell Push	Ea.	20.00
170	Tissino type Plug 6 Amp (simple) 2 IN 1 Socket	Ea.	32.00
171	Tissino type Plug 16 Amp (Simple)	Ea.	36.00
172	Holder Adapter	Ea.	25.00
173	Electronic Hum free EME Socket Type Step Fan Regulator (Plug type)	Ea.	160.00
174	Electronic Hum free EME Switch Type Step Fan Regulator	Ea.	150.00
175	One no Single pole 16 A Switch & One no 6/16 A Universal Socket combined (S S Combine with box)	Ea.	165.00
176	Angle Holder	Ea.	30.00
177	Batten Holder	Ea.	30.00
178	Pendent Holder	Ea.	20.00
179	Bakelite Celling Rose	Ea.	20.00
180	6 to 32 Amp S.P. MCB	Ea.	125.00
181	6 to 32 Amp D.P. MCB	Ea.	245.00
182	3 Pin Top 6A	Ea.	50.00
183	3 Pin Top 16A	Ea.	90.00
184	5 Amp Connector Strip	Ea.	15.00
185	10 Amp Connector Strip	Ea.	25.00
186	Male Female 2 Pin Connector	Ea.	30.00
	Conduits & Pipes Accessories		
187	20 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	66.00
188	25 mm Medium Class RIGID PVC PIPES (3 mtr.)	No.	93.00
189	Saddle Base With Screw Suitable for 20 mm RIGID PVC PIPES	Ea.	7.00
190	Saddle Base With Screw Suitable for 25 mm RIGID PVC PIPES	Ea.	8.50
191	Junction 1 Way 20/25/32 mm	Ea.	20.00
192	Junction 2 Way 20/25/32 mm	Ea.	20.00
193	Junction 3 Way 20/25/32 mm	Ea.	20.00
194	Junction 4 Way 20/25/32 mm	Ea.	20.00
195	Coupling 20/25/32 mm	Ea.	5.00
196	Elbow 20/25/32 mm	Ea.	7.00
197	Tee 20/25/32 mm	Ea.	11.00
	Casing-Capping Accessories		
198	Pvc Casing Capping Double Lock Type 12/20 mm (2 Mtr.)	No.	34.00
199	Pvc Casing Capping Double Lock Type 12/25 mm (2 Mtr.)	No.	40.00
200	Pvc Casing Capping Double Lock Type 12/32 mm (2 Mtr.)	No.	60.00
201	UPVC cable trunking system size 50 mm x 50 mm trunking (2 Mtr.)	No.	250.00
202	External Coupler 20/25/32 mm	Ea.	4.00
203	Internal coupler 20/25/32 mm	Ea.	4.00
204	Elbow 20/25/32 mm	Ea.	4.00
205	Tee 3/4 Way 20/25/32 mm	Ea.	4.00
206	Inner/Outer 20/25/32 mm	Ea.	4.00
207	Junction 1 Way 20/25/32 mm	Ea.	9.00
208	Junction 2 Way 20/25/32 mm	Ea.	9.00
209	Junction 3 Way 20/25/32 mm	Ea.	9.00
210	Junction 4 Way 20/25/32 mm	Ea.	9.00
211	Coupler 20/25/32 mm	Ea.	2.00

	Cable Tie		
212	CABLE TIE, 300 MM (100 Nos.)	PKT	100.00
213	CABLE TIE, 250 MM (100 Nos.)	PKT	85.00
214	CABLE TIE, 200 MM (100 Nos.)	PKT	75.00
215	CABLE TIE, 150 MM (100 Nos.)	PKT	55.00
216	CABLE TIE,100 MM (100 Nos.)	PKT	30.00
	C-Clamp		
217	4 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	18.00
218	6 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	30.00
219	8 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	40.00
220	9 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	40.00
221	10 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	55.00
222	12 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	60.00
223	20 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	135.00
224	25 mm Cable PVC Clips (Saddle) (100 Nos.)	PKT	160.00
	Khili		
225	khili for Wiring (1'') (2.5 kg box) (Doba Khili)	PKT	375.00
226	khili for Wiring (1.5'') (2.5 kg box) (Doba Khili)	PKT	375.00
	Different Size Screw		
227	Metal Screw 13 x 6 mm (1000 nos.)	PKT	270.00
228	Metal Screw 19 x 6 mm (1000 nos.)	PKT	270.00
229	Metal Screw 25 x 6 mm (1000 nos.)	PKT	270.00
230	Metal Screw 36 x 6 mm (500 nos.)	PKT	270.00
231	Metal Screw 45 x 6 mm (500 nos.)	PKT	270.00
232	Metal Screw 50 x 6 mm (500 nos.)	PKT	270.00
233	Metal Screw 35 x 8 mm (500 nos.)	PKT	270.00
234	Black Metal Screw 13 x 6 mm (1000 nos.)	PKT	235.00
235	Black Metal Screw 19 x 6 mm (1000 nos.)	PKT	235.00
236	Black Metal Screw 32 x 6 mm (1000 nos.)	PKT	235.00
237	Black Metal Screw 38 x 6 mm (750 nos.)	PKT	235.00
238	Black Metal Screw 50 x 6 mm (500 nos.)	PKT	235.00
239	Black Metal Screw 60 x 6 mm (400 nos.)	PKT	235.00
240	Black Metal Screw 75 x 6 mm (300 nos.)	PKT	235.00
241	Machine Metal Screw 5 x 16 mm Nut-bolt with washer (5 Kg.)	PKT	1000.00
	Other Accessories		
242	Electrical insulation Tape Roll length of 6 meter each with different colour (R-Y-B-N)	Ea.	10.00
243	Wooden Grip Packet (50Nos)	PKT	10.00
244	PVC Grip Packet	PKT	15.00
245	Aluminum Strip (10 Ft.long)	Ea.	75.00
246	Rubber Clamp (fan)	Ea.	25.00
247	Pencil Cell AAA size 1.5 V	Ea.	10.00
248	Pencil Cell AA size 1.5 V	Ea.	10.00
249	Long Lasting High Power 1.5 V Pencil Cell AA1 size equivalent to Panasonic Evolta or Its equivalent	Ea.	45.00
250	9V Battery Cell	Ea.	70.00
251	12 V 23 A Alkaline Battery Cell	Ea.	450.00
252	Aluminum Lug pin type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	2.00
253	Aluminums Lug pin type as per above wire/cable size 6/10 sq. mm cable	Ea.	3.00
254	Aluminum Lug pin type as per above wire/cable size 16 sq. mm cable	Ea.	4.00
255	Copper lug pin type for 2.5/4 sq. mm cable	Ea.	5.00
256	Copper lug pin type for 6/10 sq. mm cable	Ea.	6.00
257	Copper lug pin type for 16 sq. mm cable	Ea.	9.00
258	Aluminum Lug Ring type as per above wire/cable size 2.5/4 sq. mm cable	Ea.	2.00
259	Aluminums Lug Ring type as per above wire/cable size 6/10 sq. mm cable	Ea.	3.00
260	Aluminum Lug Ring type as per above wire/cable size 16 sq. mm cable	Ea.	4.00

261	Copper lug Ring type for 2.5/4 sq. mm cable	Ea.	5.00
262	Copper lug ring type for 6/10 sq. mm cable	Ea.	6.00
263	Copper lug Ring type for 16 sq. mm cable	Ea.	9.00
264	6 x 6 Pvc pwd cutting Board with Plate	Ea.	40.00
265	6 x 8 Pvc pwd cutting Board with Plate	Ea.	50.00
266	8 x 10 Pvc pwd cutting Board with Plate	Ea.	70.00
267	10 x 12 Wooden Board with Plate	Ea.	90.00
268	1 Way PVC Gang Box	Ea.	25.00
269	2 Way PVC Gang Box	Ea.	27.00
270	3 Way PVC Gang Box	Ea.	30.00
271	4 Way PVC Gang Box	Ea.	35.00
272	6 Way PVC Gang Box	Ea.	55.00
273	63 A HRC fuse din type Fuse	Ea.	120.00
274	100 A HRC fuse din type Fuse	Ea.	250.00
275	125 A HRC fuse din type Fuse	Ea.	300.00
276	160 A HRC fuse din type Fuse	Ea.	350.00
277	200 A HRC fuse din type Fuse	Ea.	400.00
278	250 A HRC fuse din type Fuse	Ea.	500.00
279	400 A HRC fuse din type Fuse	Ea.	600.00
280	500 A HRC fuse din type Fuse	Ea.	700.00
281	630 A HRC fuse din type Fuse	Ea.	900.00
282	63 A 415V MEM Copper Fuse	Ea.	165.00
283	100 A 415V MEM Copper Fuse	Ea.	390.00
284	200 A 415V MEM Copper Fuse	Ea.	500.00
285	500 A 415V MEM Copper Fuse	Ea.	780.00
286	63 A 415V MEM Copper Fuse with lugs patt	Ea.	200.00
287	100 A 415V MEM Copper Fuse with lugs patt	Ea.	400.00
288	200 A 415V MEM Copper Fuse with lugs patt	Ea.	590.00
289	500 A 415V MEM Copper Fuse with lugs patt	Ea.	900.00
290	200 A Bolted type HRC Copper Fuse	Ea.	250.00
291	500 A Bolted type HRC Copper Fuse	Ea.	400.00
292	10W Led Bulkhead Fitting	Ea.	180.00
293	1W Led Torch	Ea.	150.00
294	3W Led Torch	Ea.	450.00
295	16 mm PVC Corrugated Flexible Conduit pipe	Mtr.	6.00
296	20 mm PVC Corrugated Flexible Conduit pipe	Mtr.	7.00
297	25 mm PVC Corrugated Flexible Conduit pipe	Mtr.	8.00
298	32 mm PVC Corrugated Flexible Conduit pipe	Mtr.	12.00
299	L Slotted type Angel Rail thickness 1.6 mm, Length of 8 foot 3 inch	Ea.	440.00
300	Z Type Clamp Length 175 mm x Width 25 mm x thickness 4 mm	Ea.	55.00

Sd/-
Executive Engineer
South Zone-B(Kanakpur)
Surat Municipal Corporation

I/We understood this work & agree to do work with above rate & Tender Condition.

Seal & Sign of Contractor